DIN EN ISO 8041-1:2017-10 (E)

Human response to vibration - Measuring instrumentation - Part 1: General purpose vibration meters (ISO 8041-1:2017)

Contents

Page

European foreword ... **5**

Foreword ... **6**

Introduction ... **7**

1 Scope ... **8**

2 Normative references ... **8**

3 Terms, definitions and symbols ... **9**

3.1 Terms and definitions ... 9

3.1.1 General ... 9

3.1.2 Frequency-weighted values ... 11

3.2 Symbols ... 13

4 Reference environmental conditions ... **15**

5 Performance specifications ... **15**

5.1 General characteristics ... 15

5.2 Display of signal magnitude ... 17

5.2.1 General ... 17

5.2.2 Resolution and refresh rate ... 17

5.2.3 Stabilization, measurement start and display times ... 18

5.3 Electrical output ... 18

5.4 Vibration sensitivity ... 18

5.5 Accuracy of indication at reference frequency under reference conditions ... 19

5.6 Frequency weightings and frequency responses ... 19

5.6.1 Parameters ... 19

5.6.2 Band-limiting filter ... 20

5.6.3 a-v transition filter ... 20

5.6.4 Upward-step filter ... 21

5.6.5 Overall frequency weighting ... 21

5.6.6 Tolerances ... 21

5.7 Amplitude linearity ... 22

5.8 Instrument noise ... 23

5.9 Signal-burst response ... 23

5.10 Overload indication ... 26

5.11 Under-range indication ... 27

5.12 Time averaging ... 27

5.13 Running r.m.s. acceleration ... 27

5.14 Reset ... 28

5.15 Timing facilities ... 28

5.16 Electrical cross-talk ... 28

5.17 Vibration transducer characteristics ... 28

5.18 Power supply ... 28

6 Mounting ... **29**

7 Environmental and electromagnetic criteria ... **29**

7.1 General ... 29

7.2 Air temperature ... 29

7.3 Surface temperature ... 30

7.4 Electrostatic discharge ... 30

7.5 Radio-frequency emissions and public-power-supply disturbances ... 30

7.6 Immunity to AC power-frequency fields and radio-frequency fields ... 31

7.7 Ingress of water and dust ... 31

8 Provision for use with auxiliary devices ... **32**

9 Instrument marking ... **32**

10 Instrument documentation 32

11 Testing and calibration 32

12 Pattern evaluation 35
12.1 General 35
12.2 Testing requirements 35
12.3 Submission for testing 36
12.4 Marking of the vibration meter and information in the instrument documentation 36
12.5 Mandatory facilities and general requirements 36
12.6 Initial instrument preparation 36
12.7 Indication at the reference frequency under reference conditions 36
12.8 Electrical cross-talk 37
12.9 Vibration transducer 37
12.10 Amplitude linearity and under-range indication 38
12.10.1 Electrical tests of amplitude linearity 38
12.10.2 Mechanical tests of amplitude linearity 39
12.11 Frequency weightings and frequency responses 40
12.11.1 General 40
12.11.2 Mechanical tests of frequency response 40
12.11.3 Electrical tests of frequency response 41
12.11.4 Conformance 42
12.12 Instrument noise 42
12.13 Signal-burst response 43
12.14 Overload indication 43
12.15 Reset 43
12.16 Combined axis outputs 44
12.17 AC electrical output 44
12.18 Timing facilities 44
12.19 Power supply 44
12.20 Environmental, electrostatic and radio-frequency tests 44
12.20.1 General 44
12.20.2 Expanded uncertainties for measurements of environmental conditions 45
12.20.3 Acclimatization requirements for tests of the influence of air temperature and relative humidity 45
12.20.4 Test of the influence of air temperature and relative humidity combined 45
12.20.5 Influence of surface temperature 46
12.20.6 Influence of electrostatic discharges 46
12.20.7 Radio-frequency emissions and public-power-supply disturbances 46
12.20.8 Immunity to AC power-frequency fields and radio-frequency fields 47
12.21 Test report 48

13 Validation of one-off instruments 49
13.1 General 49
13.2 Testing requirements 49
13.3 Test object 49
13.4 Submission for testing 50
13.5 Marking of the one-off instrument and information in the instrument documentation 50
13.6 Mandatory facilities and general requirements 50
13.7 Initial instrument preparation 50
13.8 Test procedure 50
13.9 Indication at the reference frequency under reference conditions 51
13.10 Test parameters 52
13.10.1 Vibration measurement chain for hand-arm vibration 52
13.10.2 Vibration measurement chain for whole-body vibration 52
13.10.3 Vibration measurement chain low-frequency whole-body vibration 53
13.11 Conducting the test 53
13.12 Instrument noise 54
13.13 Electrical cross-talk 54
13.14 Overload indication 54

13.15 Timing facilities 54
13.16 Test report 55

14 Periodic verification 55
14.1 General 55
14.2 Testing requirements 55
14.3 Test object 55
14.4 Submission for testing 55
14.5 Preliminary inspection 56
14.6 Marking of the vibration meter and information in the instrument documentation 56
14.7 Test procedure 56
14.8 Test parameters 57
14.8.1 Vibration measurement chain for hand-arm vibration 57
14.8.2 Vibration measurement chain for whole-body vibration 57
14.8.3 Vibration measurement chain low-frequency whole-body vibration 57
14.9 Conducting the test 58
14.10 Test report 58

15 *In situ* checks 58
15.1 General 58
15.2 Preliminary inspection 59
15.3 Vibration sensitivity (field calibration) 59

Annex A (normative) **Specification for field vibration calibrator 60**

Annex B (informative) **Frequency weightings 62**

Annex C (informative) **Realization of frequency weighting filters 81**

Annex D (informative) **Running r.m.s. time averaging 85**

Annex E (informative) **Vibration transducer characteristics 88**

Annex F (informative) **Tests for mounting systems 91**

Annex G (normative) **Instrument documentation 94**

Annex H (normative) **Phase response requirements for measurement of non-r.m.s. quantities 99**

Annex I (informative) **Guidelines for the estimation of the instrumental measurement uncertainty 107**

Bibliography 113