

# ISO 6926:1999-12 (E)

## Acoustics - Requirements for the performance and calibration of reference sound sources used for the determination of sound power level

---

| <b>Contents</b>   | <b>Page</b> |
|---|-------------|
| Foreword .....  | iv          |
| Introduction .....  | v           |
| 1 Scope.....  | 1           |
| 2 Normative references.....   | 1           |
| 3 Terms and definitions .....   | 2           |
| 4 Measurement uncertainty .....   | 4           |
| 5 Performance requirements.....   | 5           |
| 5.1 General .....   | 5           |
| 5.2 Temporal steadiness and repeatability of sound power output.....                | 5           |
| 5.3 Total broad-band sound power level.....   | 5           |
| 5.4 Spectral characteristics .....  | 5           |
| 5.5 Directivity index.....  | 6           |
| 5.6 Recalibration .....   | 6           |
| 6 Installation and operation of the reference sound source during calibration ..... | 6           |
| 6.1 General .....   | 6           |
| 6.2 Position of the reference source .....  | 7           |
| 7 Calibration procedure in hemi-anechoic rooms .....                                | 7           |
| 7.1 Test environment.....   | 7           |
| 7.2 Microphone .....  | 7           |
| 7.3 Microphone positions .....  | 7           |
| 7.4 Measurements .....  | 8           |
| 7.5 Air absorption .....  | 8           |
| 7.6 Calculations .....  | 8           |
| 8 Calibration procedure in reverberation rooms.....                                 | 9           |
| 8.1 Test environment.....   | 9           |
| 8.2 Microphone .....  | 9           |
| 8.3 Microphone positions .....  | 9           |
| 8.4 Measurements .....  | 9           |
| 8.5 Calculations .....  | 9           |
| 9 Information to be recorded.....   | 10          |
| 10 Information to be reported .....   | 10          |
| Bibliography.....   | 11          |