

DIN EN ISO 11202:2023-02 (E)

Acoustics - Noise emitted by machinery and equipment - Determination of emission sound pressure levels at a work station and at other specified positions applying approximate environmental corrections (ISO 11202:2010 + Amd.1:2020) (includes Amendment :2021)

| Contents | | Page |
|---|--|-------------|
| Foreword | | 5 |
| A1 European foreword to Amendment A1 A1 | | 6 |
| A1 Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2006/42/EC aimed to be covered A1 | | 7 |
| A1 Foreword to Amendment 1 A1 | | 8 |
| Introduction | | 9 |
| 1 Scope | | 10 |
| 1.1 General | | 10 |
| 1.2 Types of noise and noise sources | | 10 |
| 1.3 Test environment | | 10 |
| 1.4 Work station and other specified positions | | 11 |
| 2 Normative references | | 11 |
| 3 Terms and definitions | | 12 |
| 4 Instrumentation | | 17 |
| 4.1 General | | 17 |
| 4.2 Calibration | | 17 |
| 5 Procedures to determine the local environmental correction, K_{3A} | | 17 |
| 5.1 General | | 17 |
| 5.2 Identifiable dominant source | | 17 |
| 5.3 Dominant source not identifiable | | 18 |
| 5.4 Selection of method to be used | | 18 |
| 6 Test environment | | 18 |
| 6.1 General | | 18 |
| 6.2 Criterion for the adequacy of the test environment | | 18 |
| 6.3 Enclosed work station positions | | 18 |
| 6.4 Criteria for background noise | | 19 |
| 6.4.1 General | | 19 |
| 6.4.2 Corrections for background noise | | 19 |
| 6.5 Ambient conditions during measurements | | 20 |
| 7 Measured quantities | | 20 |
| 8 Quantities to be determined | | 20 |
| 9 Mounting and operation of source under test | | 21 |
| 9.1 General | | 21 |
| 9.2 Location of source | | 21 |
| 9.3 Mounting of source | | 22 |
| 9.3.1 General | | 22 |
| 9.3.2 Hand-held machines | | 22 |
| 9.3.3 Base-mounted and wall-mounted machines | | 22 |
| 9.4 Auxiliary equipment | | 22 |
| 9.5 Operation of source during test | | 23 |

| | | |
|---------|--|----|
| 10 | Microphone positions | 23 |
| 10.1 | General | 23 |
| 10.2 | Microphone position(s) for a seated operator..... | 24 |
| 10.3 | Microphone position(s) for a standing, stationary operator..... | 24 |
| 10.4 | Microphone position(s) for an operator moving along a specified path..... | 24 |
| 10.5 | Microphone positions for bystanders and for unattended machines | 24 |
| 11 | Measurements | 25 |
| 11.1 | Measurement time interval | 25 |
| 11.1.1 | General | 25 |
| 11.1.2 | Steady noise..... | 25 |
| 11.1.3 | Non-steady noise..... | 25 |
| 11.1.4 | Measurements in frequency bands | 25 |
| 11.1.5 | Summarization of sub-measurement time intervals..... | 26 |
| 11.2 | Measurement procedure | 26 |
| 11.2.1 | General | 26 |
| 11.2.2 | Repetition of measurements | 26 |
| 11.2.3 | Procedure for impulsive noise..... | 26 |
| 12 | Measurement uncertainty | 27 |
| 12.1 | Methodology | 27 |
| 12.2 | Determination of σ_{omc} | 27 |
| 12.3 | Determination of σ_{R0} | 28 |
| 12.3.1 | General | 28 |
| 12.3.2 | Round robin test | 28 |
| 12.3.3 | Modelling approach for σ_{R0} | 29 |
| 12.4 | Typical upper bound values of σ_{R0} | 29 |
| 12.5 | Total standard deviation, σ_{tot} and expanded uncertainty, U | 29 |
| 13 | Information to be recorded | 30 |
| 13.1 | General | 30 |
| 13.2 | Source under test..... | 30 |
| 13.3 | Test conditions | 30 |
| 13.4 | Acoustic environment..... | 31 |
| 13.5 | Instrumentation..... | 31 |
| 13.6 | Location of work station(s)..... | 31 |
| 13.7 | Noise data | 31 |
| 14 | Test report | 32 |
| Annex A | (normative) Environmental correction for a work station — Determination of the local environmental correction, K_3 | 33 |
| A.1 | Local environmental correction for a localized and well-defined sound-radiating area of the machine surface | 33 |
| A.1.1 | General | 33 |
| A.1.2 | Determination of the local environmental correction, K_3 | 33 |
| A.1.3 | Grade of accuracy | 34 |
| A.2 | Local environmental correction with approximate determination of the apparent work station directivity index | 35 |
| A.2.1 | General | 35 |
| A.2.2 | Approximate determination of the apparent work station directivity index | 35 |
| A.2.3 | Determination of the environmental correction, K_2 | 35 |
| A.2.4 | Determination of the local environmental correction, K_3 | 36 |
| A.2.5 | Grade of accuracy | 37 |

| | |
|---|-----------|
| Annex B (normative) Criteria for background noise for measurements in frequency bands..... | 39 |
| B.1 Absolute criteria for background noise | 39 |
| B.2 Relative criteria for frequency band measurements | 39 |
| B.3 Relative criteria for A-weighted level determined from frequency band levels | 39 |
| B.4 Failure to meet relevant criteria | 39 |
| Annex C (informative) Guidance on the development of information on measurement uncertainty | 41 |
| C.1 General..... | 41 |
| C.2 Considerations on the total standard deviation, σ_{tot}..... | 41 |
| C.3 Considerations on σ_{omc}..... | 41 |
| C.4 Considerations on σ_{R0}..... | 43 |
| C.4.1 General..... | 43 |
| C.4.2 $\boxed{A_1}$ Contributions to the uncertainty, σ_{R0}, when the estimate of the local environmental correction, K_3, is based on a localized and well-defined sound-radiating area of the machine surface $\boxed{A_1}$ | 43 |
| C.4.3 $\boxed{A_1}$ Contributions to the uncertainty, σ_{R0}, when the estimate of the local environmental correction, K_3, is based on an approximate determination of the apparent work station directivity index $\boxed{A_1}$ | 46 |
| C.5 Combined standard uncertainty..... | 48 |
| C.6 Measurement uncertainty based on reproducibility data | 48 |
| Annex D (informative) Principles of the methodology | 49 |
| Annex E (informative) Example of a test table | 50 |
| Bibliography..... | 51 |