

DIN EN ISO 8041-2:2022-02 (E)

Human response to vibration - Measuring instrumentation - Part 2: Personal vibration exposure meters (ISO 8041-2:2021)

Contents		Page
European foreword		5
Foreword		6
Introduction		7
1	Scope	8
2	Normative references	8
3	Terms and definitions	9
4	Reference environmental conditions	11
5	Performance specifications	11
5.1	General characteristics	11
5.1.1	Common characteristics	11
5.1.2	Special characteristics for whole-body vibration measurement	13
5.1.3	Special characteristics for hand-arm vibration measurement	13
5.2	Display	13
5.3	Electrical output	14
5.4	Vibration sensitivity	14
5.5	Accuracy of indication at reference frequency under reference conditions	14
5.6	Frequency weightings and frequency responses	15
5.6.1	Parameters	15
5.6.2	Band-limiting filter	16
5.6.3	a-v transition filter	16
5.6.4	Upward-step filter	16
5.6.5	Overall frequency weighting	16
5.6.6	Tolerances	17
5.7	Amplitude linearity	18
5.8	Instrument noise	18
5.9	Signal-burst response	18
5.10	Overload indication	21
5.11	Under-range indication	22
5.12	Time averaging	22
5.13	Running RMS acceleration	22
5.14	Clearance of data and instrument state (named reset)	22
5.15	Timing facilities	22
5.16	Electrical cross-talk	22
5.17	Vibration transducer characteristics	22
5.18	Power supply	22
5.19	Operator detection system	23
5.20	Detection of transient acceleration artefacts	23
5.21	Logging capabilities	23
5.22	Contact force measurement	24
5.23	Warning indication	24
5.23.1	General	24
5.23.2	Mandatory warning indications	24
5.23.3	Optional warning indications	24
5.24	Human interface and ergonomic aspects	25

6	Mounting	26
7	Environmental and electromagnetic criteria	26
7.1	General	26
7.2	Air temperature	26
7.3	Surface temperature	26
7.4	Electrostatic discharge	26
7.5	Radio-frequency emissions and public-power-supply disturbances	27
7.6	Immunity to AC power-frequency fields and radio-frequency fields	27
7.7	Ingress of water and dust	28
8	Provision for use with auxiliary devices	28
9	Instrument marking	28
10	Instrument documentation	29
11	Performance testing	29
12	Pattern evaluation	30
12.1	General	30
12.2	Testing requirements	31
12.3	Submission for testing	31
12.4	Marking of the instrument and information in the instrument documentation	31
12.5	Mandatory facilities and general requirements	32
12.6	Initial instrument preparation	32
12.7	Indication at the reference frequency under reference conditions	32
12.8	Electrical cross-talk	33
12.9	Vibration transducer	33
12.10	Amplitude linearity	33
12.10.1	Electrical tests of amplitude linearity	33
12.10.2	Mechanical tests of amplitude linearity	34
12.11	Frequency weightings and frequency responses	35
12.11.1	General	35
12.11.2	Mechanical tests of frequency response	36
12.11.3	Electrical tests of frequency response	37
12.11.4	Conformance	38
12.12	Instrument noise	38
12.13	Signal-burst response	38
12.14	Overload indication	39
12.15	Reset	39
12.16	Combined axis outputs	39
12.17	AC electrical output	39
12.18	Timing facilities	39
12.19	Power supply	39
12.20	Environmental, electrostatic and radio-frequency tests	40
12.20.1	General	40
12.20.2	Expanded uncertainties for measurements of environmental conditions	40
12.20.3	Acclimatization requirements for tests of the influence of air temperature and relative humidity	40
12.20.4	Test of the influence of air temperature and relative humidity combined	40
12.20.5	Influence of surface temperature	41
12.20.6	Influence of electrostatic discharges	41
12.20.7	Radio-frequency emissions and public-power-supply disturbances	42
12.20.8	Immunity to AC power-frequency fields and radio-frequency fields	42
12.21	Operator detection system	43
12.22	Logging capabilities	43
12.23	Warning indication (mandatory warnings)	44
12.24	Test report	44
13	Periodic verification	44

13.1	General	44
13.2	Testing requirements	45
13.3	Test object	45
13.4	Submission for testing	45
13.5	Preliminary inspection	45
13.6	Marking of the instrument and information in the instrument documentation	45
13.7	Test procedure	46
13.8	Test parameters	46
13.8.1	Vibration measurement chain for hand-arm vibration	46
13.8.2	Vibration measurement chain for whole-body vibration	47
13.8.3	Vibration measurement chain low-frequency whole-body vibration	47
13.9	Conducting the test	47
13.10	Test report	48
14	In-situ check	48
14.1	General	48
14.2	Preliminary inspection	48
14.3	Vibration sensitivity (field calibration)	48
Annex A (informative) Treatment of transient acceleration artefacts		50
Annex B (informative) Influence of coupling force on hand-arm vibration evaluation		55
Annex C (informative) Human interface		59
Bibliography		60