

# ISO 10140-1:2021 (E)

## Acoustics — Laboratory measurement of sound insulation of building elements — Part 1: Application rules for specific products

---

### Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	General
5	Structure of application rules for specific products
<b>Annex A (normative) Walls — Airborne sound insulation</b>	
A.1	General
A.2	Test element
A.3	Boundary and mounting conditions
A.4	Test and operating conditions
A.5	Test report
<b>Annex B (normative) Doors — Airborne sound insulation</b>	
B.1	General
B.2	Test element
B.3	Boundary and mounting conditions
B.4	Test and operating conditions
B.5	Test report
<b>Annex C (normative) Windows — Airborne sound insulation</b>	
C.1	General
C.2	Test element
C.3	Boundary and mounting conditions
C.4	Test and operating conditions
C.4.1	Conditioning
C.4.2	Operation
C.5	Test report
<b>Annex D (normative) Glazing — Airborne sound insulation</b>	
D.1	General
D.2	Test element
D.3	Boundary and mounting conditions
D.4	Test and operating conditions
D.4.1	General
D.4.2	Reference curves
D.4.2.1	General
D.4.2.2	Reference IGU 6(16)6
D.4.2.3	Reference IGU 10(16)44-2 laminated glass with acoustic interlayer S
D.4.2.4	Maximum standard deviation of repeatability
D.5	Test report
<b>Annex E (normative) Small technical elements — Airborne sound insulation</b>	
E.1	General
E.2	Test element

- E.2.1 General
- E.2.2 Number of positions
- E.2.3 Local increase of wall thickness
- E.2.4 Local decrease of wall thickness
- E.2.5 Central, corner and edge positions
- E.2.5.1 Equipment used away from walls
- E.2.5.2 Equipment used near an edge
- E.2.5.3 Equipment used near a corner
- E.2.5.4 Simulation of corner or edge positions
- E.3 Boundary and mounting conditions
- E.3.1 Air transfer devices
- E.3.2 Electrical raceways
- E.4 Test and operating conditions
- E.5 Test report

**Annex F (normative) Floors — Airborne and impact sound insulation**

- F.1 General
- F.2 Test element
- F.3 Boundary and mounting conditions
- F.4 Test and operating conditions
- F.5 Test report

**Annex G (normative) Acoustical linings — Improvement of airborne sound insulation**

- G.1 General
- G.2 Test element
- G.3 Boundary and mounting conditions
- G.4 Test and operating conditions
- G.5 Test report

**Annex H (normative) Floor coverings — Improvement of impact sound insulation**

- H.1 General
- H.2 Test element
- H.2.1 General
- H.2.2 Classification of floor coverings
- H.2.2.1 Category I — Small specimens
- H.2.2.2 Category II — Large specimens
- H.2.2.3 Category III — Stretched materials
- H.2.2.4 Materials of uncertain classification
- H.3 Boundary and mounting conditions
- H.4 Test and operating conditions
- H.4.1 Load
- H.4.2 Installation
- H.4.3 Adhesive mounting
- H.4.4 Curing
- H.4.5 Environmental conditions
- H.4.6 Position of the tapping machine
- H.4.6.1 Floor coverings on a heavyweight reference floor
- H.4.6.1.1 Testing floor coverings of category I
- H.4.6.1.2 Testing floor coverings of category II or III
- H.4.6.2 Testing floor coverings on a lightweight reference floor
- H.4.6.2.1 Testing floor coverings of category I
- H.4.6.2.2 Testing floor coverings of category II or III
- H.5 Test report
- H.6 Additional information
- H.6.1 Improvement with heavy/soft impact
- H.6.2 Procedures using a wooden mock-up floor to determine the impact sound improvement of floor coverings when mounted on lightweight floor constructions
- H.6.2.1 General
- H.6.2.2 Test arrangement
- H.6.2.3 Preparation and installation of test specimen
- H.6.2.4 Test procedure
- H.6.3 Expression of results

**Annex I (normative) Shutters — Airborne sound insulation**

- I.1 General
- I.2 Test element
- I.3 Boundary and mounting conditions
- I.4 Test and operating conditions
- I.4.1 Conditioning
- I.4.2 Operation
- I.5 Test report

**Annex J (normative) Joints filled with fillers or seals — Sound reduction index**

- J.1 General
- J.2 Test element
- J.2.1 General
- J.2.2 Illustration 1 — Gaps between windows and doors
- J.2.3 Illustration 2 — Test element for slits and gaps
- J.3 Boundary and mounting conditions
- J.3.1 General
- J.3.2 Illustration 1 — Geometry of a joint to test fillers in a cassette
- J.3.3 Illustration 2 — Geometry of a joint to test gaskets
- J.4 Test and operating conditions
- J.5 Test report
- J.5.1 Expression of results
- J.5.2 Test report

**Annex K (normative) Roofs, roof/ceiling systems, roof windows/skylights and rooflights — Rainfall sound**

- K.1 General
- K.2 Test element
- K.2.1 Standard element and laboratory configuration
- K.2.2 Other configurations
- K.3 Boundary and mounting conditions
- K.4 Test and operating conditions
- K.4.1 General
- K.4.2 Determination of the sound intensity level (indirect method)
- K.4.3 Direct measurement of sound intensity
- K.5 Test report
- K.6 Additional information — Normalization using a reference test specimen

Page count: 54