

ISO 10303-219:2007-12 (E)

Industrial automation systems and integration - Product data representation and exchange - Part 219: Application protocol: Dimensional inspection information exchange

Contents		Page
1	Scope	1
2	Normative references	2
3	Terms, definitions and abbreviations	3
3.1	Terms defined in ISO 1101	3
3.2	Terms defined in ISO 5459	3
3.5	Other definitions	4
3.6	Abbreviations	4
4	Information requirements	5
4.1	Units of functionality	5
4.1.1	administrative_data	6
4.1.2	dimensional_measurement_analysis	6
4.1.3	dimensional_measurement_documentation	7
4.1.4	dimensional_measurement_execution	7
4.1.5	dimensional_measurement_features	8
4.1.6	dimensional_measurement_part	9
4.1.7	dimensional_measurement_parameters	9
4.1.8	feature_definition_items	9
4.1.9	feature_profile	11
4.1.10	manufacturing_feature	12
4.1.11	functional_limitations	15
4.1.12	part_properties	17
4.1.13	program_run	18
4.1.14	shape_representation_for_machining	18
4.2	Application objects	19
4.3	Application assertions	257
5	Application interpreted model	311
5.1	Mapping specification	311
5.1.1	administrative_data UoF	312
5.1.2	dimensional_measurement_analysis UoF	318
5.1.3	dimensional_measurement_documentation UoF	330
5.1.4	dimensional_measurement_execution UoF	332
5.1.5	dimensional_measurement_features UoF	337
5.1.6	dimensional_measurement_part UoF	443
5.1.7	dimensional_measurement_parameters UoF	446
5.1.8	feature_definition_items UoF	455
5.1.9	feature_profile UoF	501
5.1.10	manufacturing_feature UoF	539
5.1.11	functional_limitations UoF	746
5.1.12	part_properties UoF	797
5.1.13	program_run UoF	799
5.1.14	shape_representation_for_machining UoF	809
5.2	AIM EXPRESS short listing	828
5.2.1	Fundamental concepts and assumptions	832
5.2.2	Dimensional inspection schema types	832
5.2.3	Dimensional inspection schema entities	834

5.2.4	Dimensional inspection schema rules	940
6	Conformance requirements	959
	Annex A (normative) AIM EXPRESS expanded listing	960
	Annex B (normative) AIM short names	1191
	Annex C (normative) Implementation method specific requirements	1204
	Annex D (normative) Protocol Implementation Conformance Statement (PICS) proforma	1205
	Annex E (normative) Information object registration	1206
	Annex F (informative) Application activity model	1207
	Annex G (informative) Application reference model	1234
	Annex H (informative) AIM EXPRESS-G	1269
	Annex I (informative) Computer interpretable listings	1299
	Annex J (informative) Application protocol usage guide	1300
	Bibliography	1525
	Index	1526
Figures	Figure 1 -- Data planning model	xii
	Figure 2 -- Angle_taper	22
	Figure 3 -- Angular_dimension_tolerance	23
	Figure 4 -- Angular_size_dimension_tolerance	25
	Figure 5 -- Angularity_tolerance for a plane surface	26
	Figure 6 -- Angularity_tolerance for an axis	26
	Figure 7 -- Bevel_gear	27
	Figure 8 -- Bevel_gear with shaft_angle and pitch_angle	28
	Figure 9 -- Bevel_gear with tip_angle and root_angle	28
	Figure 10 -- Block_base_shape	30
	Figure 11 -- Catalogue_gear	35
	Figure 12 -- Catalogue_knurl	36
	Figure 13 -- Catalogue_marking	37
	Figure 14 -- Catalogue_thread	37
	Figure 15 -- Chamfer	39
	Figure 16 -- Circular_boss	40
	Figure 17 -- Circular_boss with taper	41

Figure 18 -- Circular_closed_profile	42
Figure 19 -- Circular_offset_pattern	43
Figure 20 -- Circular_omit_pattern	45
Figure 21 -- Circular_pattern without rotation	46
Figure 22 -- Circular_pattern with rotation of a base feature	46
Figure 23 -- Circular_runout_tolerance	48
Figure 24 -- Circularity_tolerance	49
Figure 25 -- Complete_circular_path	50
Figure 26 -- Compound_feature	51
Figure 27 -- Concentricity_tolerance	53
Figure 28 -- Conical_hole_bottom	54
Figure 29 -- Constant_radius_edge_round	55
Figure 30 -- Constant_radius_fillet	56
Figure 31 -- Counterbore_hole	59
Figure 32 -- Countersunk_hole	60
Figure 33 -- Curved_dimension_tolerance	60
Figure 34 -- Cutout	61
Figure 35 -- Cylindrical_base_shape	62
Figure 36 -- Cylindricity_tolerance	63
Figure 37 -- Defined_marking	66
Figure 38 -- Defined_thread	68
Figure 39 -- Diagonal_knurl	70
Figure 40 -- Diameter_dimension_tolerance	71
Figure 41 -- Diameter_taper	72
Figure 42 -- Diamond_knurl	73
Figure 43 -- Distance_along_curve_tolerance	76
Figure 44 -- Dmf_arc	93
Figure 45 -- Dmf_circle	95
Figure 46 -- Dmf_cone	96
Figure 47 -- Dmf_cylinder	99
Figure 48 -- Dmf_edge_point	100

Figure 49 -- Dmf_ellipse	102
Figure 50 -- Dmf_generic_feature	104
Figure 51 -- Dmf_geometric_curve	105
Figure 52 -- Dmf_geometric_surface	106
Figure 53 -- Dmf_line_bounded	107
Figure 54 -- Dmf_line_closed_parallel	109
Figure 55 -- Dmf_line_unbounded	111
Figure 56 -- Dmf_pattern	112
Figure 57 -- Dmf_plane	113
Figure 58 -- Dmf_plane_closed_parallel	115
Figure 59 -- Dmf_plane_symmetric	117
Figure 60 -- Dmf_point	118
Figure 61 -- Dmf_sphere	120
Figure 62 -- Dmf_surface_of_revolution_dml	122
Figure 63 -- Dmf_torus	123
Figure 64 -- Edge_round	126
Figure 65 -- Fillet	130
Figure 66 -- Flat_hole_bottom types	131
Figure 67 -- Flat_slot_end_type	132
Figure 68 -- Flatness_tolerance	134
Figure 69 -- Gear face_width	135
Figure 70 -- Gear nominal_tooth_depth	136
Figure 71 -- Gear profile_shift	137
Figure 72 -- Gear reference_pressure_angle	137
Figure 73 -- Gear root_fillet_radius	138
Figure 74 -- Gear tip_diameter	138
Figure 75 -- General_boss	139
Figure 76 -- General_closed_profile	140
Figure 77 -- General_open_profile	141
Figure 78 -- General_outside_profile	142
Figure 79 -- General_path	143

Figure 80 -- General_pattern	144
Figure 81 -- General_pocket	145
Figure 82 -- General_removal_volume	147
Figure 83 -- General_revolution for outer shape	148
Figure 84 -- General_revolution for volume removal	149
Figure 85 -- Groove	154
Figure 86 -- Helical_gear	156
Figure 87 -- Helical_gear left_or_right_tooth	156
Figure 88 -- Helical_gear reference_helix_angle	157
Figure 89 -- Implicit_base_shape	158
Figure 90 -- Knurl and types of Turned_knurl	160
Figure 91 -- Linear_path	162
Figure 92 -- Linear_profile	162
Figure 93 -- Linear_profile_tolerance	163
Figure 94 -- Location_dimension_tolerance	164
Figure 95 -- Ngon_base_shape	170
Figure 96 -- Ngon_profile	172
Figure 97 -- Open_slot_end_type	175
Figure 98 -- Outer_diameter	177
Figure 99 -- Outer_diameter_to_shoulder	179
Figure 100 -- Parallelism_tolerance for an axis	181
Figure 101 -- Parallelism_tolerance for a plane	181
Figure 102 -- Partial_circular_path	185
Figure 103 -- Partial_circular_profile	186
Figure 104 -- Perpendicularity_tolerance	188
Figure 105 -- Perpendicularity_tolerance for an axis	189
Figure 106 -- Planar_face	192
Figure 107 -- Pocket_bottom_condition	198
Figure 108 -- Position_tolerance	198
Figure 109 -- Protrusion	202
Figure 110 -- Radial_dimension_tolerance	203

Figure 111 -- Radiused_slot_end_type	203
Figure 112 -- Recess	204
Figure 113 -- Rectangular_boss	205
Figure 114 -- Rectangular_closed_pocket	207
Figure 115 -- Rectangular_closed_profile	208
Figure 116 -- Rectangular_offset_pattern	209
Figure 117 -- Rectangular_omit_pattern	210
Figure 118 -- Rectangular_open_pocket	212
Figure 119 -- Rectangular_pattern	213
Figure 120 -- Revolved_flat	216
Figure 121 -- Revolved_round	217
Figure 122 -- Rib_top	218
Figure 123 -- Round_hole	220
Figure 124 -- Rounded_end	221
Figure 125 -- Rounded_U_profile	222
Figure 126 -- Shape_profile	226
Figure 127 -- Slot	228
Figure 128 -- Spherical_cap	231
Figure 129 -- Spherical_hole_bottom	232
Figure 130 -- Spur_gear	232
Figure 131 -- Square_U_profile	233
Figure 132 -- Step	235
Figure 133 -- Straight_knurl	236
Figure 134 -- Straightness_tolerance	237
Figure 135 -- Surface_profile_tolerance	238
Figure 136 -- Symmetry_tolerance	239
Figure 137 -- Tee_profile	242
Figure 138 -- Thread	244
Figure 139 -- Through_bottom_condition	247
Figure 140 -- Total_runout_tolerance	251
Figure 141 -- Turned_knurl	254

Figure 142 -- Vee_profile	255
Figure 143 -- Woodroff_slot_end_type	256
Figure F.1 -- IDEF0 Basic notation	1207
Figure F.2 - A0 Manage dimensional inspection	1218
Figure F.3 - A0 Manage dimensional inspection	1219
Figure F.4 - A2 Perform Inspection Planning	1220
Figure F.5 - A21 Identify inspection scope and accuracy requirements	1221
Figure F.6 - A23 Select DME, tools, fixtures and functions	1222
Figure F.7 - A24 Develop inspection process plan	1223
Figure F.8 - A241 Determine setup	1224
Figure F.9 - A242 Specify inspection plan	1225
Figure F.10 - A243 Validate and approve the inspection plan	1226
Figure F.11 - A3 Execute inspection	1227
Figure F.12 - A31 Setup for inspection	1228
Figure F.13 - A4 Perform analysis of inspection	1229
Figure F.14 - A1 Perform inspection administration and archiving	1230
Figure F.15 - A2 Perform inspection planning	1231
Figure F.16 - A3 Execute inspection	1232
Figure F.17 - A4 Perform analysis of dimensional inspection	1233
Figure G.1 -- ARM EXPRESS-G diagram 1 of 34	1235
Figure G.2 -- ARM EXPRESS-G diagram 2 of 34	1236
Figure G.3 -- ARM EXPRESS-G diagram 3 of 34	1237
Figure G.4 -- ARM EXPRESS-G diagram 4 of 34	1238
Figure G.5 -- ARM EXPRESS-G diagram 5 of 34	1239
Figure G.6 -- ARM EXPRESS-G diagram 6 of 34	1240
Figure G.7 -- ARM EXPRESS-G diagram 7 of 34	1241
Figure G.8 -- ARM EXPRESS-G diagram 8 of 34	1242
Figure G.9 -- ARM EXPRESS-G diagram 9 of 34	1243
Figure G.10 -- ARM EXPRESS-G diagram 10 of 34	1244
Figure G.11 -- ARM EXPRESS-G diagram 11 of 34	1245
Figure G.12 -- ARM EXPRESS-G diagram 12 of 34	1246

Figure G.13 -- ARM EXPRESS-G diagram 13 of 34	1247
Figure G.14 -- ARM EXPRESS-G diagram 14 of 34	1248
Figure G.15 -- ARM EXPRESS-G diagram 15 of 34	1249
Figure G.16 -- ARM EXPRESS-G diagram 16 of 34	1250
Figure G.17 -- ARM EXPRESS-G diagram 17 of 34	1251
Figure G.18 -- ARM EXPRESS-G diagram 18 of 34	1252
Figure G.19 -- ARM EXPRESS-G diagram 19 of 34	1253
Figure G.20 -- ARM EXPRESS-G diagram 20 of 34	1254
Figure G.21 -- ARM EXPRESS-G diagram 21 of 34	1255
Figure G.22 -- ARM EXPRESS-G diagram 22 of 34	1256
Figure G.23 -- ARM EXPRESS-G diagram 23 of 34	1257
Figure G.24 -- ARM EXPRESS-G diagram 24 of 34	1258
Figure G.25 -- ARM EXPRESS-G diagram 25 of 34	1259
Figure G.26 -- ARM EXPRESS-G diagram 26 of 34	1260
Figure G.27 -- ARM EXPRESS-G diagram 27 of 34	1261
Figure G.28 -- ARM EXPRESS-G diagram 28 of 34	1262
Figure G.29 -- ARM EXPRESS-G diagram 29 of 34	1263
Figure G.30 -- ARM EXPRESS-G diagram 30 of 34	1264
Figure G.31 -- ARM EXPRESS-G diagram 31 of 34	1265
Figure G.32 -- ARM EXPRESS-G diagram 32 of 34	1266
Figure G.33 -- ARM EXPRESS-G diagram 33 of 34	1267
Figure G.34 -- ARM EXPRESS-G diagram 34 of 34	1268
Figure H.1 -- AIM EXPRESS-G diagram 1 of 29	1270
Figure H.2 -- AIM EXPRESS-G diagram 2 of 29	1271
Figure H.3 -- AIM EXPRESS-G diagram 3 of 29	1272
Figure H.4 -- AIM EXPRESS-G diagram 4 of 29	1273
Figure H.5 -- AIM EXPRESS-G diagram 5 of 29	1274
Figure H.6 -- AIM EXPRESS-G diagram 6 of 29	1275
Figure H.7 -- AIM EXPRESS-G diagram 7 of 29	1276
Figure H.8 -- AIM EXPRESS-G diagram 8 of 29	1277
Figure H.9 -- AIM EXPRESS-G diagram 9 of 29	1278

Figure H.10 -- AIM EXPRESS-G diagram 10 of 29	1279
Figure H.11 -- AIM EXPRESS-G diagram 11 of 29	1280
Figure H.12 -- AIM EXPRESS-G diagram 12 of 29	1281
Figure H.13 -- AIM EXPRESS-G diagram 13 of 29	1282
Figure H.14 -- AIM EXPRESS-G diagram 14 of 29	1283
Figure H.15 -- AIM EXPRESS-G diagram 15 of 29	1284
Figure H.16 -- AIM EXPRESS-G diagram 16 of 29	1285
Figure H.17 -- AIM EXPRESS-G diagram 17 of 29	1286
Figure H.18 -- AIM EXPRESS-G diagram 18 of 29	1287
Figure H.19 -- AIM EXPRESS-G diagram 19 of 29	1288
Figure H.20 -- AIM EXPRESS-G diagram 20 of 29	1289
Figure H.21 -- AIM EXPRESS-G diagram 21 of 29	1290
Figure H.22 -- AIM EXPRESS-G diagram 22 of 29	1291
Figure H.23 -- AIM EXPRESS-G diagram 23 of 29	1292
Figure H.24 -- AIM EXPRESS-G diagram 24 of 29	1293
Figure H.25 -- AIM EXPRESS-G diagram 25 of 29	1294
Figure H.26 -- AIM EXPRESS-G diagram 26 of 29	1295
Figure H.27 -- AIM EXPRESS-G diagram 27 of 29	1296
Figure H.28 -- AIM EXPRESS-G diagram 28 of 29	1297
Figure H.29 -- AIM EXPRESS-G diagram 29 of 29	1298
Figure J.1 -- Manufacturing suite test case test part drawing	1353
Figure J.2 -- Manufacturing suite test case part	1354
Tables Table B.1 -- AIM short names of entities	1191