

ISO 9244:2008-06 (E)

Earth-moving machinery - Machine safety labels - General principles

Contents		Page
Foreword		viii
Introduction		ix
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Machine safety labels -- Application, presentation and general requirements	4
4.1	Objectives	4
4.2	Location	4
4.3	Effective use	4
4.4	Operator's manuals	4
4.5	Formats	4
4.6	Hazard severity panel	7
4.7	Pictorials	7
4.8	Text in supplementary safety panel	9
4.9	Languages, translations and multi-language machine safety labels	9
5	Colours	10
5.1	Colour specifications	10
5.2	Hazard severity panels	11
5.3	Pictorials and safety signs	11
5.4	Supplementary safety information panels	11
5.5	Borders and panel separation lines	12
6	Dimensions	12
7	Examples of machine safety labels	16
7.1	With text	16
7.2	Without text	16
8	Graphical design of hazard pictorials	16
Annex A (informative) Examples of hazard description pictorials		17
Annex B (informative) Examples of hazard avoidance pictorials		30
Annex C (informative) Examples of machine safety labels without text		37
Annex D (informative) Principles and guidelines for graphic design of hazard and avoidance pictorials		55
Bibliography		71
Figure 1 -- Two-panel combination machine safety label -- With signal word		5
Figure 2 -- Three-panel combination machine safety label -- With signal word		6
Figure 3 -- Two-panel combination machine safety label -- Without signal word		6

Figure 4 -- Meaning of hazard severity panels	7
Figure 5 -- General prohibition sign	8
Figure 6 -- STOP instruction	8
Figure 7 -- Combined pictorial in single panel	8
Figure 8 -- Safety shape for warning signs	9
Figure 9 -- General warning sign	9
Figure 10 -- Machine safety label without text -- Read operator's manual	10
Figure 11 -- Safety sign borders	12
Figure 12 -- Recommended dimensions -- Two-panel format	13
Figure 13 -- Recommended dimensions -- Three-panel format	14
Figure 14 -- Recommended dimensions -- Two-panel format	15
Figure A.1 -- Poisonous fumes or toxic gases -- Asphyxiation	17
Figure A.2 -- Electrical shock/electrocution -- General	17
Figure A.3 -- Electrical shock/electrocution -- Hand	18
Figure A.4 -- Electrical shock/electrocution -- Body	18
Figure A.5 -- Electrical shock/electrocution -- Loader	18
Figure A.6 -- Electrical shock/electrocution -- Excavator	18
Figure A.7 -- Fall from high place	19
Figure A.8 -- Fall from raised loader bucket	19
Figure A.9 -- High pressure fluid -- Injection into flesh	19
Figure A.10 -- High pressure spray -- Erosion of flesh	20
Figure A.11 -- Hot surface -- Burn to finger or hand	20
Figure A.12 -- Hot fluid under pressure	20
Figure A.13 -- Crushing of whole body -- Force applied from above	21
Figure A.14 -- Crushing of whole body -- Force applied from behind	21
Figure A.15 -- Crushing of whole body -- Force applied from side	21
Figure A.16 -- Crushing of whole body -- Bidirectional force applied	21
Figure A.17 -- Crushing of whole body -- Loader bucket or lift arm	22
Figure A.18 -- Crushing of whole body -- Single directional pinned	22
Figure A.19 -- Crushing of whole body -- Excavator	22
Figure A.20 -- Crushing of foot	22

Figure A.21 -- Crushing of fingers or hand -- Force applied from side	23
Figure A.22 -- Crushing of fingers or hand -- Force applied from above	23
Figure A.23 -- Severing of fingers or hand -- Impeller blade	23
Figure A.24 -- Severing of fingers or hand -- Engine fan	23
Figure A.25 -- Severing of fingers or hand -- Sharp object	24
Figure A.26 -- Severing of foot	24
Figure A.27 -- Severing of leg	24
Figure A.28 -- Severing of head -- Tool on rotating shaft	24
Figure A.29 -- Hand and arm entanglement -- Chain or toothed belt drive	25
Figure A.30 -- Hand and arm entanglement -- Belt drive	25
Figure A.31 -- Hand and arm entanglement -- Rotating gears	25
Figure A.32 -- Hand and arm entanglement -- Machinery	25
Figure A.33 -- Hand and arm entanglement -- Auger	26
Figure A.34 -- Leg or foot entanglement -- Auger	26
Figure A.35 -- Full body entanglement -- Machinery	26
Figure A.36 -- Leg or foot entanglement or severing -- Trencher	26
Figure A.37 -- Thrown or flying objects -- Face exposure	27
Figure A.38 -- Thrown or flying objects -- Full body exposure	27
Figure A.39 -- Run-over	27
Figure A.40 -- Machine rollover -- Crush	28
Figure A.41 -- Machine tip-over -- Overload -- Backhoe loader	28
Figure A.42 -- Machine tip-over -- Overload -- Skid steer loader	28
Figure A.43 -- Explosion (used, for example, with starter fluid)	29
Figure A.44 -- Explosion of battery	29
Figure A.45 -- Explosion of battery -- Jump start	29
Figure B.1 -- Read operator's manual	30
Figure B.2 -- Read technical manual for proper service procedures	30
Figure B.3 -- Stay safe distance from hazard -- General	30
Figure B.4 -- Stay safe distance from raised loader lift arm and bucket	31
Figure B.5 -- Stay safe distance from electrical power lines	31
Figure B.6 -- Stay safe distance from articulation area	31

Figure B.7 -- Keep hands safe distance from hazard	31
Figure B.8 -- Secure lifting cylinder with locking device before entering hazardous area	32
Figure B.9 -- Attach support before entering hazardous area	32
Figure B.10 -- Secure locking device before entering hazardous area. Read operator's manual	32
Figure B.11 -- Insert safety lock before entering hazardous area	32
Figure B.12 -- Wait until all machine components have completely stopped before touching them ..	33
Figure B.13 -- Do not jump start the engine	33
Figure B.14 -- Shut off engine and remove key before performing maintenance or repair work	33
Figure B.15 -- Do not ride on fender	34
Figure B.16 -- Do not reach into crushing area	34
Figure B.17 -- Do not stand under bucket	34
Figure B.18 -- Do not loosen cap until cool	35
Figure B.19 -- Do not step	35
Figure B.20 -- No hands	35
Figure B.21 -- No feet	35
Figure B.22 -- No ether -- Low temperature starting aid	36
Figure B.23 -- Eye protection required	36
Figure B.24 -- Face protection required	36
Figure B.25 -- Wear seat belt	36
Figure C.1 -- Stay safe distance from hazard -- General	37
Figure C.2 -- Crushing of whole body -- Stay safe distance from raised loader lift arm and bucket ...	38
Figure C.3 -- Crushing of whole body -- Stay safe distance from articulation area	38
Figure C.4 -- Crushing or pinning of whole body -- Stay safe distance from hazard	39
Figure C.5 -- Crushing of whole body -- Stay safe distance from hazard	39
Figure C.6 -- Thrown or flying objects -- Stay safe distance from hazard	40
Figure C.7 -- Crushing of whole body -- Secure lift cylinder with locking device before entering hazardous area	40
Figure C.8 -- Crushing of whole body -- Attach support before entering hazardous area	41
Figure C.9 -- Crushing of whole body -- Insert safety lock before entering hazardous area	41
Figure C.10 -- Crushing of whole body -- Secure locking device before entering hazardous area -- Read operator's manual	42
Figure C.11 -- Crushing hazard -- Run-over -- Do not jump start engine	42

Figure C.12 -- General safety alert -- Shut off engine and remove key before performing maintenance or repair work	43
Figure C.13 -- Electrical shock or electrocution -- Stay safe distance from electrical power lines	43
Figure C.14 -- Electrical shock or electrocution -- Stay safe distance from electrical power source ..	44
Figure C.15 -- Electrical shock or electrocution -- Keep hands safe distance from electrical power source	44
Figure C.16 -- Hot surface -- Burn to finger or hand -- Keep hands safe distance from hazard	45
Figure C.17 -- High pressure fluid -- Avoid fluid escaping under pressure -- Read technical manual for proper service procedures	45
Figure C.18 -- Explosion of battery -- Read operator's manual	46
Figure C.19 -- Explosion of battery -- Jump start -- Read operator's manual	46
Figure C.20 -- Explosion hazard -- No ether -- Low temperature starting aid	47
Figure C.21 -- Severing of fingers or hand -- Keep hands safe distance from hazard	47
Figure C.22 -- Severing of foot or leg -- Keep feet and legs safe distance from hazard	48
Figure C.23 -- Severing of foot -- Keep feet safe distance from hazard	48
Figure C.24 -- Severing of head -- Read operator's manual	49
Figure C.25 -- Arm or hand entanglement in auger -- Keep hands and arms safe distance from hazard	49
Figure C.26 -- Whole body entanglement in machinery -- Stay safe distance from hazard	50
Figure C.27 -- Leg or foot entanglement or severing -- Stay safe distance from hazard	50
Figure C.28 -- Crushing of feet -- Keep feet safe distance from hazard	51
Figure C.29 -- Crushing of fingers or hands -- Keep hands safe distance from hazard	51
Figure C.30 -- Crushing of whole body -- Stay safe distance from raised loader lift arm and bucket ..	52
Figure C.31 -- Crushing hazard due to machine rollover -- Wear seat belt	52
Figure C.32 -- Machine tip-over or overload -- Read operator's manual	53
Figure C.33 -- Tip-over or overload of skid steer loader -- Read operator's manual	53
Figure C.34 -- Avoid being run over -- Do not ride on fender	54
Figure D.1 -- Human figure unit system	56
Figure D.2 -- Examples of human figure animation	57
Figure D.3 -- Example of pictorial using both line and bold drawing human forms	58
Figure D.4 -- Stationary, free-standing human figure	58
Figure D.5 -- Examples of pictorials using head profile	59
Figure D.6 -- Examples of pictorials showing upper torso	59

Figure D.7 -- Full palm view hand	59
Figure D.8 -- Adding hands to the human figure	60
Figure D.9 -- Examples of pictorials using a human figure with hands	60
Figure D.10 -- Examples of pictorials using hand profiles	61
Figure D.11 -- Foot development	61
Figure D.12 -- Adding feet to the human figure	62
Figure D.13 -- Example of pictorial showing the human figure with feet	62
Figure D.14 -- Examples of pictorials showing machine hazard	62
Figure D.15 -- Examples of pictorials showing individual hazard-creating components	63
Figure D.16 -- Arrow representing falling or flying objects and their direction of motion	64
Figure D.17 -- Examples of pictorials with arrows representing falling or flying objects and their direction of motion	64
Figure D.18 -- Arrow representing direction of motion of machine components	65
Figure D.19 -- Example of pictorial with arrow representing direction of motion of machine components	65
Figure D.20 -- Arrow representing direction of motion of entire machines	66
Figure D.21 -- Example of pictorial representing direction of motion of entire machines	67
Figure D.22 -- Arrow representing exertion of pressure or force	68
Figure D.23 -- Examples of pictorials with arrows representing exertion of pressure or force	69
Figure D.24 -- Arrow representing the idea of keeping a safe distance away from hazard	69
Figure D.25 -- Examples of pictorials with arrows representing keeping a safe distance from a hazard	70
Figure D.26 -- Example of pictorial using general prohibition sign to communicate prohibited action	70