ISO/TR 18792:2008-12 (E)

Lubrication of industrial gear drives

Contents

Page

Foreword v

Introduction vi

1 Scope 1

2 Terms and definitions 1

3 Basics of gear lubrication and failure modes 3
3.1 Tribo-technical parameters of gears 3
3.2 Gear lubricants 5
3.3 Base fluid components 6
3.4 Thickeners 8
3.5 Chemical properties of additives 9
3.6 Solid lubricants 10
3.7 Friction and temperature 10
3.8 Lubricating regime 11
3.9 Lubricant influence on gear failure 11

4 Test methods for lubricants 15
4.1 Gear tests 15
4.2 Other functional tests 16

5 Lubricant viscosity selection 19
5.1 Guideline for lubricant selection for parallel and bevel gears (not hypoid) 19
5.2 Guideline for lubricant selection for worm gears 24
5.3 Guideline for lubricant selection for open girth gears 24

6 Lubrication principles for gear units 26
6.1 Enclosed gear units 27
6.2 Open gearing 34

7 Gearbox service information 39
7.1 Initial lubricant fill and initial lubricant change period 39
7.2 Subsequent lubricant change interval 39
7.3 Recommendations for best practice for lubricant changes 40
7.4 Used gear lubricant sample analysis 41

Bibliography 52

Figures

Figure 1 -- Load and speed distribution along the path of contact 4

Figure 2 -- Scraping edge at the ingoing mesh 5

Figure 3 -- Schematic diagram of shear effects on thickeners 9

Figure 4 -- Mechanisms of surface protection for oils with additives 11

Figure 5 -- Examples of gear oil wear test results 15

Figure 6 -- Immersion of gear wheels 27

Figure 7 -- Immersion depth for different inclinations of the gearbox 29

Figure 8 -- Immersion of gear wheels in a multistage gearbox 30

Figure 9 -- Examples of circuit design, combination of filtration and cooling systems 34

Figure 10 -- Immersion lubrication 37

Figure 11 -- Transfer lubrication 37

Figure 12 -- Circulation lubrication 38

Figure 13 -- Automatic spraying lubrication 38

Tables

Table 1 -- Symbols, indices and units 1

Table 1 (continued) 2

Table 2 -- General characteristics of base fluids 6

Table 3 -- Example of influence factors on wear 12

Table 4 -- Example of influence factors on scuffing load (transmittable torque) 13

Table 5 -- Example of influence factors on micropitting (transmittable torque) 14

Table 6 -- Example of influence factors on pitting (transmittable torque) 14

Table 7 -- ISO Viscosity grade1) at bulk oil operating temperature for oils having a viscosity index of 902) 20

Table 8 -- ISO Viscosity grade1) at bulk oil operating temperature for oils having a viscosity index of 1202) 21

Table 9 -- ISO Viscosity grade1) at bulk oil operating temperature for oils having a viscosity index of 1602) 22

Table 10 -- ISO Viscosity grade1) at bulk oil operating temperature for oils having a viscosity index of 2402) 23

Table 11 -- ISO viscosity grade guidelines for enclosed cylindrical worm gear drives 24

Table 12 -- Advantages and disadvantages of various open girth gears lubricants 25

Table 13 -- Minimum Viscosity recommendation for continuous lubrication [mm2/s at 40 °C] 26

Table 14 -- Minimum base oil viscosity recommendation for intermittent lubrication [mm2/s at 40 °C] 26

Table 15 -- Typical maximum oil flow velocities 33

Table 16 -- Advantages and disadvantages of greases 35

Table 17 -- Advantages and disadvantages of oils 35

Table 18 -- Advantages and disadvantages of lubricating compounds 36

Table 19 -- Lubrication system selection based on pitch line velocity 39

Table 20 -- Lubrication system selection based on the type of lubricant 39

Table 21 -- Typical recommended lubricant service 40

Table 22 -- Examples for an on-line oil condition-monitoring system 40

Table 23 -- Sources of metallic elements 47

Table 24 -- What the ISO codes mean 49

Table 25 -- Example of particle size and counts 49

Table 26 -- Characteristics of particles 51