ISO/TS 15926-8:2011-10 (E)

Industrial automation systems and integration - Integration of life-cycle data for process plants including oil and gas production facilities - Part 8: Implementation methods for the integration of distributed systems: Web Ontology Language (OWL) implementation

Contents

Page

Foreword vi

Introduction vii

1 Scope 1

2 Terms, definitions, and abbreviated terms 1
2.1 Terms and definitions 1
2.2 Abbreviated terms 7

3 Fundamental concepts and assumptions 8
3.1 General 8
3.4 User-defined taxonomy 8
3.5 Templates and specialized templates 9
3.6 Use of OWL 9
3.7 Namespaces 9

4 ISO 15926-2 data model 12

6 OWL template specifications 13
6.1 General 13
6.2 Contents 13

7 Templates 14
7.1 General 14
7.2 Template model 14
7.3 Metadata 15
7.4 Lifted templates 15
7.5 Lowered templates 16
7.5.1 Instantiating lowered templates 16
7.6 Templates in RDF 16
7.7 Example: A proto-template 16
7.8 Templates as template instances 16
7.8.1 p7tm classes for meta-templates 16

8 Object information models (OIMs) and specialized templates 17
8.1 General 17
8.2 OIM versus specialized template construct 18
8.3 Specialization 18
8.4 Cardinalities 19
8.5 OIM for assemblies 19
8.6 Naming convention on template roles 19
8.7 Uniqueness context of template roles 20

Annex A (normative) Information object registration 21

A.1 Document identification 21
A.2 Schema identification 21

A.2.1 OWL ontology for data model 21
A.2.2 Template specifications 21
A.2.3 OWL ontology for templates 21
A.2.4 OWL ontology for reference data 21
A.2.5 OWL ontology for metadata 22

Annex B (normative) Templates as RDF/OWL n-ary relations 23

B.1 General 23

Annex C (normative) Rules for usage of OWL 27

C.1 OWL native representation 27
C.2 Template translation from EXPRESS-native to OWL-native instance model 28
C.3 Library object translation from EXPRESS-native to OWL-native instance model 28
C.4 owl:Class 28
C.5 Individual 29
C.6 Property 29
C.6.1 Object property 29
C.6.2 Datatype property 29
C.6.3 Annotation property 29
C.7 Identifiers 30
C.7.1 rdf:ID 30
C.7.2 rdf:about 30
C.7.3 URI reference for handed-over objects 30
C.8 Inheritance 31
C.8.1 Declaration 31

Annex D (normative) Computer interpretable listings 32

D.1 Ontology for data model 32
D.2 Ontology for template model 32
D.3 Ontology for proto templates and templates initial set 32
D.4 Ontology for metadata 32

Annex E (informative) Pattern for an ontology for reference data 33

Annex F (normative) Metadata 34

F.1 General 34
F.2 Metadata declarations for provenance 34
F.3 Metadata declarations for security and rules 35

Annex G (informative) Assertion versus terminological components 36

Annex H (informative) Example use 37

H.1 General 37
H.2 Example: A proto-template 37
H.2.1 The template defined as a class 37
H.2.2 A statement using the template 37
H.3 Example: OIM 39
H.3.1 Description 39
H.3.2 Manchester syntax 39
H.4 Example: temporal parts 40
H.4.1 General 40
H.4.2 Generic representation 41
H.4.3 Specialized template IdentificationOfPhysicalObject 41
H.4.4 Specialized template IdentificationOfPhysicalObject-processplant 42
H.5 A specialized template and a template instance 43

Bibliography 47

Index **49**

Figures Figure 1 -- Dependencies between ontologies **12**

Figure B.1 -- W3C's working group note: defining n-ary relations **23**

Figure C.1 -- Reified relationship **27**

Figure C.2 -- OWL-native relationship **27**

Figure H.1 -- Generic temporal parts, identification OIM **41**

Figure H.2 -- ProcessPlant temporal part, name OIM **43**

Tables Table 1 -- URIs under control of the World Wide Web Consortium **9**

Table 2 -- Namespaces that are used for the examples in this part of ISO 15926 ..... **10**