

DIN EN 848-3:2013-01 (E)

Safety of woodworking machines - One side moulding machines with rotating tools - Part 3: Numerically controlled (NC) boring and routing machines

Contents		Page
Foreword		4
Introduction		5
1	Scope	6
2	Normative references	6
3	Terms and definitions	9
4	List of significant hazards	17
5	Safety requirements and/or measures	19
5.1	General	19
5.2	Controls	20
5.2.1	Safety and reliability of control systems	20
5.2.2	Position of controls	21
5.2.3	Starting	22
5.2.4	Normal stopping	22
5.2.5	Emergency stop	23
5.2.6	Operational stop	24
5.2.7	Mode selection switch	24
5.2.8	Speed control system	26
5.2.9	Interlocking of guards, protective devices, movements and functions	27
5.2.10	Failure of the power supply	27
5.2.11	Failure of the control circuits	27
5.3	Protection against mechanical hazards	27
5.3.1	Stability	27
5.3.2	Risk of break-up during operation	27
5.3.3	Tool holder	28
5.3.4	Braking tool spindle(s)	28
5.3.5	Devices to minimise the risk of ejection	29
5.3.6	Workpiece supports and guides	29
5.3.7	Prevention of access to moving parts and devices to minimise the effect of ejection	29
5.3.8	Clamping device	40
5.4	Protection against non-mechanical hazards	42
5.4.1	Fire	42
5.4.2	Noise	42
5.4.3	Emission of chips and dust	43
5.4.4	Electricity	44
5.4.5	Ergonomics and handling	44
5.4.6	Lighting	45
5.4.7	Pneumatics	45
5.4.8	Hydraulics	45
5.4.9	Static electricity	45
5.4.10	Electromagnetic compatibility	45
5.4.11	Lasers	45
5.4.12	Unintended movements	46
5.4.13	Supply disconnecting devices	46
5.4.14	Maintenance	46

6	Information for use	46
6.1	Warning devices	46
6.2	Marking	47
6.3	Instruction handbook	47
Annex A (normative) Operating conditions for noise measurement		52
A.1	General	52
A.2	Operating conditions for routing units of NC routing machines and NC combined boring/routing machines	52
A.2.1	General	52
A.2.2	Noise measurements	53
A.2.3	General data sheet	55
A.3	Operating conditions for boring units of NC boring machines and NC combined boring/routing machines	57
A.3.1	General	57
A.3.2	Noise measurements	58
A.3.3	General data sheet	60
Annex B (normative) Curtains on NC routing and NC combined boring and routing machines - Impact test method		63
B.1	General	63
B.2	Test method	63
B.2.1	Preliminary remarks	63
B.2.2	Testing equipment	63
B.2.3	Test procedure	64
B.3	Results	66
B.4	Assessment	67
B.5	Test report	67
Annex C (informative) Example of a test equipment for impact test		69
Annex D (normative) Braking tests		70
D.1	Conditions for brake tests	70
D.2	Tests	70
D.2.1	Un-braked run-down time	70
D.2.2	Braked run-down time	70
Annex E (normative) Curtains on NC routing and NC boring and routing machines - Wear test method		71
E.1	General	71
E.2	Test method	71
E.2.1	Preliminary remarks	71
E.2.2	Test method	71
E.3	Results	76
E.4	Assessment	76
E.5	Test report	76
Annex F (normative) Rigid guards on NC routing machines - Impact test method		77
F.1	General	77
F.2	Test method	77
F.2.1	Preliminary remarks	77
F.2.2	Testing equipment	77
F.2.3	Test procedure	78
F.3	Results	78
F.4	Assessment	78
F.5	Test report	79
F.6	Example of test equipment for impact test	79

Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC 80

Bibliography 83