

# ISO 13564-1:2012-09 (E)

## Powered industrial trucks - Test methods for verification of visibility - Part 1: Sit-on and stand-on operator trucks and variable-reach trucks up to and including 10 t capacity

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>2</b>
<b>4</b>	<b>Truck configuration .....</b>	<b>4</b>
4.1	Testing .....	4
4.2	Height of load-carrying surface .....	4
4.3	Tilt of the mast or load-carrying surface .....	4
4.4	Retractable mast trucks .....	5
<b>5</b>	<b>Test equipment -- Direct visibility .....</b>	<b>5</b>
5.1	Test body .....	5
5.2	Test screen .....	5
5.3	Distance of the lighting equipment to the industrial truck .....	5
<b>6</b>	<b>Test procedures -- Direct visibility .....</b>	<b>5</b>
6.1	Light source position .....	5
6.2	Test paths .....	6
6.3	Measurement procedure .....	6
<b>7</b>	<b>Test procedures -- Indirect visibility .....</b>	<b>8</b>
<b>8</b>	<b>Other test methods .....</b>	<b>8</b>
<b>9</b>	<b>Acceptance criteria .....</b>	<b>8</b>
9.1	General .....	8
9.2	Direct visibility .....	8
9.3	Indirect visibility .....	9
<b>10</b>	<b>Test report .....</b>	<b>10</b>
10.1	Truck information .....	10
10.2	Test results .....	10
Bibliography .....		21