

DIN EN 13000:2014-11 (E)

Cranes - Mobile Cranes (includes Amendment A1:2014)

| Contents | | Page |
|--------------------|--|-------------|
| Foreword | | 5 |
| Introduction | | 6 |
| 1 | Scope | 7 |
| 2 | Normative references | 7 |
| 3 | Terms and definitions | 11 |
| 4 | Safety requirements and/or protective measures | 14 |
| 4.1 | Structures and components | 14 |
| 4.1.1 | General | 14 |
| 4.1.2 | Load effects | 14 |
| 4.1.3 | Limit states | 19 |
| 4.2 | Equipment and devices | 21 |
| 4.2.1 | General principles | 21 |
| 4.2.2 | Control station | 22 |
| 4.2.3 | "Protection against falling objects" | 24 |
| 4.2.4 | Seats | 24 |
| 4.2.5 | Controls and control systems | 24 |
| 4.2.6 | Limiting and indicating devices | 26 |
| 4.2.7 | Steering system | 32 |
| 4.2.8 | Braking systems | 33 |
| 4.2.9 | Protection devices | 35 |
| 4.2.10 | Hydraulic and pneumatic systems and components | 37 |
| 4.2.11 | Pressure vessels and fuel tanks | 39 |
| 4.2.12 | Electric and electronic components and related phenomena | 40 |
| 4.2.13 | Hooks and hook blocks | 40 |
| 4.2.14 | Specific requirements for spare tyres/wheels | 40 |
| 4.2.15 | Specific requirements for pin jointed jib/fly jib connections | 40 |
| 4.3 | Visibility | 40 |
| 4.3.1 | Crane operator's field of view | 40 |
| 4.3.2 | Lighting | 41 |
| 4.4 | Noise and noise reduction | 41 |
| 4.5 | Fire protection | 42 |
| 4.5.1 | Fire resistance | 42 |
| 4.5.2 | Fire extinguisher | 42 |
| 4.6 | Requirements for transport and travel | 42 |
| 4.6.1 | General | 42 |
| 4.6.2 | Separately transported parts | 42 |
| 4.7 | Roll over and tip over protection | 42 |
| 5 | Verification | 42 |
| 5.1 | Methods of verification | 42 |
| 5.2 | Test procedures and conditions | 44 |
| 5.2.1 | General | 44 |
| 5.2.2 | Conceptual verification by calculation | 45 |
| 5.2.3 | Conceptual verification by experiment | 45 |
| 5.2.4 | Examination after test | 45 |
| 5.2.5 | Test report | 45 |
| 5.3 | Verification based on noise emission values | 45 |

| | | |
|---------------------------------|---|------------|
| 6 | Information for use | 46 |
| 6.1 | Format of instruction | 46 |
| 6.1.1 | General | 46 |
| 6.1.2 | Noise reduction by information | 46 |
| 6.1.3 | Technical data and information | 46 |
| 6.2 | Instructions for use | 48 |
| 6.2.1 | General | 48 |
| 6.2.2 | Crane operator instructions | 48 |
| 6.3 | Instructions for assembly, erection, disassembly and transport | 50 |
| 6.4 | Instructions for maintenance and inspection | 51 |
| 6.4.1 | General | 51 |
| 6.4.2 | Instructions for maintenance | 51 |
| 6.4.3 | Instructions for inspection | 51 |
| 6.5 | Instructions for training | 52 |
| 6.6 | Instructions for spare parts | 53 |
| 6.7 | Instructions for disposal | 53 |
| 7 | Marking | 53 |
| 7.1 | Machine marking | 53 |
| 7.2 | Information and warning | 53 |
| 7.3 | Graphic symbols | 53 |
| 7.4 | Marking of crane parts | 53 |
| 7.5 | Marking of outriggers | 53 |
| 7.6 | Marking "event recorder" | 53 |
| Annex A (normative) | Examples of mobile crane types | 54 |
| Annex B .1 (informative) | Major parts of telescopic cranes | 56 |
| Annex B.2 (informative) | Major parts of lattice "boom" cranes | 57 |
| Annex C (normative) | List of hazards | 58 |
| Annex D (normative) | Load effects of combined motions | 62 |
| Annex E (normative) | Crane operator's seat dimensions | 66 |
| Annex F (normative) | Rigid body stability: Load effects due to acceleration | 68 |
| Annex G .1 (normative) | Noise test code for mobile cranes | 69 |
| Annex G.2 (normative) | Noise measurement, test report | 75 |
| Annex H (normative) | Limit values for structural and fine grain steel types | 77 |
| Annex J .1 (normative) | Minimum requirements for specification of hoist/derrick gears | 78 |
| Annex K .1 (normative) | Minimum requirements for the specification of lifting hooks | 86 |
| Annex L (normative) | Proof of competence | 95 |
| Annex M (normative) | Test of steering systems for off-road mobile cranes | 98 |
| Annex N .1 (informative) | Wind speed as a function of elevation | 99 |
| Annex P (normative) | Efficiency of sheave sets | 107 |
| Annex Q (informative) | Manufacturer's sign | 108 |
| Annex R (normative) | Certificate for wire rope, requirements | 109 |

| | |
|---|------------|
| Annex S (normative) Certificate for chain, requirements | 110 |
| Annex T (informative) Test procedures: Selection of load cases | 111 |
| Annex U (normative) Test certificate | 112 |
| Annex V (informative) Additional information of the concept of the limiting and indicating device .. | 113 |
| Annex W (informative) Selection of a suitable set of crane standards for a given application | 114 |
| Annex ZA (informative) Relation between this European Standard and the Essential Requirements of EU Directive 2006/42/EC | 116 |
| Bibliography | 117 |
| Figures Figure A.1 -- Industrial mobile crane | 54 |
| Figure A.2 -- Mobile crane with telescopic boom" | 54 |
| Figure A.3 -- Mobile crane with telescopic boom and fly jib" | 54 |
| Figure A.4 -- Mobile crane with luffing fly jib | 54 |
| Figure A.5 -- Mobile crane with lattice boom" | 54 |
| Figure A.6 -- Crawler crane | 54 |
| Figure A.7 -- Crawler crane with additional counterweight | 55 |
| Figure A.8 -- Mobile harbour crane | 55 |
| Figure B.1.1 -- Examples of major parts | 56 |
| Figure B.1.2 -- Examples of booms" and boom/jib" combinations | 56 |
| Figure B.2.1 -- Examples of major parts | 57 |
| Figure B.2.2 -- Examples of booms" and boom/jib" combinations | 57 |
| Figure D.1 -- Crawler crane | 62 |
| Figure D.2 -- Crane on outriggers | 63 |
| Figure D.3 -- Telescopic crane on outriggers | 64 |
| Figure E.1 -- Seat dimensions (see Table E.1) | 66 |
| Figure F.1 -- Crane boom" in travelling and in lateral direction | 68 |
| Figure G.1 -- Test Conditions - Position of the crane; exact position of the crane in relation to the radial centre of the hemisphere, see G.1.6.1 and G.1.6 | 70 |
| Figure K.3.1 -- Model of hook blocks (Examples) | 90 |
| Figure N.3.1 -- Regions where same mean storm wind velocities are applicable | 103 |
| Figure Q.1 -- Example of a Manufacturer's sign | 108 |
| Figure T.1 -- Selection of load cases | 111 |
| Tables Table 1 -- Verification of safety requirements including the proof of competence | 43 |

| | |
|---|------------|
| Table C.1 -- List of hazards | 58 |
| Table D.1 -- Load combinations, one or two simultaneous movements | 64 |
| Table D.2 -- Load combinations, more than two simultaneous movements | 65 |
| Table E.1 -- Seat dimensions and adjustments | 67 |
| Table F.1 -- Minimum values of tipping angle | 68 |
| Table H.1 -- Limit values for structural and fine grain steel types | 77 |
| Table M.1 -- Permitted steering control effort | 98 |
| Table N.1.1 -- 3-second wind gust speed as a function of mean wind speed as per Beaufort Scale and as per elevation | 99 |
| Table N.2.1 -- Quasistatic impact pressure as a function of mean wind speed as per the Beaufort Scale and as a function of elevation | 101 |
| Table R.1 -- Rope certificate (Example) | 109 |
| Table S.1 -- Certificate for chain (Example) | 110 |
| Table U.1 -- Test certificate (Example) | 112 |