

# ISO 7986:1997-07 (E)

## Hydraulic fluid power - Sealing devices - Standard test methods to assess the performance of seals used in oil hydraulic reciprocating applications

---

<b>Contents</b>		<b>Page</b>
<b>1</b>	<b>Scope</b> .....	<b>1</b>
<b>2</b>	<b>Normative references</b> .....	<b>1</b>
<b>3</b>	<b>Symbols</b> .....	<b>2</b>
<b>4</b>	<b>Test installation</b> .....	<b>2</b>
<b>4.1</b>	<b>General</b> .....	<b>2</b>
<b>4.2</b>	<b>Mechanical details</b> .....	<b>3</b>
<b>5</b>	<b>Test Parameter</b> .....	<b>3</b>
<b>5.1</b>	<b>Test fluid</b> .....	<b>3</b>
<b>5.2</b>	<b>Test fluid temperature</b> .....	<b>3</b>
<b>5.3</b>	<b>Test housing rod bearings</b> .....	<b>3</b>
<b>5.4</b>	<b>Test fluid pressure</b> .....	<b>4</b>
<b>5.5</b>	<b>Speed of linear actuator</b> .....	<b>4</b>
<b>5.6</b>	<b>Pressure and stroke cycle for dynamic test</b> .....	<b>4</b>
<b>6</b>	<b>Assembly and dismantling of seals</b> .....	<b>4</b>
<b>7</b>	<b>Methods of measurement and measuring apparatus</b> .....	<b>4</b>
<b>7.1</b>	<b>Seal leakage</b> .....	<b>4</b>
<b>7.2</b>	<b>Seal friction</b> .....	<b>4</b>
<b>7.3</b>	<b>Pressure measurement</b> .....	<b>5</b>
<b>7.4</b>	<b>Surface roughness</b> .....	<b>5</b>
<b>7.5</b>	<b>Temperature measurement</b> .....	<b>6</b>
<b>8</b>	<b>Calibration</b> .....	<b>6</b>
<b>9</b>	<b>Test procedure</b> .....	<b>6</b>
<b>9.1</b>	<b>Test Programme</b> .....	<b>6</b>
<b>9.2</b>	<b>Repeat series</b> .....	<b>7</b>
<b>10</b>	<b>Presentation of results</b> .....	<b>7</b>
<b>11</b>	<b>Identification Statement (Reference to this International Standard)</b> .....	<b>7</b>
<b>Annexes</b>		
<b>A</b>	<b>Seal and seal housing dimension data forms</b> .....	<b>15</b>
<b>B</b>	<b>Test results</b> .....	<b>17</b>
<b>C</b>	<b>Seal Performance report</b> .....	<b>18</b>
<b>D</b>	<b>Bibliography</b> .....	<b>20</b>