

DIN EN 16985:2019-04 (E)

Spray booths for organic coating material - Safety requirements

Contents		Page
European foreword		6
1	Scope	8
2	Normative references	9
3	Terms, definitions, variables and abbreviations	11
3.1	Terms and definitions	11
3.2	Variables	15
3.3	Abbreviations	17
4	Safety requirements and/or -measures	18
4.1	General	18
4.2	Mechanical	18
4.2.1	Moving or rotating elements	18
4.2.2	Falling objects	18
4.2.3	Height from the ground	19
4.2.4	Slippery surface	19
4.3	Electrical	19
4.4	Thermal	19
4.5	Noise	19
4.6	Radiation	20
4.7	Contact with and inhalation of hazardous material	21
4.7.1	General	21
4.7.2	Automatic application	22
4.7.3	Manual application	22
4.8	Fire	26
4.8.1	General	26
4.8.2	Spray booth construction	27
4.8.3	Filter media	27
4.8.4	Fire detection	27
4.8.5	Fire extinguishing equipment	28
4.9	Explosion	28
4.9.1	General	28
4.9.2	Spray booth for liquid coating material	29
4.9.3	Spray booth for powder coating material	31
4.10	Safety devices and control systems	34
4.11	Trapping	36
4.11.1	General	36
4.11.2	Manual spray booth	36
4.11.3	Automatic spray booth	37
4.12	Ergonomics	37
4.12.1	General	37
4.12.2	Access	37
4.12.3	Working area	37
4.12.4	Climatic environment	37
4.12.5	Luminous environment	38
4.12.6	Maintenance	38
4.13	Environment in which the machinery is used	38
5	Verification of the safety requirements	38

6	Information for use	44
6.1	General	44
6.2	Instruction handbook	44
6.2.1	General	44
6.2.2	Information related to installation	45
6.2.3	Information related to operation	46
6.2.4	Information related to maintenance	46
6.3	Marking	47
Annex A (informative) Hazards		49
Annex B (informative) Examples of classification of hazardous zones		53
B.1	Example 1	53
B.2	Example 2	54
B.3	Example 3	56
B.4	Example 4	58
B.5	Example 5	60
B.6	Example 6	62
Annex C (normative) Calculated average concentration of flammable substances		65
C.1	General	65
C.2	Spray booths for liquid coating material containing organic solvents	65
C.2.1	General	65
C.2.2	Example for the calculation of concentration of flammable substances on the basis of a given air flow velocity (manual spray booth)	65
C.2.3	Example for the calculation of required minimum fresh air flow (automatic spray booth) ..	66
C.3	Spray booths for organic powder coating material	67
C.3.1	General	67
C.3.2	Example for the calculation of coating powder concentration	67
C.3.3	Example for the calculation of maximum coating powder input	68
C.4	Filters for powder coating booths	69
C.4.1	General	69
C.4.2	Example for the calculation of coating powder concentration in the clean air part of the filter	69
Annex D (normative) Air flow velocity measurement		71
D.1	Measurement equipment	71
D.2	Measurement procedure	71
D.2.1	Measurement conditions	71
D.2.2	Air flow velocity components	71
D.3	Measurement points	72
D.3.1	Vertically ventilated spray booth (liquid and powder, internal working area)	72
D.3.2	Vertically ventilated spray booth with designated workpiece (liquid and powder, internal working area)	73
D.3.3	Vertically ventilated segmented spray booth	73
D.3.4	Horizontally ventilated spray booth (liquid and powder)	75
D.3.5	Openings of a spray booth	76
D.3.6	Summary of air flow velocity parameters	76
Annex E (informative) Ignitability of water-based paint		79
Annex F (normative) Energy-efficiency and reduction of environmental impact		80
F.1	General	80
F.2	Spray booths for liquid coating material	80
F.2.1	Acquisition	80
F.2.2	Production	80
F.2.3	Use	80
F.2.3.1	Input	80

F.2.3.1.1	Material	80
F.2.3.1.2	Water	80
F.2.3.1.3	Energy	81
F.2.3.2	Output	81
F.2.3.2.1	Emissions to air	81
F.2.3.2.2	Waste	81
F.2.3.2.3	Noise	81
F.2.4	End of life	82
F.3	Spray booths for powder coating	82
F.3.1	Acquisition	82
F.3.2	Production	82
F.3.3	Use	82
F.3.3.1	Input	82
F.3.3.2	Output	82
F.3.3.2.1	Emissions to air	82
F.3.3.2.2	Waste	82
F.3.3.2.3	Noise	82
F.3.4	End of Life	83
Annex G (informative) Examples for safety related controls		84
G.1	General	84
G.2	Interlocking of forced ventilation system with interface to spray application	84
Annex H (informative) Determination of the spray booth clearance time using smoke		86
H.1	General	86
H.2	Procedure	86
Annex I (informative) Estimation of the spray booth purge time		87
I.1	General	87
I.2	Example	87
Annex J (informative) Examples for ventilation of spray booths with working pits		89
J.1	Ventilation of working pits	89
J.2	Measurement of air flow velocity in working pits	93
Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2006/42/EC aimed to be covered		95
Bibliography		98