

ISO 19085-3:2017-10 (E)

Woodworking machines - Safety requirements - Part 3: Numerically controlled (NC) boring and routing machines

Contents		Page
Foreword		v
Introduction		vi
1	Scope	1
2	Normative references	2
3	Terms and definitions	2
4	List of significant hazards	8
5	Safety requirements and measures for controls	10
5.1	Safety and reliability of control systems	10
5.2	Control devices	10
5.2.1	General	10
5.2.2	Hand-held control sets	11
5.3	Start	11
5.4	Safe stops	12
5.4.1	General	12
5.4.2	Normal stop	12
5.4.3	Operational stop	12
5.4.4	Emergency stop	12
5.5	Braking function of tool spindles	12
5.6	Mode selection	12
5.6.1	General	12
5.6.2	Machining mode [MODE 1]	12
5.6.3	Machine setting mode [MODE 2]	13
5.6.4	Clamping device manual positioning mode [MODE 3]	13
5.7	Spindle speed changing	13
5.7.1	Spindle speed changing by changing belts on the pulleys	13
5.7.2	Spindle speed changing by incremental speed change motor	13
5.7.3	Infinitely variable speed by frequency inverter	13
5.8	Failure of any power supply	14
5.9	Manual reset control	14
5.10	Enabling control	14
5.11	Machine moving parts speed monitoring	14
5.12	Time delay	14
5.13	Teleservice	14
6	Safety requirements and measures for protection against mechanical hazards	15
6.1	Stability	15
6.1.1	Stationary machines	15
6.1.2	Displaceable machines	15
6.2	Risk of break-up during operation	15
6.3	Tool holder and tool design	15
6.3.1	General	15
6.3.2	Spindle locking	16
6.3.3	Circular saw blade fixing device	16
6.3.4	Flange dimension for circular saw blades	16
6.4	Braking	16

6.4.1	Braking of tool spindle	16
6.4.2	Maximum run-down time	16
6.4.3	Brake release	16
6.5	Safeguards	16
6.5.1	Fixed guards	16
6.5.2	Interlocking moveable guards	16
6.5.3	Hold-to-run control	16
6.5.4	Two-hand control	17
6.5.5	Electro-sensitive protective equipment (ESPE)	17
6.5.6	Pressure-sensitive protective equipment (PSPE)	17
6.6	Prevention of access to moving parts	19
6.6.1	General	19
6.6.2	Guarding of tools	22
6.6.3	Guarding of drives	24
6.6.4	Guarding of shearing and/or crushing zones	24
6.7	Impact hazard	25
6.8	Clamping device	25
6.9	Measures against ejection	26
6.9.1	General	26
6.9.2	Guards materials and characteristics	26
6.10	Workpiece support and guides	26
7	Safety requirements and measures for protection against other hazards	27
7.1	Fire	27
7.2	Noise	27
7.2.1	Noise reduction at the design stage	27
7.2.2	Noise emission measurement	27
7.3	Emission of chips and dust	27
7.4	Electricity	27
7.4.1	General	27
7.4.2	Displaceable machines	27
7.5	Ergonomics and handling	27
7.6	Lighting	28
7.7	Pneumatics	28
7.8	Hydraulics	28
7.9	Electromagnetic compatibility	28
7.10	Laser	28
7.11	Static electricity	28
7.12	Errors of fitting	28
7.13	Isolation	28
7.14	Maintenance	28
8	Information for use	28
8.1	Warning devices	28
8.2	Marking	28
8.2.1	General	28
8.2.2	Additional markings	28
8.3	Instruction handbook	29
8.3.1	General	29
8.3.2	Additional information	29
Annex A (informative)	Performance levels required	31
Annex B (normative)	Test for braking function	33
Annex C (normative)	Stability test for displaceable machines	34
Annex D (normative)	Impact test for guards	35
Annex E (normative)	Noise emission measurement for machines not in ISO 7960	36

Annex F (normative) Impact test for curtains	45
Annex G (normative) Wear test for curtains	50
Annex H (normative) Dynamic test for pressure-sensitive bumpers, edges, trip bars, trip plates	54
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC	62
Bibliography	64