

ISO 12003-2:2021 (E)

Tractors for agriculture and forestry — Roll-over protective structures on narrow tractors — Part 2: Rear-mounted ROPS

Contents

| | |
|-------|--|
| | Foreword |
| | Introduction |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms and definitions |
| 4 | Symbols |
| 5 | Test apparatus and equipment |
| 5.1 | Apparatus for both dynamic and static testing |
| 5.1.1 | Clearance zone framework |
| 5.1.2 | Apparatus for crushing tests |
| 5.2 | Apparatus for dynamic testing |
| 5.2.1 | Device to strike a blow against the protective structure |
| 5.2.2 | Pendulum supports |
| 5.2.3 | Means to lash the tractor to the ground |
| 5.2.4 | Wheel beam |
| 5.2.5 | Wheel prop |
| 5.2.6 | Props and lashings for articulated tractors |
| 5.2.7 | Tyre pressures and deflection |
| 5.2.8 | Device to measure elastic deflection |
| 5.3 | Apparatus for static testing |
| 6 | Preparation of tractor and ROPS for testing |
| 7 | ROPS deflection test procedures |
| 7.1 | General requirements |
| 7.2 | Test methods |
| 7.3 | Test sequence |
| 7.4 | Dynamic (impact) test procedures for rear-mounted ROPS |
| 7.4.1 | Rear impact test procedure |
| 7.4.2 | Front impact test procedure |
| 7.4.3 | Side impact test procedure |
| 7.4.4 | Additional impact tests |
| 7.5 | Static test procedures for rear-mounted ROPS |
| 7.5.1 | Test preparation |
| 7.5.2 | General requirements for horizontal loading test procedures |
| 7.5.3 | Rear loading |
| 7.5.4 | Front loading |
| 7.5.5 | Side loading |
| 7.6 | Vertical crushing test procedure |
| 7.7 | Additional vertical crushing tests |
| 7.8 | Observations during testing |
| 7.8.1 | Fractures and cracks |
| 7.8.2 | Clearance zone |
| 7.8.3 | Recording permanent deflection |
| 8 | Determination of seat index point (SIP), seat location and adjustment for test |
| 8.1 | General |

| | |
|---------|---|
| 8.2 | Seat location and adjustment for tests |
| 9 | Clearance zone |
| 9.1 | General |
| 9.2 | Clearance zone for tractors with a non-reversible seat |
| 9.3 | Clearance zone for tractors with a reversible driving position |
| 9.4 | Optional seats |
| 10 | Tolerances |
| 11 | Acceptance conditions |
| 11.1 | General |
| 11.2 | Clearance zone |
| 11.3 | Seat anchorage performance |
| 11.4 | Folding ROPS performance |
| 11.5 | After impact loads |
| 11.6 | After static horizontal loads |
| 11.7 | Additional conditions |
| 11.8 | Cold weather embrittlement |
| 12 | Seatbelt anchorage test procedures |
| 13 | Folding ROPS |
| 14 | Labelling |
| 15 | Extension to other tractor models |
| 15.1 | Administrative extension |
| 15.2 | Technical extension |
| 15.2.1 | General |
| 15.2.2 | Extension of the structural test results to other models of tractors |
| 15.2.3 | Extension of the structural test results to modified models of the protective structure |
| 15.2.4 | Type extension limits |
| 15.2.5 | Increase of the declared reference mass |
| 16 | Test report |
| Annex A | (normative) Requirements for providing resistance to brittle fracture of rear-mounted ROPS at a reduced operation temperature |
| Annex B | (informative) Folding ROPS test procedures |
| Annex C | (normative) Test report for rear-mounted ROPS |
| C.1 | General |
| C.2 | Specification of test tractor |
| C.2.1 | Identification of tractor to which a rear-mounted ROPS is fitted for the test |
| C.2.1.1 | General |
| C.2.1.2 | Numbers |
| C.2.2 | Tractor mass |
| C.2.3 | Wheelbase/moment of inertia of the tested tractor |
| C.2.4 | Test tyre and track settings |
| C.3 | Specification of rear-mounted ROPS |
| C.4 | Test results |
| C.4.1 | Impact and crushing tests |
| C.4.1.1 | Condition of tests |
| C.4.1.2 | Permanent deflections measured after the tests |
| C.4.2 | Static loading and crushing tests |
| C.4.2.1 | Condition of tests |
| C.4.2.2 | Permanent deflections measured after the tests |
| C.4.2.3 | Curves (static test only) |
| C.4.3 | Cold weather performance (resistance to brittle fracture) |
| C.4.4 | Tractor(s) to which the protective structure is fitted |
| C.4.5 | Seat belt anchorage performance |
| C.4.5.1 | Loading in the forward and upward direction |

- C.4.5.2 Loading in the rearward and upward direction**
- C.4.5.3 Curves, drawings and photos**
- C.5 Minor modification test report**
- C.5.1 Specification of the protective structure**
- C.5.2 Denomination of tractors to which the protective structure is fitted**
- C.5.3 Details of modifications**
- C.5.4 Statement**

Page count: 58