ISO 19085-3:2021-11 (E)

Woodworking machines - Safety - Part 3: Numerically controlled (NC/CNC) boring and routing machines

Contents

Page

Foreword v

Introduction vi

1 Scope 1

2 Normative references 2

3 Termsanddefinitions 3

4 Safety requirements and measures for controls 6
4.1 Safety and reliability of control systems 6
4.2 Control devices 6
4.2.1 General 7
4.2.2 Hand-held control sets 7
4.3 Start 7
4.3.1 Direct start 7
4.3.2 Start via control power-on 7
4.4 Safe stops 8
4.4.1 General 8
4.4.2 Normal stop 8
4.4.3 Operational stop 8
4.4.4 Emergency stop 8
4.5 Braking function of tools 8
4.6 Mode selection 8
4.6.1 General 8
4.6.2 Machine setting mode [MODE 2] 8
4.6.3 Clamping device manual positioning mode [MODE 3] 9
4.6.4 Boring units positioning mode [MODE 4] 9
4.7 Tool speed changing 9
4.7.1 Speed changing by shifting the belts on the pulleys 9
4.7.2 Speed changing by incremental speed change motor 9
4.7.3 Infinitely variable speed by frequency inverter 9
4.8 Failure of any power supply 10
4.9 Manual reset control 10
4.10 Standstill detection and monitoring 10
4.11 Machine moving parts speed monitoring 10
4.12 Time delay 10
4.13 Tele-service 10

5 Safety requirements and measures for protection against mechanical hazards 10
5.1 Stability 10
5.2 Risk of break-up during operation 10
5.3 Tool and tool fixing design 11
5.3.1 General 11
5.3.2 Spindle locking 11
5.3.3 Circular saw blade fixing device 11
5.3.4 Flange dimension for circular saw blades 11
5.4 Braking 11
5.4.1 Braking of tools 11
5.4.2 Maximum run-down time 11

5.4.3 Brake release ... 11
5.5 Safeguards ... 11
5.5.1 Fixed guards ... 11
5.5.2 Interlocking moveable guards ... 12
5.5.3 Hold-to-run control ... 12
5.5.4 Two-hand control ... 12
5.5.5 Electro-sensitive protective equipment (ESPE) ... 12
5.5.6 Pressure-sensitive protective equipment (PSPE) ... 13
5.5.7 Enabling control ... 13
5.6 Prevention of access to hazardous moving parts ... 13
5.6.1 General ... 13
5.6.2 Safeguarding of all machine sides except the loading/unloading zone ... 13
5.6.3 Safeguarding of the loading/unloading zones ... 14
5.6.4 Measures against access to the rear of the machine from un/loading zone ... 24
5.6.5 Minimum clearances at the loading/unloading zone ... 27
5.7 Impact hazard ... 27
5.8 Clamping devices ... 27
5.9 Measures against ejection ... 28
5.9.1 General ... 28
5.9.2 Guards materials and characteristics ... 30
5.9.3 Curtains ... 31
5.10 Workpiece support and guides ... 32

6 Safety requirements and measures for protection against other hazards ... 32
6.1 Fire ... 32
6.2 Noise ... 32
6.2.1 Noise reduction at the design stage ... 32
6.2.2 Noise emission measurement and declaration ... 32
6.3 Emission of chips and dust ... 32
6.4 Electricity ... 32
6.5 Ergonomics and handling ... 32
6.6 Lighting ... 33
6.7 Pneumatics ... 33
6.8 Hydraulics ... 33
6.9 Electromagnetic compatibility ... 33
6.10 Laser ... 33
6.11 Static electricity ... 33
6.12 Errors of fitting ... 33
6.13 Isolation ... 33
6.14 Maintenance ... 33
6.15 Relevant but not significant hazards ... 33

7 Information for use ... 33
7.1 Warning devices ... 33
7.2 Marking ... 34
7.2.1 General ... 34
7.2.2 Additional markings ... 34
7.3 Instruction handbook ... 34
7.3.1 General ... 34
7.3.2 Additional information ... 34

Annex A (informative)Listofsignificanthazards ... 36

Annex B (informative) Performance levels required ... 38

Annex C (normative) Stability test ... 40

Annex D (normative) Test for braking function ... 41

Annex E (normative) Impact test for guards ... 42

Annex F (normative) Noise test code 43

Annex G (normative) Dynamic test for pressure-sensitive bumpers, edges, trip bars, trip plates 48

Annex H (informative) Examples of safeguarding concepts for different machine designs 56

Annex I (normative) Impact test for curtains 74

Annex J (normative) Wear test for curtains 79

Bibliography 83