ISO 19085-5:2024-07 (E)

Woodworking machines - Safety - Part 5: Dimension saws

Contents

Page

Foreword vi

Introduction vii

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 2

4 Safety requirements and measures for controls 4
4.1 Safety and reliability of control systems 4
4.2 Control devices 4
4.3 Start 5
4.3.1 Direct start 5
4.3.2 Start via control power-on 5
4.4 Safe stops 5
4.4.1 General 5
4.4.2 Normal stop 5
4.4.3 Operational stop 6
4.4.4 Emergency stop 6
4.5 Braking function of tools 6
4.6 Mode selection 6
4.7 Tool speed changing 6
4.7.1 Speed changing by shifting the belts on the pulleys 6
4.7.2 Speed changing by incremental speed change motor 6
4.7.3 Infinitely variable speed by frequency inverter 6
4.8 Failure of any power supply 6
4.9 Manual reset control 6
4.10 Standstill detection and monitoring 6
4.11 Machine moving part speed monitoring 6
4.12 Time delay 6
4.13 Teleservice 7
4.14 Power-operated adjustment of the saw blades and fences 7
4.14.1 Risk of contact between the saw blades and fences 7
4.14.2 Crushing hazard for the body 7
4.14.3 Crushing and shearing hazard for the arm, hand or finger 8

5 Safety requirements and measures for protection against mechanical hazards 8
5.1 Stability 8
5.2 Risk of break-up during operation 8
5.3 Tool and tool fixing design 8
5.3.1 General 8
5.3.2 Spindle locking 9
5.3.3 Circular saw blade fixing device 9
5.3.4 Flange dimension for circular saw blades 9
5.3.5 Fixing device for milling tools 9
5.4 Braking 10
5.4.1 Braking of tools 10
5.4.2 Maximum run-down time 10
5.4.3 Brake release 10
5.5 Safeguards 10

5.5.1 Fixed guards 10
5.5.2 Interlocking movable guards 10
5.5.3 Hold-to-run control 10
5.5.4 Two-hand control 10
5.5.5 Electro-sensitive protective equipment (ESPE) 11
5.5.6 Pressure-sensitive protective equipment (PSPE) 11
5.5.7 Enabling control 11

5.6 Prevention of access to hazardous moving parts 11
5.6.1 Access to the saw blades above the machine table 11
5.6.2 Access to the saw blade below the machine table 16
5.6.3 Guarding of drives 17
5.7 Impact hazard 17
5.8 Clamping devices 17
5.9 Measures against ejection 17
5.9.1 General 17
5.9.2 Guards materials and characteristics 18
5.9.3 Anti-kickback devices 18
5.10 Workpiece supports and guides 21
5.10.1 Rip fence 21
5.10.2 Cross-cut fence 23
5.10.3 Workpiece clamping shoe 24
5.10.4 Machine table 24
5.10.5 Extension table 24
5.10.6 Sliding table 24
5.11 Safety appliances 24

6 Safety requirements and measures for protection against other hazards 27
6.1 Fire 27
6.2 Noise 27
6.2.1 Noise reduction at the design stage 27
6.2.2 Noise emission measurement and declaration 27
6.3 Emission of chips and dust 28
6.4 Electricity 28
6.5 Ergonomics and handling 28
6.6 Lighting 28
6.7 Pneumatics 28
6.8 Hydraulics 29
6.9 Electromagnetic compatibility 29
6.10 Laser 29
6.11 Static electricity 29
6.12 Errors of fitting 29
6.13 Isolation 29
6.14 Maintenance 29
6.15 Relevant but not significant hazards 29

7 Information for use 29
7.1 Warning devices 29
7.2 Marking 29
7.2.1 General 29
7.2.2 Additional markings 29
7.3 Instruction handbook 30
7.3.1 General 30
7.3.2 Additional information 30

Annex A (informative)Listofsignificanthazards 33

Annex B (informative) Performance level required 35

Annex C (normative) Stability test 36

Annex D (normative) Test for braking function 37

Annex E (normative) Impact test for guards 38

Annex F (normative) Noise test code 39

Annex G (normative) Riving knife rigidity tests 42

Annex H (normative) Minimum dimensions of machine table and extension table 44

Annex I (normative) Saw blade guard rigidity test 45

Bibliography 48