

# ISO 23285:2025-02 (E)

## Agricultural machinery, tractors, and earth-moving machinery - Safety of electrical and electronic components and systems operating at 32 V to 75 V DC and 21 V to 50 V AC

---

<b>Contents</b>		<b>Page</b>
Foreword .....		vi
Introduction .....		vii
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms, definitions and abbreviated terms .....</b>	<b>2</b>
3.1	Terms and definitions .....	2
3.2	Abbreviated terms .....	8
<b>4</b>	<b>General requirements .....</b>	<b>9</b>
4.1	V-model .....	9
4.2	Voltages .....	9
4.3	Environmental and operational requirements .....	9
4.4	Components and devices .....	10
<b>5</b>	<b>Protection against electric shock hazards .....</b>	<b>10</b>
5.1	Overview .....	10
5.2	General .....	10
5.2.1	Fundamental requirements .....	10
5.2.2	Determination of shock protection requirements .....	10
5.3	Protective measures .....	11
5.4	Basic protection .....	12
5.4.1	General .....	12
5.4.2	Basic insulation .....	12
5.4.3	Enclosures or barriers .....	12
5.4.4	Limitation of touch current or capacitive discharge energy .....	13
5.4.5	Limitation of voltage .....	13
5.5	Fault protection .....	14
5.5.1	General .....	14
5.5.2	PEPB .....	15
5.5.3	Automatic disconnection of power supply .....	20
5.5.4	Supplementary insulation .....	20
5.5.5	Basic protection between circuits .....	20
5.6	Enhanced protection .....	20
5.6.1	General .....	20
5.6.2	Reinforced insulation and protective separation between circuit .....	21
5.6.3	Protection by means of protective impedance and limited capacitive discharge energy .....	21
5.7	Equipment protective combinations .....	22
5.8	Separation of VC-A2- and VC-B1-systems from VC-B2 (and higher) systems .....	22
5.9	Protection against residual voltages .....	23
5.9.1	Basic protection .....	23
5.9.2	Protection by power supply disruption .....	23
5.10	Connector human contact .....	24
5.10.1	General .....	24
5.10.2	Mated non-enclosed connectors .....	24
5.10.3	Non-mated, non-enclosed connectors .....	24

5.10.4	Enclosed connectors .....	25
5.10.5	Tractor implement plug/socket combinations (or similar mobile machinery implement and attachment combinations) .....	25
5.11	Water depth .....	25
6	Wiring practices .....	26
6.1	Conductor and cable runs .....	26
6.2	Colour .....	26
6.3	Cable protection inside an enclosure .....	26
6.4	Power supply voltage differences .....	26
7	Overcurrent protection (OCP) .....	27
7.1	Overview .....	27
7.2	General .....	27
7.2.1	Transformers .....	27
7.2.2	Power converters .....	27
7.2.3	OCP implementation .....	27
7.2.4	Rating and setting of OCP .....	28
7.2.5	Placement of OCP .....	28
7.2.6	Protection via engine shutoff .....	28
7.3	Chassis faults/residual currents .....	28
8	Disconnection and connection .....	28
8.1	General disconnecting devices .....	28
8.2	Specifics of disconnecting .....	28
8.2.1	VC-B1 .....	28
8.2.2	Power converter disconnects .....	29
8.2.3	Manually actuated disconnecting devices .....	29
8.2.4	Disconnecting multiple power supplies .....	30
8.3	Prevention of unintended start-up .....	30
8.4	Charging power supplies and recuperation .....	30
8.4.1	Electrical power supplies .....	30
8.4.2	Powered interchangeable towed machinery and towed machines .....	31
8.4.3	PTO .....	31
8.5	Pre-charge protective measures .....	31
9	Connectors .....	32
9.1	General .....	32
9.2	Negative connectors and terminals .....	32
9.3	Connector mating .....	32
9.3.1	Incompletely mated connectors .....	32
9.3.2	Connecting and disconnecting under load .....	32
9.4	Power cable connections .....	33
9.5	Terminals for the PEPB cables .....	33
9.6	Plug/socket combination .....	33
10	Electric motors and generators .....	34
10.1	General .....	34
10.2	Enclosures .....	34
10.3	Mounting and compartments .....	35
10.4	Overheating protection .....	35
10.5	Overspeed protection .....	35
10.6	Towing and coasting .....	35
10.7	Bonding .....	35
10.7.1	Motors and generators .....	35
10.7.2	Exempted from marking requirement .....	36
11	Non-motor loads (components) .....	36
11.1	General .....	36
11.2	Accessories .....	36

12	Insulation coordination .....	36
12.1	General .....	36
12.2	Cable insulation .....	37
12.2.1	Temperature and loading .....	37
12.2.2	Inspection .....	37
12.2.3	Shielding .....	37
12.2.4	Different voltages .....	37
13	Verification and validation .....	38
13.1	General .....	38
14	Information for use .....	38
14.1	General .....	38
14.2	Markings .....	38
14.2.1	First responder information .....	38
14.2.2	Shock hazard symbols .....	38
14.2.3	Operating voltage .....	38
14.2.4	Live parts accessible during installation and maintenance .....	38
14.2.5	Bonding .....	38
14.2.6	Residual voltage .....	39
14.2.7	Power supply disruption .....	39
14.2.8	Disconnected plug/socket combinations .....	39
14.2.9	Maximum water depth .....	39
14.2.10	Connection markings .....	39
14.2.11	Conductor and cable colour markings .....	39
14.2.12	Bolted joints .....	39
14.2.13	Disconnection of electrical power supplies .....	39
14.2.14	Multiple disconnects .....	40
14.2.15	Unintended start-up .....	40
14.2.16	External charging .....	40
14.2.17	Towing .....	40
14.2.18	Connecting and disconnecting under load .....	40
14.2.19	Phase cable connections .....	40
14.2.20	Bonding of motors and generators EPB .....	40
14.2.21	Shipping, dealer setup and transport .....	40
14.2.22	Electrical ratings .....	40
14.2.23	Protection systems .....	41
14.2.24	General purpose socket-outlets .....	41
14.2.25	Magnetic hazard symbols .....	41
14.3	Manuals and technical documentation .....	41
14.3.1	General .....	41
14.3.2	Operator's manual .....	42
14.3.3	Service manuals .....	43
	Annex A (informative) List of significant hazards .....	45
	Annex B (informative) V-Model .....	46
	Annex C (informative) Shock protection requirements .....	47
	Annex D (informative) Protection classes .....	49
	Annex E (informative) Documentation .....	51
	Bibliography .....	53