

IEC 61400-4:2025-04 (E)

Wind energy generation systems - Part 4: Design requirements for wind turbine gearboxes

| Contents | Page |
|---|------|
| FOREWORD | 6 |
| INTRODUCTION | 8 |
| 1 Scope | 9 |
| 2 Normative references | 10 |
| 3 Terms, definitions, abbreviated terms, units and conventions | 13 |
| 3.1 Terms and definitions | 13 |
| 3.2 Abbreviated terms and units | 15 |
| 3.3 Conventions | 18 |
| 3.3.1 Shaft designations – examples for typical wind turbine gearbox architecture | 18 |
| 4 Design process | 20 |
| 4.1 General | 20 |
| 4.2 Gearbox type | 21 |
| 4.3 Design life, service life, and reliability | 22 |
| 4.4 Component class and consequence of failure | 22 |
| 4.5 Design process | 22 |
| 5 Gearbox interfaces and loads | 25 |
| 5.1 General | 25 |
| 5.2 Interfaces | 25 |
| 5.3 Loads | 25 |
| 5.4 Drivetrain dynamics | 26 |
| 5.4.1 General | 26 |
| 5.4.2 Model requirements | 26 |
| 5.4.3 Required analyses | 27 |
| 5.4.4 Evaluation of excitability | 28 |
| 5.4.5 Verification of dynamic behaviour in system environment | 28 |
| 6 Design and rating requirements | 29 |
| 6.1 Gears | 29 |
| 6.1.1 Reliability considerations | 29 |
| 6.1.2 Calculation of gear load capacity | 29 |
| 6.1.3 Load factors | 33 |
| 6.1.4 Materials | 35 |
| 6.1.5 Accuracy | 35 |
| 6.1.6 Manufacturing | 35 |
| 6.2 Rolling bearings | 36 |
| 6.2.1 Reliability considerations | 36 |
| 6.2.2 Bearing selection | 39 |
| 6.2.3 Materials | 40 |
| 6.2.4 Interface requirements | 40 |
| 6.2.5 Design considerations | 41 |
| 6.2.6 Bearing lubrication | 43 |
| 6.2.7 Rating calculations | 44 |

| | | |
|--------|--|----|
| 6.3 | Plain bearings | 47 |
| 6.3.1 | Reliability considerations | 47 |
| 6.3.2 | Design load cases and associated risks | 47 |
| 6.3.3 | Interface requirements | 49 |
| 6.3.4 | Shaft and housing fits | 50 |
| 6.3.5 | Hydrodynamic lubrication regime | 50 |
| 6.3.6 | Lubricant regime analysis | 51 |
| 6.3.7 | Bearing requirements | 51 |
| 6.4 | Shafts, keys, housing joints, splines, and fasteners | 52 |
| 6.4.1 | Shafts | 52 |
| 6.4.2 | Shaft-hub connections | 53 |
| 6.4.3 | Shaft seals | 53 |
| 6.4.4 | Fasteners | 53 |
| 6.4.5 | Bolted joints | 54 |
| 6.4.6 | Circlips | 55 |
| 6.5 | Structural elements | 55 |
| 6.5.1 | General | 55 |
| 6.5.2 | Interfaces, boundary conditions, and loads | 56 |
| 6.6 | Lubrication | 56 |
| 6.6.1 | General | 56 |
| 6.6.2 | Lubricant performance characteristics | 56 |
| 6.6.3 | Lubricant viscosity | 56 |
| 6.6.4 | Method of lubrication and cooling | 57 |
| 6.6.5 | Quantity of lubricant in the lubrication system | 57 |
| 6.6.6 | Operating temperatures | 58 |
| 6.6.7 | Temperature control | 58 |
| 6.6.8 | Lubricant condition monitoring | 59 |
| 6.6.9 | Lubricant filtration | 59 |
| 6.6.10 | Ports | 60 |
| 6.6.11 | Lubricant level indicator | 60 |
| 6.6.12 | Magnetic plugs | 60 |
| 6.6.13 | Breather port | 60 |
| 6.6.14 | Flow sensor | 61 |
| 7 | Design verification and design validation | 61 |
| 7.1 | General | 61 |
| 7.2 | Design verification and validation plan | 61 |
| 7.3 | Failure mode categorization | 61 |
| 7.4 | Verification methods | 62 |
| 7.4.1 | General | 62 |
| 7.4.2 | Testing | 62 |
| 7.4.3 | Similarity | 64 |
| 7.4.4 | Simulation | 65 |
| 7.5 | Verification and validation matrix | 65 |
| 8 | Manufacturing and quality assurance | 69 |
| 8.1 | General | 69 |
| 8.2 | Quality plan | 69 |
| 8.2.1 | General | 69 |
| 8.2.2 | Surface temper inspection of gears after grinding | 69 |
| 8.2.3 | Surface roughness inspection | 69 |
| 8.3 | Critical processes | 69 |
| 8.4 | Statistical process control | 69 |
| 8.5 | Factory acceptance testing | 70 |
| 8.5.1 | Test objectives | 70 |

| | | |
|-----------------------|---|----|
| 8.5.2 | Acceptance test plan | 70 |
| 8.5.3 | Factory test sequences..... | 70 |
| 8.5.4 | Acceptance measurements..... | 71 |
| 8.6 | Non-conforming components..... | 71 |
| 8.6.1 | General | 71 |
| 8.6.2 | Grinding notches | 72 |
| 9 | Design for service and operation | 72 |
| 9.1 | General..... | 72 |
| 9.2 | Service and operation design requirements..... | 72 |
| 9.3 | Service and operation documentation requirements | 72 |
| 9.4 | Safety | 73 |
| Annex A (informative) | Examples of drivetrain interfaces and loads specifications | 74 |
| A.1 | General..... | 74 |
| A.2 | Common wind turbine drivetrain architectures..... | 74 |
| A.2.1 | Non-integrated drivetrain with 4-point suspension..... | 74 |
| A.2.2 | Non-integrated drivetrain with 3-point suspension..... | 75 |
| A.2.3 | Integrated drivetrain | 75 |
| A.2.4 | Interfaces | 78 |
| A.2.5 | Coordinate system..... | 78 |
| A.2.6 | Interface descriptions | 78 |
| A.2.7 | Engineering data at the interface | 80 |
| A.3 | Wind turbine load descriptions | 80 |
| A.3.1 | Load description formats | 80 |
| A.3.2 | Rainflow matrices | 81 |
| A.3.3 | Load revolution distribution..... | 82 |
| A.3.4 | Extreme load descriptions..... | 83 |
| A.4 | Wind turbine reference power and speed | 84 |
| A.4.1 | General | 84 |
| A.4.2 | Wind turbine power control theory | 84 |
| A.4.3 | Practicalities of power control | 85 |
| Annex B (informative) | Dynamic gearbox model verification and validation..... | 87 |
| B.1 | General..... | 87 |
| B.2 | Verification of drivetrain dynamics models | 87 |
| B.3 | Validation of drivetrain dynamics models | 87 |
| | Bibliography..... | 90 |
| | Figure 1 – Shaft designation in 3-stage parallel shaft gearboxes..... | 19 |
| | Figure 2 – Shaft designation in 3-stage gearboxes with one planet stage..... | 19 |
| | Figure 3 – Shaft designation in 3-stage gearboxes with two planet stages | 20 |
| | Figure 4 – Shaft designation in 4-stage gearboxes with three planet stages..... | 20 |
| | Figure 5 – Design process flow chart | 23 |
| | Figure 6 – Definition of planet gear rim thickness..... | 31 |
| | Figure 7 – Examples of bearing selection criteria | 39 |
| | Figure 8 – Notional operational conditions and plain bearing risk regions..... | 49 |
| | Figure A.1 – Non-integrated drivetrain with 4-point suspension..... | 74 |
| | Figure A.2 – Non-integrated drivetrain with 3-point suspension..... | 75 |
| | Figure A.3 – Rotor-side integration with rigid main shaft connection | 76 |

| | |
|---|----|
| Figure A.4 – Rotor-side integration with flexible main shaft connection | 76 |
| Figure A.5 – Generator-side integration with rotor support in generator | 77 |
| Figure A.6 – Generator-side integration with rotor support in gearbox and generator | 77 |
| Figure A.7 – Generator-side integration with rotor support in gearbox | 77 |
| Figure A.8 – Example of rainflow cycles per design load case..... | 82 |
| Figure A.9 – Example of a load revolution distribution..... | 83 |
| Figure A.10 – Wind turbine power control regions | 84 |
| Figure A.11 – Ideal power and speed control strategy | 85 |
| Figure A.12 – Control strategy compared to actual response | 85 |
| | |
| Table 1 – Definition of a gearbox type..... | 21 |
| Table 2 – Minimum safety factors for pitting resistance and bending strength | 30 |
| Table 3 – Mesh load factor for planetary stages..... | 33 |
| Table 4 – Required gear accuracy | 35 |
| Table 5 – Typical temperature differences for calculation of operating clearance | 42 |
| Table 6 – Bearing lubricant temperature for calculation of viscosity ratio | 44 |
| Table 7 – Guide values for maximum contact stress..... | 46 |
| Table 8 – Plain bearing risks coupled to operating conditions | 48 |
| Table 9 – Minimum safety factors..... | 52 |
| Table 10 – Failure mode categorization | 62 |
| Table 11 – Verification and validation matrix..... | 66 |
| Table A.1 – Analysis information at interfaces for non-integrated drivetrains..... | 79 |
| Table A.2 – Analysis information at interfaces for integrated drivetrain | 80 |
| Table A.3 – Engineering data and design load descriptions..... | 80 |
| Table A.4 – Rainflow matrix example | 81 |
| Table A.5 – Extreme load matrix example | 83 |