

ISO/TS 10303-27:2000-11 (E)

Industrial automation systems and integration - Product data representation and exchange - Part 27: Implementation methods: Java<(hoch)TM> programming language binding to the standard data access interface with Internet/Intranet extensions

| Contents | | Page |
|-----------------|--|-------------|
| 1 | Scope | 1 |
| 2 | Normative references | 2 |
| 3 | Terms, definitions, and abbreviations | 3 |
| 3.1 | Terms defined in ISO 10303-1 | 3 |
| 3.2 | Terms defined in ISO 10303-11 | 3 |
| 3.3 | Terms defined in ISO 10303-22 | 4 |
| 3.4 | Terms defined in The Java Language Specification | 5 |
| 3.5 | Other definitions | 5 |
| 3.6 | Abbreviations | 6 |
| 4 | General characteristics | 7 |
| 4.1 | Entity Attribute and Aggregate Member access | 8 |
| 4.2 | Dynamic SdaiRepositories | 9 |
| 4.3 | Packages and EXPRESS schema | 10 |
| 4.4 | Aggregates | 10 |
| 4.5 | Conformance requirements | 11 |
| 4.6 | Agglomerate domain | 11 |
| 4.7 | Date and time | 11 |
| 5 | Mapping of the SDAI_parameter_data_schema | 12 |
| 5.1 | String_value | 12 |
| 5.2 | Binary_value | 12 |
| 5.3 | Integer_value | 12 |
| 5.4 | Real_value | 12 |
| 5.5 | Number_value | 12 |
| 5.6 | Boolean_value | 13 |
| 5.7 | Logical_value | 13 |
| 5.8 | Query_source | 13 |
| 5.9 | Iterator | 13 |
| 5.10 | Entity_instance | 13 |
| 5.11 | Attribute_value | 13 |
| 5.12 | Select_value | 13 |
| 5.13 | Select_aggregate_instance | 13 |
| 5.14 | Enumeration_value | 14 |
| 5.15 | Aggregate_instance | 14 |
| 5.16 | Non_persistent_list_instance | 14 |
| 6 | SDAI Session classes | 14 |
| 6.1 | SdaiSession | 15 |
| 6.1.1 | Open session | 15 |
| 6.1.2 | Close session | 15 |
| 6.1.3 | Start transaction read-write access | 16 |
| 6.1.4 | Start transaction read-only access | 16 |
| 6.1.5 | Get complex entity definition | 16 |
| 6.1.6 | Link repository | 16 |
| 6.1.7 | Create repository | 17 |

| | | |
|--------|--|----|
| 6.1.8 | Import clear text encoding | 17 |
| 6.2 | Implementation | 17 |
| 6.3 | SdaiRepository | 18 |
| 6.3.1 | Create SDAI-model | 19 |
| 6.3.2 | Create schema instance | 19 |
| 6.3.3 | Open repository | 19 |
| 6.3.4 | Close repository | 19 |
| 6.3.5 | Get session identifier | 19 |
| 6.3.6 | SDAI query | 19 |
| 6.3.7 | Export clear text encoding | 20 |
| 6.3.8 | Delete repository | 20 |
| 6.3.9 | Unlink repository | 20 |
| 6.4 | ASdaiRepository | 21 |
| 6.5 | SdaiTransaction | 21 |
| 6.5.1 | Commit | 21 |
| 6.5.2 | Abort | 21 |
| 6.5.3 | End transaction access and commit | 21 |
| 6.5.4 | End transaction access and abort | 21 |
| 6.6 | SchemaInstance | 22 |
| 6.6.1 | getValidationDateLong | 22 |
| 6.6.2 | Delete schema instance | 22 |
| 6.6.3 | Rename schema instance | 22 |
| 6.6.4 | Add SDAI-model | 23 |
| 6.6.5 | Remove SDAI-model | 23 |
| 6.6.6 | SDAI query | 23 |
| 6.6.7 | Validate global rule | 23 |
| 6.6.8 | Validate uniqueness rule | 23 |
| 6.6.9 | Validate instance reference domain | 23 |
| 6.6.10 | Validate schema instance | 23 |
| 6.6.11 | Is validation current | 23 |
| 6.7 | ASchemaInstance | 23 |
| 6.7.1 | getAssociatedModels | 24 |
| 6.8 | SdaiModel | 24 |
| 6.8.1 | getMode | 25 |
| 6.8.2 | Delete SDAI-model | 25 |
| 6.8.3 | Rename SDAI-model | 26 |
| 6.8.4 | Start read-only access | 26 |
| 6.8.5 | Promote SDAI-model to read-write | 26 |
| 6.8.6 | Reduce SDAI-model to read-only | 26 |
| 6.8.7 | End read-only access | 26 |
| 6.8.8 | Start read-write access | 26 |
| 6.8.9 | End read-write access | 26 |
| 6.8.10 | Get entity definition | 27 |
| 6.8.11 | Create entity instance | 27 |
| 6.8.12 | Copy application instance | 27 |
| 6.8.13 | copyInstances | 27 |
| 6.8.14 | Undo changes | 27 |
| 6.8.15 | Save changes | 27 |
| 6.8.16 | SDAI query | 27 |
| 6.8.17 | Get instances | 27 |
| 6.8.18 | Get exact instances | 28 |
| 6.8.19 | substituteInstance | 28 |
| 6.8.20 | Get defined schema | 29 |
| 6.9 | ASdaiModel | 29 |
| 6.10 | EntityExtent | 29 |
| 6.11 | AEntityExtent | 30 |
| 6.12 | LOGICAL | 30 |
| 7 | Late binding | 30 |
| 7.1 | Late binding base types | 31 |
| 7.2 | Select data types for late binding | 31 |
| 7.3 | EEntity | 32 |

| | | |
|--------|--|----|
| 7.3.1 | Get attribute | 33 |
| 7.3.2 | Get inverse attribute | 33 |
| 7.3.3 | Test attribute | 33 |
| 7.3.4 | Find entity instance SDAI-model | 34 |
| 7.3.5 | Get instance type | 34 |
| 7.3.6 | Is instance of | 34 |
| 7.3.7 | Is kind of | 34 |
| 7.3.8 | Find entity instance users | 34 |
| 7.3.9 | Find entity instance usedin | 34 |
| 7.3.10 | Get attribute value bound | 34 |
| 7.3.11 | Find instance roles | 35 |
| 7.3.12 | Find instance data types | 35 |
| 7.3.13 | Delete application instance | 35 |
| 7.3.14 | Put attribute | 35 |
| 7.3.15 | Unset attribute value | 35 |
| 7.3.16 | Create aggregate instance | 35 |
| 7.3.17 | Get persistent label | 35 |
| 7.3.18 | Get description | 35 |
| 7.3.19 | Validate where rule | 36 |
| 7.3.20 | Validate required explicit attributes assigned | 36 |
| 7.3.21 | Validate inverse attributes | 36 |
| 7.3.22 | Validate explicit attributes references | 36 |
| 7.3.23 | Validate aggregates size | 36 |
| 7.3.24 | Validate aggregates uniqueness | 36 |
| 7.3.25 | Validate array not optional | 36 |
| 7.3.26 | Validate string width | 36 |
| 7.3.27 | Validate binary width | 36 |
| 7.3.28 | Validate real precision | 37 |
| 7.3.29 | compareValueBoolean | 37 |
| 7.3.30 | compareValueLogical | 37 |
| 7.3.31 | toString | 37 |
| 7.4 | Aggregate | 37 |
| 7.4.1 | Get aggregation type | 39 |
| 7.4.2 | Get member count | 39 |
| 7.4.3 | Is member | 39 |
| 7.4.4 | Create iterator | 39 |
| 7.4.5 | Attach iterator | 40 |
| 7.4.6 | Get lower bound | 40 |
| 7.4.7 | Get upper bound | 40 |
| 7.4.8 | SDAI query | 40 |
| 7.4.9 | Get by index | 40 |
| 7.4.10 | Get value bound by index | 40 |
| 7.4.11 | Put by index | 40 |
| 7.4.12 | Create aggregate instance by index | 40 |
| 7.4.13 | Test by index for late binding | 41 |
| 7.4.14 | Get lower index | 41 |
| 7.4.15 | Get upper index | 41 |
| 7.4.16 | Unset value by index | 41 |
| 7.4.17 | Reindex array | 41 |
| 7.4.18 | Reset array index | 41 |
| 7.4.19 | Add by index | 41 |
| 7.4.20 | Add aggregate instance by index | 41 |
| 7.4.21 | Remove by index | 42 |
| 7.4.22 | Add unordered | 42 |
| 7.4.23 | Create aggregate instance unordered | 42 |
| 7.4.24 | Remove unordered | 42 |
| 7.4.25 | Test current member | 42 |
| 7.4.26 | Get current member | 42 |
| 7.4.27 | Create aggregate instance as current member | 43 |
| 7.4.28 | Put current member | 43 |
| 7.4.29 | Add before current member | 43 |
| 7.4.30 | Add after current member | 43 |

| | | |
|---------|---|----|
| 7.4.31 | Create aggregate instance before current member | 43 |
| 7.4.32 | Create aggregate instance after current member | 43 |
| 7.4.33 | Clear | 43 |
| 7.4.34 | toString | 44 |
| 7.5 | Sdailterator | 44 |
| 7.5.1 | Beginning | 44 |
| 7.5.2 | Next | 44 |
| 7.5.3 | Get value bound by iterator | 44 |
| 7.5.4 | Remove current member | 45 |
| 7.5.5 | End | 45 |
| 7.5.6 | Previous | 45 |
| 7.5.7 | Unset value current member | 45 |
| 7.6 | Aggregates of basic types | 45 |
| 7.6.1 | AEntity | 45 |
| 7.6.2 | A_string | 46 |
| 7.6.3 | Aa_string | 46 |
| 7.6.4 | A_double | 46 |
| 7.6.5 | Aa_double | 47 |
| 7.6.6 | A_integer | 47 |
| 7.6.7 | Aa_integer | 47 |
| 7.6.8 | A_enumeration | 48 |
| 7.6.9 | Aa_enumeration | 48 |
| 7.6.10 | A_boolean | 48 |
| 7.6.11 | Aa_boolean | 49 |
| 7.6.12 | A_binary | 49 |
| 7.6.13 | Aa_binary | 49 |
| 8 | Early binding | 50 |
| 8.1 | Naming conventions | 50 |
| 8.2 | Schema package | 50 |
| 8.3 | Schema class | 50 |
| 8.4 | Defined type interface | 51 |
| 8.5 | ENUMERATION class | 51 |
| 8.6 | Select data types | 52 |
| 8.7 | Java types for entity attributes and aggregate elements | 54 |
| 8.8 | Access methods for entity attributes | 55 |
| 8.9 | Entity Interface | 55 |
| 8.9.1 | Test attribute | 56 |
| 8.9.2 | Get attribute | 56 |
| 8.9.3 | Unset attribute value | 56 |
| 8.9.4 | Put attribute | 56 |
| 8.9.5 | Create aggregate instance | 56 |
| 8.10 | Entity class | 57 |
| 8.10.1 | Field definition | 57 |
| 8.10.2 | Get attribute definition | 57 |
| 8.10.3 | Find entity instance used in | 58 |
| 8.11 | Aggregate class | 58 |
| 8.11.1 | Is member | 58 |
| 8.11.2 | Test by index | 59 |
| 8.11.3 | Get by index | 59 |
| 8.11.4 | Put by index | 59 |
| 8.11.5 | Create aggregate instance by index | 59 |
| 8.11.6 | Add by index | 60 |
| 8.11.7 | Add aggregate instance by index | 60 |
| 8.11.8 | Test current member | 60 |
| 8.11.9 | Get current member | 60 |
| 8.11.10 | Put current member | 61 |
| 8.11.11 | Create aggregate instance as current member | 61 |
| 8.11.12 | Add before current member | 61 |
| 8.11.13 | Create aggregate instance before current member | 61 |
| 8.11.14 | Add after current member | 61 |
| 8.11.15 | Create aggregate instance after current member | 62 |

| | | |
|--|--|----|
| 8.11.16 | Add unordered | 62 |
| 8.11.17 | Create aggregate instance unordered | 62 |
| 8.11.18 | Remove unordered | 62 |
| 9 | Error handling | 62 |
| 9.1 | SdaiException | 63 |
| 10 | SDAI dictionary | 67 |
| 10.1 | Entity_definition | 68 |
| 10.1.1 | Is subtype of | 68 |
| 10.1.2 | Is domain equivalent with | 68 |
| Annex A (normative) Information object registration | | 69 |
| Annex B (normative) Mapping between Part-21 and SDAI | | 70 |
| Annex C (informative) Events | | 71 |
| Annex D (informative) Examples | | 73 |
| D.1 | Mass measure schema | 73 |
| D.1.1 | SMass_measure_schema.java | 74 |
| D.1.2 | EMeasured_mass.java | 74 |
| D.1.3 | EComputed_mass.java | 74 |
| D.1.4 | EEstimated_mass.java | 74 |
| D.1.5 | EWeight.java | 74 |
| D.1.6 | EFloatingnumber.java | 74 |
| D.1.7 | ENotanumber.java | 75 |
| D.1.8 | ESteel_bar.java | 75 |
| D.1.9 | CSteel_bar.java | 76 |
| D.2 | Mass measure schema - early binding access | 76 |
| D.3 | Mass measure schema - late binding access | 79 |
| D.4 | XList schema | 82 |
| D.4.1 | SXlist_schema.java | 83 |
| D.4.2 | EXx.java | 83 |
| D.4.3 | CXx.java | 83 |
| D.4.4 | AXx.java | 84 |
| D.4.5 | AaXa.java | 84 |
| D.4.6 | EXlist1.java | 84 |
| D.4.7 | EXlist2.java | 84 |
| D.4.8 | EXxlist.java | 85 |
| D.4.9 | AXselect.java | 85 |
| D.4.10 | EYy.java | 86 |
| D.4.11 | CYy.java | 87 |
| D.4.12 | AYy.java | 87 |
| D.5 | XList schema - late binding access | 88 |
| Annex E (informative) Select path generator | | 90 |
| Index | | 97 |