

# ISO 13707:2000-12 (E)

## Petroleum and natural gas industries - Reciprocating compressors

---

| <b>Contents</b>    |  | <b>Page</b> |
|--------------------|--|-------------|
| Foreword .....     |  | vi          |
| Introduction ..... |  | vii         |
| <b>1</b>           | <b>Scope .....</b>   | <b>1</b>    |
| <b>2</b>           | <b>Normative references .....</b>  | <b>1</b>    |
| <b>3</b>           | <b>Terms and definitions .....</b>   | <b>3</b>    |
| <b>4</b>           | <b>Statutory requirements .....</b>  | <b>8</b>    |
| <b>5</b>           | <b>Basic design .....</b>  | <b>8</b>    |
| <b>5.1</b>         | <b>General .....</b>   | <b>8</b>    |
| <b>5.2</b>         | <b>Permissible speeds .....</b>  | <b>10</b>   |
| <b>5.3</b>         | <b>Permissible discharge temperature .....</b>                                 | <b>10</b>   |
| <b>5.4</b>         | <b>Rod and gas loads .....</b>   | <b>11</b>   |
| <b>5.5</b>         | <b>Critical speeds .....</b>   | <b>11</b>   |
| <b>6</b>           | <b>Compressor components .....</b>   | <b>12</b>   |
| <b>6.1</b>         | <b>Compressor cylinders .....</b>  | <b>12</b>   |
| <b>6.2</b>         | <b>Valves and unloaders .....</b>  | <b>16</b>   |
| <b>6.3</b>         | <b>Pistons, piston rods and piston rings .....</b>                             | <b>17</b>   |
| <b>6.4</b>         | <b>Crankcases, crankshafts, connecting rods, bearings and crossheads .....</b> | <b>18</b>   |
| <b>6.5</b>         | <b>Distance pieces .....</b>   | <b>19</b>   |
| <b>6.6</b>         | <b>Packing cases and pressure packing .....</b>                                | <b>20</b>   |
| <b>6.7</b>         | <b>Nameplates and rotation arrows .....</b>                                    | <b>22</b>   |
| <b>7</b>           | <b>Materials .....</b>   | <b>22</b>   |
| <b>7.1</b>         | <b>General .....</b>   | <b>22</b>   |
| <b>7.2</b>         | <b>Pressure-containing parts .....</b>   | <b>24</b>   |
| <b>7.3</b>         | <b>Castings .....</b>  | <b>24</b>   |
| <b>7.4</b>         | <b>Forgings .....</b>  | <b>25</b>   |
| <b>7.5</b>         | <b>Fabricated cylinders and cylinder heads .....</b>                           | <b>25</b>   |
| <b>7.6</b>         | <b>Repairs to castings and forgings .....</b>                                  | <b>27</b>   |
| <b>7.7</b>         | <b>Welding .....</b>   | <b>28</b>   |
| <b>7.8</b>         | <b>Low temperature service .....</b>   | <b>29</b>   |
| <b>8</b>           | <b>Lubrication .....</b>   | <b>29</b>   |
| <b>8.1</b>         | <b>Compressor frame lubrication .....</b>                                      | <b>29</b>   |
| <b>8.2</b>         | <b>Cylinder and packing lubrication .....</b>                                  | <b>31</b>   |
| <b>9</b>           | <b>Accessories .....</b>   | <b>32</b>   |
| <b>9.1</b>         | <b>Drivers .....</b>   | <b>32</b>   |
| <b>9.2</b>         | <b>Couplings and guards .....</b>  | <b>35</b>   |
| <b>9.3</b>         | <b>Reduction gears .....</b>   | <b>35</b>   |
| <b>9.4</b>         | <b>Belt drives .....</b>   | <b>36</b>   |
| <b>9.5</b>         | <b>Mounting plates .....</b>   | <b>36</b>   |
| <b>9.6</b>         | <b>Intercoolers and aftercoolers .....</b>                                     | <b>38</b>   |
| <b>9.7</b>         | <b>Air intake filters .....</b>  | <b>39</b>   |
| <b>9.8</b>         | <b>Special tools .....</b>   | <b>40</b>   |

|             |  |            |
|-------------|--|------------|
| <b>10</b>   | <b>Controls and instrumentation .....</b>  | <b>40</b>  |
| <b>10.1</b> | <b>General .....</b>   | <b>40</b>  |
| <b>10.2</b> | <b>Control systems .....</b>   | <b>41</b>  |
| <b>10.3</b> | <b>Instrument and control panels .....</b>   | <b>42</b>  |
| <b>10.4</b> | <b>Instrumentation .....</b>   | <b>42</b>  |
| <b>10.5</b> | <b>Alarms and shut-downs .....</b>   | <b>44</b>  |
| <b>10.6</b> | <b>Electrical systems .....</b>  | <b>46</b>  |
| <b>10.7</b> | <b>Vibration and position detectors .....</b>  | <b>46</b>  |
| <b>11</b>   | <b>Piping and appurtenances .....</b>  | <b>47</b>  |
| <b>11.1</b> | <b>General .....</b>   | <b>47</b>  |
| <b>11.2</b> | <b>Frame lubrication oil piping .....</b>  | <b>52</b>  |
| <b>11.3</b> | <b>Forced-feed lubricator tubing .....</b>   | <b>52</b>  |
| <b>11.4</b> | <b>Coolant piping .....</b>  | <b>52</b>  |
| <b>11.5</b> | <b>Intrument piping .....</b>  | <b>53</b>  |
| <b>11.6</b> | <b>Process piping .....</b>  | <b>53</b>  |
| <b>12</b>   | <b>Pulsation and vibration control .....</b>   | <b>53</b>  |
| <b>12.1</b> | <b>General .....</b>   | <b>53</b>  |
| <b>12.2</b> | <b>Design approaches .....</b>   | <b>54</b>  |
| <b>12.3</b> | <b>Pulsation suppression devices .....</b>   | <b>59</b>  |
| <b>12.4</b> | <b>Supports for pulsation suppression devices .....</b>  | <b>61</b>  |
| <b>13</b>   | <b>Inspection and testing .....</b>  | <b>61</b>  |
| <b>13.1</b> | <b>General .....</b>   | <b>61</b>  |
| <b>13.2</b> | <b>Inspection .....</b>  | <b>62</b>  |
| <b>13.3</b> | <b>Testing .....</b>   | <b>64</b>  |
| <b>14</b>   | <b>Preparation for shipment .....</b>  | <b>66</b>  |
| <b>15</b>   | <b>Vendor's data .....</b>   | <b>67</b>  |
| <b>15.1</b> | <b>General .....</b>   | <b>67</b>  |
| <b>15.2</b> | <b>Proposals .....</b>   | <b>68</b>  |
| <b>15.3</b> | <b>Contract data .....</b>   | <b>70</b>  |
|             | <b>Annex A (informative) Data sheets and check-list .....</b>  | <b>73</b>  |
|             | <b>Annex B (informative) Required capacity, manufacturer's rated capacity and no negative tolerance</b>          | <b>102</b> |
|             | <b>Annex C (informative) Piston rod and runout .....</b>   | <b>103</b> |
|             | <b>Annex D (informative) Repairs to grey or nodular iron castings .....</b>                                      | <b>107</b> |
|             | <b>Annex E (informative) Examples of typical logic diagram showing critical functions .....</b>                  | <b>108</b> |
|             | <b>Annex F (informative) Vendor drawing and data requirements .....</b>  | <b>115</b> |
|             | <b>Annex G (informative) Figures and schematics .....</b>  | <b>130</b> |
|             | <b>Annex H (informative) Materials for major component parts .....</b>   | <b>136</b> |
|             | <b>Annex I (informative) Distance piece vent, drain and buffer systems to minimize process gas leakage .....</b> | <b>137</b> |
|             | <b>Annex J (informative) Reciprocating compressor nomenclature .....</b>   | <b>143</b> |
|             | <b>Annex K (informative) Inspector's check-list .....</b>  | <b>146</b> |
|             | <b>Annex L (informative) Typical mounting plate arrangement .....</b>  | <b>148</b> |
|             | <b>Annex M (informative) Pulsation and vibration control studies .....</b>                                       | <b>150</b> |

|   |            |
|---|------------|
| <b>Annex N (informative) Guideline for compressor gas piping design and preparation for an acoustic simulation analysis .....</b> | <b>153</b> |
| <b>Annex O (informative) Guidelines for sizing low pass acoustic filters .....</b>  | <b>157</b> |
| <b>Annex P (informative) Compressor components -- compliance with NACE MR0175 .....</b>   | <b>160</b> |
| <b>Annex Q (informative) Alarm and shut-down systems .....</b>  | <b>162</b> |
| <b>Bibliography .....</b>   | <b>164</b> |