

# ISO 10303-104:2000-12 (E)

## Industrial automation systems and integration - Product data representation and exchange - Part 104: Integrated application resource: Finite element analysis

---

### Contents

Page

1	Scope . . . . .	1
1.1	Analysis type scope . . . . .	1
1.2	Structural response definition schema scope . . . . .	1
1.3	Structural response representation schema scope . . . . .	2
1.4	Finite element analysis control and result schema scope . . . . .	3
1.5	Scalars, vectors, and tensors schema scope . . . . .	3
2	Normative references . . . . .	4
3	Terms, definitions, abbreviations, and symbols . . . . .	5
3.1	Terms defined in ISO 10303-1 . . . . .	5
3.2	Other terms and definitions . . . . .	5
3.3	Symbols . . . . .	7
3.4	Abbreviations . . . . .	7
4	Structural response definition schema . . . . .	8
4.1	Introduction . . . . .	8
4.2	Fundamental concepts and assumptions . . . . .	8
4.3	Structural response definition schema entity definitions . . . . .	8
4.3.1	structural_response_property . . . . .	8
4.3.2	fea_model_definition . . . . .	10
4.3.3	node_definition . . . . .	10
4.3.4	element_definition . . . . .	10
5	Structural response representation schema . . . . .	12
5.1	Introduction . . . . .	14
5.2	Fundamental concepts and assumptions . . . . .	14
5.2.1	Product relationship . . . . .	14
5.2.2	Finite element analysis model relationships . . . . .	14
5.2.3	Geometric founding and analysis space . . . . .	15
5.2.4	Identifiers . . . . .	15
5.2.5	Coordinate systems . . . . .	15
5.2.6	Element matrix integration . . . . .	15
5.2.7	Units and measures . . . . .	15
5.2.8	Interface with the materials schema . . . . .	15
5.2.9	Finite element analysis model, control, and result relationships . . . . .	16
5.2.10	Use of element . . . . .	16
5.3	Structural response representation schema type definitions . . . . .	16
5.3.1	axi_or_plane . . . . .	16
5.3.2	coordinate_system_type . . . . .	17
5.3.3	element_order . . . . .	19
5.3.4	plane_2d_element_purpose . . . . .	19
5.3.5	enumerated_plane_2d_element_purpose . . . . .	19

5.3.6	application_defined_element_purpose . . . . .	20
5.3.7	volume_element_purpose . . . . .	20
5.3.8	enumerated_volume_element_purpose . . . . .	21
5.3.9	surface_element_purpose . . . . .	21
5.3.10	enumerated_surface_element_purpose . . . . .	21
5.3.11	curve_element_purpose . . . . .	22
5.3.12	enumerated_curve_element_purpose . . . . .	23
5.3.13	volume_3d_element_shape . . . . .	24
5.3.14	element_2d_shape . . . . .	24
5.3.15	matrix_property_type . . . . .	25
5.3.16	enumerated_matrix_property_type . . . . .	25
5.3.17	application_defined_matrix_property_type . . . . .	25
5.3.18	surface_matrix_property_type . . . . .	26
5.3.19	enumerated_surface_matrix_property_type . . . . .	26
5.3.20	curve_matrix_property_type . . . . .	27
5.3.21	enumerated_curve_matrix_property_type . . . . .	28
5.3.22	matrix_symmetry . . . . .	29
5.3.23	degree_of_freedom . . . . .	30
5.3.24	enumerated_degree_of_freedom . . . . .	30
5.3.25	application_defined_degree_of_freedom . . . . .	31
5.3.26	curve_element_freedom . . . . .	31
5.3.27	enumerated_curve_element_freedom . . . . .	32
5.3.28	integration_rule . . . . .	32
5.3.29	shape_function . . . . .	33
5.3.30	volume_2d_element_representation . . . . .	33
5.3.31	surface_2d_element_representation . . . . .	34
5.3.32	curve_2d_element_representation . . . . .	34
5.3.33	volume_2d_element_descriptor . . . . .	34
5.3.34	surface_2d_element_descriptor . . . . .	35
5.3.35	curve_2d_element_descriptor . . . . .	35
5.3.36	volume_3d_element_coordinate_system . . . . .	35
5.3.37	volume_2d_element_coordinate_system . . . . .	36
5.3.38	surface_3d_element_coordinate_system . . . . .	36
5.3.39	surface_2d_element_coordinate_system . . . . .	36
5.3.40	curve_3d_element_coordinate_system . . . . .	37
5.3.41	curve_element_end_coordinate_system . . . . .	37
5.3.42	directionally_explicit_element_coordinate_system . . . . .	37
5.3.43	element_aspect . . . . .	38
5.3.44	element_volume . . . . .	38
5.3.45	curve_edge . . . . .	39
5.3.46	node_or_node_group . . . . .	39
5.3.47	element_or_element_group . . . . .	39
5.4	Structural response representation schema entity definitions: Finite element analysis model . . . . .	40
5.4.1	fea_model . . . . .	40
5.4.2	fea_model_3d . . . . .	41

5.4.3	fea_model_2d . . . . .	41
5.4.4	structural_response_property_definition_representation . . . . .	42
5.4.5	fea_representation_item . . . . .	43
5.5	Structural response representation schema entity definitions: Node and element geometry, geometric coordinate systems, and geometric associativity . . . . .	44
5.5.1	direction_node . . . . .	45
5.5.2	fea_axis2_placement_2d . . . . .	47
5.5.3	fea_axis2_placement_3d . . . . .	48
5.5.4	node_set . . . . .	49
5.5.5	analysis_item_within_representation . . . . .	49
5.5.6	node_geometric_relationship . . . . .	50
5.5.7	element_geometric_relationship . . . . .	51
5.6	Structural response representation schema entity definitions: Node representation . . . . .	52
5.6.1	node_representation . . . . .	52
5.6.2	node . . . . .	53
5.6.3	node_with_vector . . . . .	53
5.6.4	node_with_solution_coordinate_system . . . . .	54
5.6.5	dummy_node . . . . .	55
5.6.6	geometric_node . . . . .	55
5.6.7	substructure_node_relationship . . . . .	56
5.7	Structural response representation schema entity definitions: Element representations . . . . .	56
5.7.1	element_representation . . . . .	61
5.7.2	volume_3d_element_representation . . . . .	62
5.7.3	axisymmetric_volume_2d_element_representation . . . . .	64
5.7.4	plane_volume_2d_element_representation . . . . .	66
5.7.5	surface_3d_element_representation . . . . .	68
5.7.6	axisymmetric_surface_2d_element_representation . . . . .	70
5.7.7	plane_surface_2d_element_representation . . . . .	72
5.7.8	curve_3d_element_representation . . . . .	75
5.7.9	axisymmetric_curve_2d_element_representation . . . . .	77
5.7.10	plane_curve_2d_element_representation . . . . .	79
5.7.11	element_descriptor . . . . .	80
5.7.12	volume_3d_element_descriptor . . . . .	81
5.7.13	axisymmetric_volume_2d_element_descriptor . . . . .	82
5.7.14	plane_volume_2d_element_descriptor . . . . .	82
5.7.15	volume_3d_element_basis . . . . .	83
5.7.16	volume_2d_element_basis . . . . .	84
5.7.17	surface_3d_element_descriptor . . . . .	84
5.7.18	axisymmetric_surface_2d_element_descriptor . . . . .	85
5.7.19	plane_surface_2d_element_descriptor . . . . .	85
5.7.20	surface_3d_element_basis . . . . .	86
5.7.21	surface_2d_element_basis . . . . .	87
5.7.22	curve_3d_element_descriptor . . . . .	87
5.7.23	axisymmetric_curve_2d_element_descriptor . . . . .	88
5.7.24	plane_curve_2d_element_descriptor . . . . .	88
5.7.25	curve_3d_element_basis . . . . .	89

5.7.26	curve_2d_element_basis . . . . .	90
5.7.27	point_element_representation . . . . .	90
5.7.28	point_element_matrix . . . . .	91
5.7.29	stationary_mass . . . . .	92
5.7.30	grounded_spring . . . . .	93
5.7.31	grounded_damper . . . . .	93
5.7.32	directionally_explicit_element_representation . . . . .	94
5.7.33	system_and_freedom . . . . .	96
5.7.34	directionally_explicit_element_coefficient . . . . .	96
5.7.35	explicit_element_representation . . . . .	97
5.7.36	explicit_element_matrix . . . . .	98
5.7.37	substructure_element_representation . . . . .	99
5.8	Structural response representation schema definitions: Element topologies . . . . .	99
5.9	Structural response representation schema entity definitions: Element coordinate systems	115
5.9.1	aligned_axis_tolerance . . . . .	116
5.9.2	arbitrary_volume_3d_element_coordinate_system . . . . .	117
5.9.3	parametric_volume_3d_element_coordinate_system . . . . .	117
5.9.4	arbitrary_volume_2d_element_coordinate_system . . . . .	119
5.9.5	parametric_volume_2d_element_coordinate_system . . . . .	121
5.9.6	aligned_surface_3d_element_coordinate_system . . . . .	122
5.9.7	parametric_surface_3d_element_coordinate_system . . . . .	124
5.9.8	constant_surface_3d_element_coordinate_system . . . . .	126
5.9.9	aligned_surface_2d_element_coordinate_system . . . . .	127
5.9.10	parametric_surface_2d_element_coordinate_system . . . . .	128
5.9.11	aligned_curve_3d_element_coordinate_system . . . . .	129
5.9.12	parametric_curve_3d_element_coordinate_system . . . . .	130
5.9.13	parametric_curve_3d_element_coordinate_direction . . . . .	132
5.9.14	curve_2d_element_coordinate_system . . . . .	132
5.9.15	directionally_explicit_element_coordinate_system_arbitrary . . . . .	133
5.9.16	directionally_explicit_element_coordinate_system_aligned . . . . .	134
5.9.17	euler_angles . . . . .	134
5.10	Structural response representation schema entity definitions: Element matrix integration	135
5.10.1	Volume 3D Element . . . . .	139
5.10.2	Volume 2D Element . . . . .	139
5.10.3	Curve 2D Element . . . . .	140
5.10.4	Surface 3D or Curve Element . . . . .	140
5.10.5	Surface 2D Element . . . . .	141
5.10.6	volume_3d_element_integrated_matrix . . . . .	142
5.10.7	volume_3d_element_integrated_matrix_with_definition . . . . .	142
5.10.8	volume_3d_element_field_integration . . . . .	143
5.10.9	element_integration_algebraic . . . . .	143
5.10.10	volume_3d_element_field_integration_rule . . . . .	143
5.10.11	volume_3d_element_field_integration_explicit . . . . .	144
5.10.12	volume_position_weight . . . . .	144
5.10.13	volume_2d_element_integrated_matrix . . . . .	145
5.10.14	volume_2d_element_integrated_matrix_with_definition . . . . .	145

5.10.15	volume_2d_element_field_integration . . . . .	146
5.10.16	volume_2d_element_field_integration_rule . . . . .	146
5.10.17	volume_2d_element_field_integration_explicit . . . . .	147
5.10.18	surface_3d_element_integrated_matrix . . . . .	147
5.10.19	surface_3d_element_integrated_matrix_with_definition . . . . .	148
5.10.20	surface_3d_element_integration . . . . .	148
5.10.21	surface_3d_element_field_integration . . . . .	149
5.10.22	surface_section_integration . . . . .	149
5.10.23	surface_3d_element_field_integration_rule . . . . .	149
5.10.24	surface_3d_element_field_integration_explicit . . . . .	150
5.10.25	surface_position_weight . . . . .	150
5.10.26	surface_section_integration_rule . . . . .	151
5.10.27	surface_section_integration_explicit . . . . .	151
5.10.28	surface_section_position_weight . . . . .	152
5.10.29	surface_2d_element_integrated_matrix . . . . .	152
5.10.30	surface_2d_element_integrated_matrix_with_definition . . . . .	153
5.10.31	surface_2d_element_integration . . . . .	153
5.10.32	surface_2d_element_length_integration . . . . .	154
5.10.33	surface_2d_element_length_integration_rule . . . . .	154
5.10.34	surface_2d_element_length_integration_explicit . . . . .	155
5.10.35	curve_3d_element_integrated_matrix . . . . .	155
5.10.36	curve_3d_element_integrated_matrix_with_definition . . . . .	156
5.10.37	curve_3d_element_integration . . . . .	156
5.10.38	curve_3d_element_length_integration . . . . .	157
5.10.39	curve_3d_element_length_integration_rule . . . . .	157
5.10.40	curve_3d_element_length_integration_explicit . . . . .	158
5.10.41	curve_3d_element_position_weight . . . . .	158
5.10.42	curve_section_integration_explicit . . . . .	159
5.10.43	curve_2d_element_integrated_matrix . . . . .	159
5.10.44	curve_2d_element_integrated_matrix_with_definition . . . . .	160
5.10.45	curve_2d_element_integration . . . . .	160
5.11	Structural response representation schema entity definitions: Element locations . . . . .	161
5.11.1	fea_parametric_point . . . . .	161
5.11.2	volume_element_location . . . . .	162
5.11.3	surface_volume_element_location . . . . .	162
5.11.4	surface_element_location . . . . .	162
5.11.5	surface_section_element_location . . . . .	163
5.11.6	surface_section_element_location_absolute . . . . .	164
5.11.7	surface_section_element_location_dimensionless . . . . .	164
5.11.8	curve_volume_element_location . . . . .	165
5.11.9	curve_element_location . . . . .	165
5.11.10	curve_section_element_location . . . . .	166
5.12	Structural response representation schema entity definitions: Finite element analysis material properties . . . . .	166
5.12.1	element_material . . . . .	168
5.12.2	fea_material_property_geometric_relationship . . . . .	168

5.12.3	fea_material_property_representation . . . . .	169
5.12.4	fea_material_property_representation_item . . . . .	170
5.12.5	fea_linear_elasticity . . . . .	171
5.12.6	fea_mass_density . . . . .	172
5.12.7	fea_area_density . . . . .	172
5.12.8	fea_tangential_coefficient_of_linear_thermal_expansion . . . . .	173
5.12.9	fea_secant_coefficient_of_linear_thermal_expansion . . . . .	174
5.12.10	fea_moisture_absorption . . . . .	175
5.12.11	fea_shell_membrane_stiffness . . . . .	176
5.12.12	fea_shell_bending_stiffness . . . . .	177
5.12.13	fea_shell_membrane_bending_coupling_stiffness . . . . .	178
5.12.14	fea_shell_shear_stiffness . . . . .	178
5.13	Structural response representation schema entity definitions: Element properties . . . . .	179
5.13.1	Surface element properties . . . . .	180
5.13.2	Curve element properties . . . . .	185
5.13.3	surface_element_property . . . . .	187
5.13.4	surface_section_field . . . . .	188
5.13.5	surface_section_field_constant . . . . .	189
5.13.6	surface_section_field_varying . . . . .	189
5.13.7	surface_section . . . . .	190
5.13.8	uniform_surface_section . . . . .	191
5.13.9	uniform_surface_section_layered . . . . .	191
5.13.10	fea_surface_section_geometric_relationship . . . . .	192
5.13.11	curve_3d_element_property . . . . .	192
5.13.12	curve_element_interval . . . . .	193
5.13.13	curve_element_interval_constant . . . . .	194
5.13.14	curve_element_interval_linearly_varying . . . . .	194
5.13.15	curve_2d_element_property . . . . .	195
5.13.16	curve_element_section_definition . . . . .	196
5.13.17	curve_element_section_derived_definitions . . . . .	196
5.13.18	fea_curve_section_geometric_relationship . . . . .	198
5.13.19	curve_element_end_offset . . . . .	199
5.13.20	curve_element_end_release . . . . .	199
5.13.21	curve_element_end_release_packet . . . . .	200
5.13.22	axisymmetric_2d_element_property . . . . .	200
5.13.23	plane_2d_element_property . . . . .	201
5.13.24	simple_plane_2d_element_property . . . . .	201
5.14	Structural response representation schema entity definitions: Groups . . . . .	201
5.14.1	fea_group . . . . .	201
5.14.2	element_group . . . . .	202
5.14.3	node_group . . . . .	203
5.14.4	fea_group_relation . . . . .	203
5.14.5	volume_3d_element_group . . . . .	204
5.14.6	volume_2d_element_group . . . . .	204
5.14.7	surface_3d_element_group . . . . .	205
5.14.8	surface_2d_element_group . . . . .	205

5.14.9	curve_3d_element_group . . . . .	206
5.14.10	curve_2d_element_group . . . . .	206
5.15	Structural response representation schema function definitions . . . . .	207
5.15.1	required_0d_nodes . . . . .	207
5.15.2	required_1d_nodes . . . . .	207
5.15.3	required_2d_nodes . . . . .	208
5.15.4	required_3d_nodes . . . . .	210
5.15.5	number_of_terms . . . . .	212
5.15.6	valid_parametric_coordinate . . . . .	213
5.15.7	build_direction_node . . . . .	213
5.15.8	consistent_geometric_reference . . . . .	215
5.15.9	consistent_element_or_group_reference . . . . .	216
5.15.10	consistent_element_reference . . . . .	217
6	Finite element analysis control and result schema . . . . .	220
6.1	Introduction . . . . .	222
6.2	Fundamental concepts and assumptions . . . . .	222
6.2.1	Control . . . . .	222
6.2.2	Control process . . . . .	222
6.2.3	Result . . . . .	224
6.2.4	Analysis step . . . . .	224
6.2.5	State . . . . .	224
6.2.6	State definition . . . . .	225
6.2.7	Units and measures . . . . .	225
6.3	Finite element analysis control and result schema type definitions . . . . .	225
6.3.1	model_or_control_element . . . . .	226
6.3.2	cylindrical_harmonic_number . . . . .	226
6.3.3	volume_3d_face . . . . .	226
6.3.4	volume_2d_face . . . . .	227
6.3.5	volume_3d_edge . . . . .	227
6.3.6	volume_2d_edge . . . . .	228
6.3.7	surface_3d_face . . . . .	228
6.3.8	surface_3d_edge . . . . .	229
6.3.9	surface_2d_face . . . . .	230
6.3.10	surface_2d_edge . . . . .	230
6.3.11	field_value . . . . .	231
6.3.12	unspecified_value . . . . .	231
6.3.13	measure_or_unspecified_value . . . . .	232
6.3.14	boundary_variable . . . . .	232
6.3.15	boundary_aggregated_variable . . . . .	232
6.3.16	volume_variable . . . . .	233
6.3.17	volume_aggregated_variable . . . . .	233
6.3.18	surface_element_variable . . . . .	233
6.3.19	boundary_edge_variable . . . . .	234
6.3.20	curve_element_variable . . . . .	234
6.3.21	curve_scalar_variable . . . . .	235

6.3.22	surface_scalar_variable . . . . .	236
6.3.23	volume_scalar_variable . . . . .	236
6.3.24	boundary_curve_scalar_variable . . . . .	237
6.3.25	boundary_surface_scalar_variable . . . . .	237
6.3.26	aggregated_scalar_variable . . . . .	238
6.3.27	volume_angular_variable . . . . .	238
6.3.28	aggregated_angular_variable . . . . .	239
6.3.29	application_defined_scalar_variable . . . . .	239
6.3.30	curve_vector_2d_variable . . . . .	240
6.3.31	surface_vector_2d_variable . . . . .	242
6.3.32	application_defined_vector_2d_variable . . . . .	243
6.3.33	curve_vector_3d_variable . . . . .	243
6.3.34	surface_vector_3d_variable . . . . .	243
6.3.35	volume_vector_3d_variable . . . . .	244
6.3.36	boundary_curve_vector_3d_variable . . . . .	245
6.3.37	boundary_surface_vector_3d_variable . . . . .	245
6.3.38	aggregated_vector_3d_variable . . . . .	246
6.3.39	application_defined_vector_3d_variable . . . . .	246
6.3.40	surface_tensor2_2d_variable . . . . .	246
6.3.41	application_defined_tensor2_2d_variable . . . . .	248
6.3.42	volume_tensor2_3d_variable . . . . .	249
6.3.43	aggregated_tensor2_3d_variable . . . . .	250
6.3.44	application_defined_tensor2_3d_variable . . . . .	250
6.3.45	message_level . . . . .	251
6.3.46	surface_3d_state_coordinate_system . . . . .	251
6.3.47	surface_2d_state_coordinate_system . . . . .	252
6.3.48	curve_3d_state_coordinate_system . . . . .	252
6.3.49	curve_2d_state_coordinate_system . . . . .	252
6.3.50	action_type . . . . .	253
6.3.51	volume_3d_element_output_reference . . . . .	253
6.3.52	volume_2d_element_output_reference . . . . .	254
6.3.53	surface_3d_element_output_reference . . . . .	254
6.3.54	surface_2d_element_output_reference . . . . .	255
6.3.55	curve_3d_element_output_reference . . . . .	255
6.3.56	curve_2d_element_output_reference . . . . .	256
6.3.57	node_output_reference . . . . .	256
6.4	Finite element analysis control and result entity definitions: Analysis control . . . . .	257
6.4.1	control . . . . .	257
6.4.2	analysis_step . . . . .	258
6.4.3	control_analysis_step . . . . .	258
6.4.4	symmetry_control . . . . .	259
6.4.5	no_symmetry_control . . . . .	259
6.4.6	cylindrical_symmetry_control . . . . .	260
6.4.7	control_linear_static_analysis_step . . . . .	260
6.4.8	control_linear_static_analysis_step_with_harmonic . . . . .	260
6.4.9	control_linear_modes_and_frequencies_analysis_step . . . . .	261

6.4.10	constraint_element . . . . .	262
6.4.11	single_point_constraint_element . . . . .	262
6.4.12	linear_constraint_equation_element . . . . .	263
6.4.13	linear_constraint_equation_nodal_term . . . . .	264
6.4.14	freedom_and_coefficient . . . . .	265
6.4.15	nodal_dof_reduction . . . . .	265
6.4.16	point_constraint . . . . .	266
6.4.17	curve_constraint . . . . .	267
6.4.18	surface_constraint . . . . .	267
6.4.19	solid_constraint . . . . .	268
6.4.20	control_process . . . . .	269
6.4.21	control_linear_static_load_increment_process . . . . .	270
6.4.22	control_linear_modes_and_frequencies_process . . . . .	270
6.4.23	element_sequence . . . . .	271
6.4.24	node_sequence . . . . .	272
6.5	Finite element analysis control and result entity definitions: Analysis results . . . . .	272
6.5.1	result . . . . .	272
6.5.2	result_analysis_step . . . . .	273
6.5.3	result_linear_static_analysis_sub_step . . . . .	274
6.5.4	result_linear_modes_and_frequencies_analysis_sub_step . . . . .	274
6.5.5	control_result_relationship . . . . .	275
6.6	Finite element analysis control and result entity definitions: Model state . . . . .	275
6.6.1	state . . . . .	276
6.6.2	state_with_harmonic . . . . .	276
6.6.3	specified_state . . . . .	277
6.6.4	calculated_state . . . . .	277
6.6.5	linearly_superimposed_state . . . . .	277
6.6.6	state_component . . . . .	278
6.6.7	output_request_state . . . . .	278
6.6.8	state_relationship . . . . .	279
6.7	Finite element analysis control and result entity definitions: State definition . . . . .	280
6.7.1	state_definition . . . . .	280
6.7.2	field_variable_definition . . . . .	282
6.7.3	field_variable_element_definition . . . . .	282
6.7.4	volume_3d_element_field_variable_definition . . . . .	283
6.7.5	volume_3d_element_location_point_variable_values . . . . .	284
6.7.6	volume_3d_element_value_and_location . . . . .	284
6.7.7	volume_3d_whole_element_variable_value . . . . .	285
6.7.8	volume_3d_element_constant_specified_variable_value . . . . .	286
6.7.9	volume_3d_element_nodal_specified_variable_values . . . . .	287
6.7.10	volume_3d_element_boundary_location_point_variable_values . . . . .	288
6.7.11	volume_3d_element_boundary_whole_face_variable_value . . . . .	289
6.7.12	volume_3d_element_boundary_constant_specified_variable_value . . . . .	290
6.7.13	volume_3d_element_boundary_nodal_specified_variable_values . . . . .	291
6.7.14	volume_3d_element_boundary_edge_location_point_volume_variable_values . . . . .	292
6.7.15	volume_3d_element_boundary_edge_whole_edge_variable_value . . . . .	293

6.7.16	volume_3d_element_boundary_edge_constant_specified_volume_variable_value	294
6.7.17	volume_3d_element_boundary_edge_nodal_specified_variable_values	295
6.7.18	volume_2d_element_field_variable_definition	296
6.7.19	volume_2d_element_location_point_variable_values	296
6.7.20	volume_2d_element_value_and_location	297
6.7.21	volume_2d_whole_element_variable_value	298
6.7.22	volume_2d_element_constant_specified_variable_value	299
6.7.23	volume_2d_element_nodal_specified_variable_values	300
6.7.24	volume_2d_element_boundary_location_point_variable_values	301
6.7.25	volume_2d_element_boundary_whole_face_variable_value	302
6.7.26	volume_2d_element_boundary_constant_specified_variable_value	303
6.7.27	volume_2d_element_boundary_nodal_specified_variable_values	304
6.7.28	volume_2d_element_boundary_edge_location_point_volume_variable_values	305
6.7.29	volume_2d_element_boundary_edge_whole_edge_variable_value	306
6.7.30	volume_2d_element_boundary_edge_constant_specified_volume_variable_value	307
6.7.31	volume_2d_element_boundary_edge_nodal_specified_variable_values	308
6.7.32	surface_3d_element_field_variable_definition	309
6.7.33	surface_3d_element_location_point_volume_variable_values	310
6.7.34	surface_3d_element_value_and_location	310
6.7.35	surface_3d_element_value_and_volume_location	311
6.7.36	surface_3d_element_location_point_variable_values	312
6.7.37	surface_3d_whole_element_variable_value	313
6.7.38	surface_3d_element_constant_specified_variable_value	314
6.7.39	surface_3d_element_constant_specified_volume_variable_value	315
6.7.40	surface_3d_element_nodal_specified_variable_values	316
6.7.41	surface_3d_element_boundary_location_point_surface_variable_values	317
6.7.42	surface_3d_element_boundary_whole_face_variable_value	318
6.7.43	surface_3d_element_boundary_constant_specified_surface_variable_value	319
6.7.44	surface_3d_element_boundary_constant_specified_variable_value	320
6.7.45	surface_3d_element_boundary_nodal_specified_variable_values	321
6.7.46	surface_3d_element_boundary_edge_location_point_surface_variable_values	322
6.7.47	surface_3d_element_boundary_edge_location_point_variable_values	323
6.7.48	surface_3d_element_boundary_edge_whole_edge_variable_value	324
6.7.49	surface_3d_element_boundary_edge_constant_specified_surface_variable_value	325
6.7.50	surface_3d_element_boundary_edge_constant_specified_variable_value	326
6.7.51	surface_3d_element_boundary_edge_nodal_specified_variable_values	327
6.7.52	surface_2d_element_field_variable_definition	328
6.7.53	surface_2d_element_location_point_volume_variable_values	329
6.7.54	surface_2d_element_value_and_location	329
6.7.55	surface_2d_element_value_and_volume_location	330
6.7.56	surface_2d_element_location_point_variable_values	331
6.7.57	surface_2d_whole_element_variable_value	332
6.7.58	surface_2d_element_constant_specified_variable_value	333
6.7.59	surface_2d_element_constant_specified_volume_variable_value	334
6.7.60	surface_2d_element_nodal_specified_variable_values	335
6.7.61	surface_2d_element_boundary_location_point_surface_variable_values	336

6.7.62	surface_2d_element_boundary_whole_face_variable_value . . . . .	337
6.7.63	surface_2d_element_boundary_constant_specified_surface_variable_value . . .	338
6.7.64	surface_2d_element_boundary_constant_specified_variable_value . . . . .	339
6.7.65	surface_2d_element_boundary_nodal_specified_variable_values . . . . .	340
6.7.66	surface_2d_element_boundary_edge_location_point_surface_variable_values . .	341
6.7.67	surface_2d_element_boundary_edge_location_point_variable_values . . . . .	342
6.7.68	surface_2d_element_boundary_edge_whole_edge_variable_value . . . . .	343
6.7.69	surface_2d_element_boundary_edge_constant_specified_surface_variable_value	344
6.7.70	surface_2d_element_boundary_edge_constant_specified_variable_value . . . .	345
6.7.71	surface_2d_element_boundary_edge_nodal_specified_variable_values . . . . .	346
6.7.72	curve_3d_element_field_variable_definition . . . . .	347
6.7.73	curve_3d_element_location_point_volume_variable_values . . . . .	347
6.7.74	curve_3d_element_value_and_location . . . . .	348
6.7.75	curve_3d_element_value_and_volume_location . . . . .	349
6.7.76	curve_3d_element_location_point_variable_values . . . . .	350
6.7.77	curve_3d_whole_element_variable_value . . . . .	351
6.7.78	curve_3d_element_constant_specified_variable_value . . . . .	352
6.7.79	curve_3d_element_constant_specified_volume_variable_value . . . . .	353
6.7.80	curve_3d_element_nodal_specified_variable_values . . . . .	354
6.7.81	curve_2d_element_field_variable_definition . . . . .	354
6.7.82	curve_2d_element_location_point_volume_variable_values . . . . .	355
6.7.83	curve_2d_element_value_and_location . . . . .	356
6.7.84	curve_2d_element_value_and_volume_location . . . . .	356
6.7.85	curve_2d_element_location_point_variable_values . . . . .	357
6.7.86	curve_2d_whole_element_variable_value . . . . .	358
6.7.87	curve_2d_element_constant_specified_variable_value . . . . .	359
6.7.88	curve_2d_element_constant_specified_volume_variable_value . . . . .	360
6.7.89	field_variable_element_group_value . . . . .	361
6.7.90	field_variable_whole_model_value . . . . .	362
6.7.91	field_variable_node_definition . . . . .	362
6.7.92	volume_3d_node_field_variable_definition . . . . .	363
6.7.93	volume_2d_node_field_variable_definition . . . . .	364
6.7.94	surface_3d_node_field_variable_definition . . . . .	365
6.7.95	surface_3d_node_field_section_variable_values . . . . .	365
6.7.96	surface_3d_node_field_aggregated_variable_values . . . . .	366
6.7.97	surface_2d_node_field_variable_definition . . . . .	367
6.7.98	surface_2d_node_field_section_variable_values . . . . .	367
6.7.99	surface_2d_node_field_aggregated_variable_values . . . . .	368
6.7.100	curve_3d_node_field_variable_definition . . . . .	369
6.7.101	curve_3d_node_field_section_variable_values . . . . .	369
6.7.102	curve_3d_node_field_aggregated_variable_values . . . . .	370
6.7.103	curve_2d_node_field_variable_definition . . . . .	371
6.7.104	curve_2d_node_field_section_variable_values . . . . .	371
6.7.105	curve_2d_node_field_aggregated_variable_values . . . . .	372
6.7.106	nodal_freedom_and_value_definition . . . . .	373
6.7.107	nodal_freedom_values . . . . .	374

6.7.108	nodal_freedom_action_definition . . . . .	374
6.7.109	element_nodal_freedom_actions . . . . .	375
6.7.110	element_nodal_freedom_terms . . . . .	375
6.7.111	point_freedom_and_value_definition . . . . .	376
6.7.112	point_freedom_values . . . . .	377
6.7.113	point_freedom_action_definition . . . . .	377
6.7.114	curve_freedom_and_value_definition . . . . .	378
6.7.115	curve_freedom_values . . . . .	379
6.7.116	curve_freedom_action_definition . . . . .	379
6.7.117	surface_freedom_and_value_definition . . . . .	379
6.7.118	surface_freedom_values . . . . .	380
6.7.119	surface_freedom_action_definition . . . . .	381
6.7.120	solid_freedom_and_value_definition . . . . .	381
6.7.121	solid_freedom_values . . . . .	382
6.7.122	solid_freedom_action_definition . . . . .	382
6.7.123	freedoms_list . . . . .	383
6.7.124	linear_constraint_equation_element_value . . . . .	383
6.7.125	single_point_constraint_element_values . . . . .	384
6.7.126	analysis_message . . . . .	384
6.7.127	whole_model_analysis_message . . . . .	385
6.7.128	whole_model_modes_and_frequencies_analysis_message . . . . .	385
6.7.129	element_analysis_message . . . . .	386
6.7.130	node_analysis_message . . . . .	386
6.7.131	element_group_analysis_message . . . . .	387
6.7.132	volume_3d_substructure_element_reference . . . . .	387
6.7.133	volume_2d_substructure_element_reference . . . . .	388
6.7.134	surface_3d_substructure_element_reference . . . . .	388
6.7.135	surface_2d_substructure_element_reference . . . . .	389
6.7.136	curve_3d_substructure_element_reference . . . . .	389
6.7.137	curve_2d_substructure_element_reference . . . . .	390
6.7.138	substructure_node_reference . . . . .	390
6.8	Finite element analysis control and result schema function definitions . . . . .	391
6.8.1	necessary_value_coordinate_system . . . . .	391
6.8.2	consistent_set_values . . . . .	392
6.8.3	consistent_list_values . . . . .	393
6.8.4	consistent_value . . . . .	394
6.8.5	variable_value_type . . . . .	394
6.8.6	appropriate_set_value_existence . . . . .	396
6.8.7	appropriate_list_value_existence . . . . .	397
6.8.8	appropriate_value_existence . . . . .	398
7	FEA scalar vector tensor schema . . . . .	399
7.1	Introduction . . . . .	399
7.2	Fundamental concepts and assumptions . . . . .	399
7.3	FEA scalar vector tensor schema type definitions: The FEA representation of scalars, vectors, and tensors . . . . .	399

7.3.1	angular_value . . . . .	400
7.3.2	scalar . . . . .	400
7.3.3	tensor1 . . . . .	400
7.3.4	tensor1_2d . . . . .	401
7.3.5	tensor1_3d . . . . .	401
7.3.6	symmetric_tensor2_2d . . . . .	402
7.3.7	anisotropic_symmetric_tensor2_2d . . . . .	402
7.3.8	symmetric_tensor2_3d . . . . .	403
7.3.9	isotropic_symmetric_tensor2_3d . . . . .	403
7.3.10	orthotropic_symmetric_tensor2_3d . . . . .	404
7.3.11	anisotropic_symmetric_tensor2_3d . . . . .	404
7.3.12	symmetric_tensor4_2d . . . . .	405
7.3.13	anisotropic_symmetric_tensor4_2d . . . . .	405
7.3.14	tensor_type . . . . .	406
7.4	FEA scalar vector tensor schema type definitions: The FEA representation of a fourth order material response tensor . . . . .	407
7.4.1	symmetric_tensor4_3d . . . . .	407
7.4.2	anisotropic_symmetric_tensor4_3d . . . . .	409
7.4.3	fea_isotropic_symmetric_tensor4_3d . . . . .	410
7.4.4	fea_iso_orthotropic_symmetric_tensor4_3d . . . . .	411
7.4.5	fea_transverse_isotropic_symmetric_tensor4_3d . . . . .	412
7.4.6	fea_column_normalised_orthotropic_symmetric_tensor4_3d . . . . .	413
7.4.7	fea_column_normalised_monoclinic_symmetric_tensor4_3d . . . . .	415
7.5	FEA scalar vector tensor schema entity definitions: Tensor representation . . . . .	418
7.5.1	tensor_representation_item . . . . .	418
Annex A (normative)	Short names of entities . . . . .	419
Annex B (normative)	Information object registration . . . . .	430
B.1	Document identification . . . . .	430
B.2	Schema identification . . . . .	430
B.2.1	structural_response_definition_schema identification . . . . .	430
B.2.2	structural_response_representation_schema identification . . . . .	430
B.2.3	finite_element_analysis_control_and_result_schema identification . . . . .	430
B.2.4	fea_scalar_vector_tensor_schema identification . . . . .	431
Annex C (informative)	Computer-interpretable listings . . . . .	432
Annex D (informative)	EXPRESS-G diagrams . . . . .	433
Annex E (informative)	Finite element multi-disciplinary and nonlinear analysis extensions . . . . .	519
Index	. . . . .	522

**Figures**

Figure 1	FEA schema level model in EXPRESS-G . . . . .	2
----------	---	---

Figure 2	FEA information model high level relationships EXPRESS-G partial model . . . . .	9
Figure 3	Cartesian coordinate system definition . . . . .	17
Figure 4	Cylindrical coordinate system definition . . . . .	17
Figure 5	Spherical coordinate system definition . . . . .	18
Figure 6	EXPRESS-G partial model illustrating finite element analysis relationships with geometry and representation . . . . .	46
Figure 7	Element subtyping . . . . .	58
Figure 8	Volume element properties EXPRESS-G partial model . . . . .	59
Figure 9	Point, directionally explicit and explicit elements EXPRESS-G partial model . . . . .	60
Figure 10	Curve 3D or surface 2D elements - linear . . . . .	101
Figure 11	Curve 3D or surface 2D elements - quadratic . . . . .	101
Figure 12	Curve 3D or surface 2D elements - cubic . . . . .	101
Figure 13	Surface 2D elements - faces and edges . . . . .	102
Figure 14	Surface 3D or volume 2D elements - triangle - linear . . . . .	102
Figure 15	Surface 3D or volume 2D elements - triangle - quadratic . . . . .	103
Figure 16	Surface 3D or volume 2D elements - triangle - cubic . . . . .	103
Figure 17	Surface 3D elements - triangle faces and edges . . . . .	104
Figure 18	Volume 2D elements - triangle faces and edges . . . . .	104
Figure 19	Surface 3D or volume 2D elements - quadrilateral - linear . . . . .	105
Figure 20	Surface 3D or volume 2D elements - quadrilateral - quadratic . . . . .	105
Figure 21	Surface 3D or volume 2D elements - quadrilateral - cubic . . . . .	106
Figure 22	Surface 3D elements - quadrilateral faces and edges . . . . .	106
Figure 23	Volume 2D elements - quadrilateral faces and edges . . . . .	107
Figure 24	Volume 3D elements - hexahedron - linear . . . . .	107
Figure 25	Volume 3D elements - hexahedron - quadratic . . . . .	108
Figure 26	Volume 3D elements - hexahedron - cubic . . . . .	108
Figure 27	Volume 3D elements - hexahedron faces and edges . . . . .	109
Figure 28	Volume 3D elements - wedge - linear . . . . .	110
Figure 29	Volume 3D elements - wedge - quadratic . . . . .	110
Figure 30	Volume 3D elements - wedge - cubic . . . . .	111
Figure 31	Volume 3D elements - wedge faces and edges . . . . .	111
Figure 32	Volume 3D elements - tetrahedron - linear . . . . .	112
Figure 33	Volume 3D elements - tetrahedron - quadratic . . . . .	112
Figure 34	Volume 3D elements - tetrahedron - cubic . . . . .	112
Figure 35	Volume 3D elements - tetrahedron faces . . . . .	113
Figure 36	Volume 3D elements - pyramid - linear . . . . .	113
Figure 37	Volume 3D elements - pyramid - quadratic . . . . .	114
Figure 38	Volume 3D elements - pyramid - cubic . . . . .	114
Figure 39	Volume 3D elements - pyramid faces and edges . . . . .	115
Figure 40	Orthogonal volume 3D element coordinate system derivation for axis_1 = 1 and axis_2 = 2 . . . . .	119
Figure 41	Arbitrary volume 2D element coordinate system orientation . . . . .	120
Figure 42	Parametric volume 2D element coordinate system derivation for axis = 1 . . . . .	121
Figure 43	Aligned surface 3D element coordinate system derivation . . . . .	123
Figure 44	Parametric surface 3D element coordinate system derivation for axis = 1 . . . . .	125
Figure 45	Aligned surface 2D element coordinate system derivation . . . . .	128

Figure 46	Parametric surface 2D element coordinate system derivation . . . . .	129
Figure 47	Aligned curve 3D element coordinate system derivation . . . . .	130
Figure 48	Parametric curve 3D element coordinate system derivation . . . . .	131
Figure 49	Curve 2D element coordinate system derivation . . . . .	133
Figure 50	Volume element integration points . . . . .	136
Figure 51	Surface element integration points . . . . .	137
Figure 52	Volume element integration EXPRESS-G partial model . . . . .	137
Figure 53	Surface and curve element integration EXPRESS-G partial model . . . . .	138
Figure 54	Relationship between FEA and ISO 10303-45 . . . . .	167
Figure 55	Bending moments . . . . .	182
Figure 56	Surface element properties EXPRESS-G partial model . . . . .	184
Figure 57	Curve element end offsets . . . . .	185
Figure 58	Curve element property coordinate system origin orientation . . . . .	186
Figure 59	Curve element interval specification conventions . . . . .	186
Figure 60	Curve element end release and end offset . . . . .	187
Figure 61	Curve element properties EXPRESS-G partial model . . . . .	188
Figure 62	Finite element analysis control EXPRESS-G partial model . . . . .	223
Figure 63	State definition EXPRESS-G partial model . . . . .	281
Figure D.1	Structural response definition schema EXPRESS-G diagram, 1 of 86. . . . .	433
Figure D.2	Structural response representation schema EXPRESS-G diagram, 2 of 86. . . . .	434
Figure D.3	Structural response representation schema EXPRESS-G diagram, 3 of 86. . . . .	435
Figure D.4	Structural response representation schema EXPRESS-G diagram, 4 of 86. . . . .	436
Figure D.5	Structural response representation schema EXPRESS-G diagram, 5 of 86. . . . .	437
Figure D.6	Structural response representation schema EXPRESS-G diagram, 6 of 86. . . . .	438
Figure D.7	Structural response representation schema EXPRESS-G diagram, 7 of 86. . . . .	439
Figure D.8	Structural response representation schema EXPRESS-G diagram, 8 of 86. . . . .	440
Figure D.9	Structural response representation schema EXPRESS-G diagram, 9 of 86. . . . .	441
Figure D.10	Structural response representation schema EXPRESS-G diagram, 10 of 86. . . . .	442
Figure D.11	Structural response representation schema EXPRESS-G diagram, 11 of 86. . . . .	443
Figure D.12	Structural response representation schema EXPRESS-G diagram, 12 of 86. . . . .	444
Figure D.13	Structural response representation schema EXPRESS-G diagram, 13 of 86. . . . .	445
Figure D.14	Structural response representation schema EXPRESS-G diagram, 14 of 86. . . . .	446
Figure D.15	Structural response representation schema EXPRESS-G diagram, 15 of 86. . . . .	447
Figure D.16	Structural response representation schema EXPRESS-G diagram, 16 of 86. . . . .	448
Figure D.17	Structural response representation schema EXPRESS-G diagram, 17 of 86. . . . .	449
Figure D.18	Structural response representation schema EXPRESS-G diagram, 18 of 86. . . . .	450
Figure D.19	Structural response representation schema EXPRESS-G diagram, 19 of 86. . . . .	451
Figure D.20	Structural response representation schema EXPRESS-G diagram, 20 of 86. . . . .	452
Figure D.21	Structural response representation schema EXPRESS-G diagram, 21 of 86. . . . .	453
Figure D.22	Structural response representation schema EXPRESS-G diagram, 22 of 86. . . . .	454
Figure D.23	Structural response representation schema EXPRESS-G diagram, 23 of 86. . . . .	455
Figure D.24	Structural response representation schema EXPRESS-G diagram, 24 of 86. . . . .	456
Figure D.25	Structural response representation schema EXPRESS-G diagram, 25 of 86. . . . .	457
Figure D.26	Finite element analysis control and result schema EXPRESS-G diagram, 26 of 86. . . . .	458
Figure D.27	Finite element analysis control and result schema EXPRESS-G diagram, 27 of 86. . . . .	459
Figure D.28	Finite element analysis control and result schema EXPRESS-G diagram, 28 of 86. . . . .	460



Figure D.75	Structural response representation schema EXPRESS-G diagram, 75 of 86. . . . .	507
Figure D.76	Structural response representation schema EXPRESS-G diagram, 76 of 86. . . . .	508
Figure D.77	Finite element analysis control and result schema EXPRESS-G diagram, 77 of 86. . . . .	509
Figure D.78	Finite element analysis control and result schema EXPRESS-G diagram, 78 of 86. . . . .	510
Figure D.79	Finite element analysis control and result schema EXPRESS-G diagram, 79 of 86. . . . .	511
Figure D.80	Finite element analysis control and result schema EXPRESS-G diagram, 80 of 86. . . . .	512
Figure D.81	Finite element analysis control and result schema EXPRESS-G diagram, 81 of 86. . . . .	513
Figure D.82	Finite element analysis control and result schema EXPRESS-G diagram, 82 of 86. . . . .	514
Figure D.83	Finite element analysis control and result schema EXPRESS-G diagram, 83 of 86. . . . .	515
Figure D.84	Finite element analysis control and result schema EXPRESS-G diagram, 84 of 86. . . . .	516
Figure D.85	Scalar vector tensor schema EXPRESS-G diagram, 85 of 86. . . . .	517
Figure D.86	Scalar vector tensor schema EXPRESS-G diagram, 86 of 86. . . . .	518
Figure E.1	Multi-disciplinary analysis environment . . . . .	519

**Tables**

Table 1	Element coordinate system definition symbols . . . . .	7
Table 2	Element coordinate axis symbols . . . . .	7
Table A.1	Short names of entities . . . . .	419