ISO 10303-23:2000-12 (E)

Industrial automation systems and integration_- Product data representation and exchange_- Part_23: Implementation methods: C++ language binding to the standard data access interface

Contents

Page

1 Scope 1

2 Normative references 1

3 Definitions and abbreviations 2
3.1 Definitions 2
3.1.1 Terms defined in ISO 10303-1 2
3.1.2 Terms defined in ISO 10303-11 3
3.1.3 Terms defined in ISO 10303-22 3
3.1.4 Terms defined in The Annotated C++ Reference Manual 4
3.1.5 Term defined in IEEE standard 5
3.1.6 Other definitions 5
3.2 Abbreviations 6
3.3 Typographical conventions 6

4 Overall requirements 6
4.1 Characteristics of the binding functions 6
4.2 Language specific features 8
4.2.1 Names of types and operations 8
4.2.2 Memory management 8
4.3 Binding styles 8

5 Constants and data type definitions and global functions 9
5.1 SDAI namespace 9
5.2 EXPRESS built-in constants 9
5.3 EXPRESS attribute data types 10
5.3.1 Primitive data types 10
5.3.2 Aggregate and iterator data types 18
5.3.3 Enumeration data type 20
5.3.4 Select data type 22
5.3.5 Number data type 28
5.3.6 Handles 28
5.3.7 TYPE data type 29
5.3.8 ENTITY data type 30
5.3.9 Entity instance 32
5.3.10 Persistent data and persistent object identifiers 35
5.3.11 Domain equivalence for early binding 42
5.3.12 Application instance 43
5.3.13 Binding-specific data types 52
5.4 EXISTS functions 60

6 Error handling 61
6.1 Event 63
6.2 Error event 63

7 C++ binding of the SDAI operations 64
7.1 Session classes 64
7.1.1 Session_instance 64
7.1.2 Session 69
7.1.3 Implementation 75
7.1.4 Transaction 75
7.2 Schema_instance 76
7.2.1 Rename schema instance 77
7.2.2 Add SDAI-model 77
7.2.3 Remove SDAI-model 77
7.2.4 Validate global rule 77
7.2.5 Validate uniqueness rule 78
7.2.6 Validate instance reference domain 78
7.2.7 Validate schema instance 79
7.2.8 Is validation current 79
7.2.9 SDAI query 79
7.3 Schema-specific schema_instance (early binding) 80
7.4 Repository classes 80
7.4.1 Repository_contents 80
7.4.2 Repository 81
7.5 Model classes 84
7.5.1 Model 84
7.5.2 Model_contents_instances 87
7.5.3 Model_contents 87
7.5.4 Entity extent 90
7.5.5 Model contents by schema 91
7.5.6 Scope 92
7.6 Aggregate and iterator classes 93
7.6.1 Aggregate instance 93
7.6.2 Array 94
7.6.3 List 100
7.6.4 Set 105
7.6.5 Bag 108
7.6.6 Iterator 112
7.7 Dictionary Classes 116
7.7.1 Named_type 116
7.7.2 Dictionary_instance 117
7.7.3 Schema_definition 117
7.7.4 Defined_type 119
7.7.5 Entity_definition 120

7.7.6 Attribute 121
7.7.7 Derived_attribute 122
7.7.8 Explicit_attribute 122
7.7.9 Inverse_attribute 123
7.7.10 Uniqueness_rule 124
7.7.11 Where_rule 124
7.7.12 Enumeration_type 125
7.7.13 Select_type 125
7.7.14 Global_rule 126
7.7.15 Simple_type 126
7.7.16 Number_type 127
7.7.17 Integer_type 127
7.7.18 Real_type 128
7.7.19 String_type 128
7.7.20 Binary_type 129
7.7.21 Logical_type 129
7.7.22 Boolean_type 130
7.7.23 Bound 130
7.7.24 Population_dependent_bound 131
7.7.25 Integer_bound 131
7.7.26 Aggregation_type 132
7.7.27 Variable_size_aggregation_type 132
7.7.28 Set_type 133
7.7.29 Bag_type 133
7.7.30 List_type 134
7.7.31 Array_type 134
7.7.32 Underlying_type 135
7.7.33 Base_type 136
7.7.34 Constructed_type 137
7.7.35 Interface_specification 138
7.7.36 Interfaced_item 138
7.7.37 Explicit_item_id 139
7.7.38 Used_item 139
7.7.39 Referenced_item 140
7.7.40 Implicit_item_id 140
7.7.41 External_schema 141
7.7.42 Domain_equivalent_type 141
7.7.43 Type_or_rule 142
7.7.44 Explicit_or_derived 143

8 Conformance levels 144
8.1 Conformance level features 144
8.2 Header files 144
8.3 Indexing of aggregates 145

Annex A (normative) Information object registration 146

Annex B (informative) Concept of operations 147
B.1 Background 147
B.2 Influence of IDL on this part of ISO 10303 148
B.3 IDL-C++ concepts 149
B.4 Influence of POS on this part of ISO 10303 150
B.4.1 Object 150
B.4.2 SessionInstance and DAObject 150
B.4.3 SessionInstance 151
B.4.4 ModelContents 151
B.4.5 PID and PID_SDAI 151
B.4.6 DAObject and DAObject_SDAI 152
B.4.7 Application_instance and application_instance factory 152
B.4.8 PID_DA 152
B.5 Scenarios 152

Bibliography 154

Index 155

Figures

Figure B.1 - Inheritance hierarchy 151

Tables

Table 1 - Arguments and return values 7
Table 2 - EXPRESS built-in constants 10
Table 3 - Mapping of EXPRESS types to TypeCode values 54