ISO 10303-507:2001-02 (E)

Industrial automation systems and integration - Product data repre sentation and exchange - Part 507: Application interpreted construct: Geometrically bounded surface

Contents

Page

1 Scope 1
2 Normative references 2
3 Terms, definitions, and abbreviations 3
3.4 Other terms and definitions 4
3.5 Abbreviations 4
4 EXPRESS short listing 4
4.1 Fundamental concepts and assumptions 7
4.2 aic_geometrically_bounded_surface schema entity definition: geometrically_bounded_-surface_shape_representation 7
4.3 aic_geometrically_bounded_surface function definitions 10
4.3.1 gbsf_check_point 10
4.3.2 gbsf_check_curve 12
4.3.3 gbsf_check_surface 18
Annex A (normative) Short names of entities 23
Annex B (normative) Information object registration 24
B.1 Document identification 24
B.2 Schema identification 24
Annex C (informative) EXPRESS-G diagrams 25
Annex D (informative) Computer interpretable listings 44
Index 45
Figures Figure C.1 EXPRESS-G diagram 1 of 18 26
Figure C.2 EXPRESS-G diagram 2 of 18 27
Figure C.3 EXPRESS-G diagram 3 of 18 28
Figure C.4 EXPRESS-G diagram 4 of 18 29
Figure C.5 EXPRESS-G diagram 5 of 18 30
Figure C.6 EXPRESS-G diagram 6 of 18 31
Figure C.7 EXPRESS-G diagram 7 of 18 32
Figure C.8 EXPRESS-G diagram 8 of 18 33
Figure C.9 EXPRESS-G diagram 9 of 18 34
Figure C.10 EXPRESS-G diagram 10 of 18 35

Figure C.11 EXPRESS-G diagram 11 of 18 36

Figure C.12 EXPRESS-G diagram 12 of 18 37

Figure C.13 EXPRESS-G diagram 13 of 18 38

Figure C.14 EXPRESS-G diagram 14 of 18 39

Figure C.15 EXPRESS-G diagram 15 of 18 40

Figure C.16 EXPRESS-G diagram 16 of 18 41

Figure C.17 EXPRESS-G diagram 17 of 18 42

Figure C.18 EXPRESS-G diagram 18 of 18 43

Tables Table A.1 Short names of entities 23