

ISO 10303-507:2001-02 (E)

Industrial automation systems and integration - Product data representation and exchange - Part 507: Application interpreted construct: Geometrically bounded surface

Contents		Page
1	Scope	1
2	Normative references	2
3	Terms, definitions, and abbreviations	3
3.4	Other terms and definitions	4
3.5	Abbreviations	4
4	EXPRESS short listing	4
4.1	Fundamental concepts and assumptions	7
4.2	aic_geometrically_bounded_surface schema entity definition: geometrically_bounded_ - surface_shape_representation	7
4.3	aic_geometrically_bounded_surface function definitions	10
4.3.1	gbsf_check_point	10
4.3.2	gbsf_check_curve	12
4.3.3	gbsf_check_surface	18
Annex A (normative) Short names of entities		23
Annex B (normative) Information object registration		24
B.1	Document identification	24
B.2	Schema identification	24
Annex C (informative) EXPRESS-G diagrams		25
Annex D (informative) Computer interpretable listings		44
Index		45
Figures	Figure C.1 EXPRESS-G diagram 1 of 18	26
	Figure C.2 EXPRESS-G diagram 2 of 18	27
	Figure C.3 EXPRESS-G diagram 3 of 18	28
	Figure C.4 EXPRESS-G diagram 4 of 18	29
	Figure C.5 EXPRESS-G diagram 5 of 18	30
	Figure C.6 EXPRESS-G diagram 6 of 18	31
	Figure C.7 EXPRESS-G diagram 7 of 18	32
	Figure C.8 EXPRESS-G diagram 8 of 18	33
	Figure C.9 EXPRESS-G diagram 9 of 18	34
	Figure C.10 EXPRESS-G diagram 10 of 18	35

Figure C.11 EXPRESS-G diagram 11 of 18	36
Figure C.12 EXPRESS-G diagram 12 of 18	37
Figure C.13 EXPRESS-G diagram 13 of 18	38
Figure C.14 EXPRESS-G diagram 14 of 18	39
Figure C.15 EXPRESS-G diagram 15 of 18	40
Figure C.16 EXPRESS-G diagram 16 of 18	41
Figure C.17 EXPRESS-G diagram 17 of 18	42
Figure C.18 EXPRESS-G diagram 18 of 18	43
Tables Table A.1 Short names of entities	23