

ISO 10303-507:2001-02 (E)

Industrial automation systems and integration - Product data representation and exchange - Part 507: Application interpreted construct: Geometrically bounded surface

Contents

	Page
1 Scope	1
2 Normative references	2
3 Terms, definitions, and abbreviations	3
3.4 Other terms and definitions	4
3.5 Abbreviations	4
4 EXPRESS short listing	4
4.1 Fundamental concepts and assumptions	7
4.2 aic_geometrically_bounded_surface schema entity definition: geometrically_bounded_-surface_shape_representation	7
4.3 aic_geometrically_bounded_surface function definitions	10
4.3.1 gbsf_check_point	10
4.3.2 gbsf_check_curve	12
4.3.3 gbsf_check_surface	18
Annex A (normative) Short names of entities	23
Annex B (normative) Information object registration	24
B.1 Document identification	24
B.2 Schema identification	24
Annex C (informative) EXPRESS-G diagrams	25
Annex D (informative) Computer interpretable listings	44
Index	45
Figures Figure C.1 EXPRESS-G diagram 1 of 18	26
Figure C.2 EXPRESS-G diagram 2 of 18	27
Figure C.3 EXPRESS-G diagram 3 of 18	28
Figure C.4 EXPRESS-G diagram 4 of 18	29
Figure C.5 EXPRESS-G diagram 5 of 18	30
Figure C.6 EXPRESS-G diagram 6 of 18	31
Figure C.7 EXPRESS-G diagram 7 of 18	32
Figure C.8 EXPRESS-G diagram 8 of 18	33
Figure C.9 EXPRESS-G diagram 9 of 18	34
Figure C.10 EXPRESS-G diagram 10 of 18	35

Figure C.11 EXPRESS-G diagram 11 of 18	36
Figure C.12 EXPRESS-G diagram 12 of 18	37
Figure C.13 EXPRESS-G diagram 13 of 18	38
Figure C.14 EXPRESS-G diagram 14 of 18	39
Figure C.15 EXPRESS-G diagram 15 of 18	40
Figure C.16 EXPRESS-G diagram 16 of 18	41
Figure C.17 EXPRESS-G diagram 17 of 18	42
Figure C.18 EXPRESS-G diagram 18 of 18	43
Tables Table A.1 Short names of entities	23