

ISO 4548-4:1997-12 (E)

Methods of test for full-flow lubricating oil filters for internal combustion engines - Part 4: Initial particle retention efficiency, life and cumulative efficiency (gravimetric method)

Contents

	Page
Section 1: General	1
1.1 Scope	1
1.2 Normative references	1
1.3 Definitions	2
1.4 Graphical symbols	2
Section 2: Initial particle retention efficiency	3
2.1 Operational characteristics to be assessed	3
2.2 Test rig	3
2.3 Test liquids	4
2.4 Test contaminant	5
2.5 Test procedure	6
2.6 Test results and calculations	8
2.7 Report of test results for initial particle retention efficiency	9
Section 3: Life and cumulative efficiency	11
3.1 Operational characteristics to be assessed	11
3.2 Test rig	11
3.3 Periodic checks on equipment	12
3.4 Test liquids	12
3.5 Test contaminant	13
3.6 Test procedure	13
3.7 Test results and calculations	17
3.8 Report of test results for life and cumulative efficiency	18
Annexes	
A Test parameters for initial particle retention efficiency test	19
B Method for determining insolubles in test liquid samples for initial particle retention efficiency	20
C Test parameters for life and cumulative efficiency test	24
D Method for determining insolubles in test liquid samples for cumulative efficiency	25
E Details of equipment used in the mixing of test dust and liquid slurry	28
F Bibliography	30