

ISO 10303-232:2002-06 (E)

Industrial automation systems and integration - Product data representation and exchange - Part 232: Application protocol: Technical data packaging core information and exchange

Contents		Page
1	Scope	1
2	Normative references	4
3	Terms, definitions, and abbreviations	7
3.5	Other terms and definitions	10
3.6	Abbreviations	14
4	Information requirements	15
4.1	Units of functionality	16
4.1.1	data_definition_exchange	26
4.1.2	data_list	31
4.1.3	drawing	34
4.1.4	indentured_data_list	36
4.1.5	index_list	40
4.1.6	other_list	42
4.1.7	parts_list	45
4.1.8	presentation	49
4.1.9	product_data_set	51
4.1.10	reference_document	54
4.2	Application objects	55
4.3	Application assertions	239
5	Application interpreted model	310
5.1	Mapping table	310
5.2	AIM EXPRESS short listing	939
6	Conformance requirements	1018
6.1	Data definition exchange for files, conformance class 1	1021
6.2	Data definition exchange for TDP elements, conformance class 2	1021
6.3	Data definition exchange for indentured methods, conformance class 3	1021
6.4	Parts list, conformance class 4	1021
6.5	Data list, conformance class 5	1021
6.6	Indentured data list, conformance class 6	1022
6.7	Index list, conformance class 7	1022
6.8	Other list, conformance class 8	1022
6.9	List with presentation, conformance class 9	1022
6.10	Reference document identification and drawing identification, Conformance Class 10 .	1022
	1022 6.12 Product data set (PDS) without presentation format, Conformance Class 12 .	1023
6.13	Product data set (PDS) with shading, conformance class 13	1024
6.14	Product data set (PDS) with presentation format, conformance class 14	1024
	Annex A (normative) AIM EXPRESS expanded listing	1045
	Annex B (normative) AIM short names of entities	1206
	Annex C (normative) Implementation method specific requirements	1219
	Annex D (normative) Protocol implementation conformance statement (PICS) proforma	1223

Annex E (normative) Information object registration	1225
E.1 Document identification	1225
E.2 Schema identification	1225
Annex F (informative) Application activity model	1226
F.1 Application activity model definitions	1227
F.2 Application activity model abbreviations	1248
F.3 Application activity model diagrams	1250
Annex G (informative) Application reference model	1268
Annex H (informative) AIM EXPRESS-G	1306
Annex J (informative) Computer-interpretable listings	1373
Annex K (informative) Usage Scenarios	1374
K.1 Information exchange scenarios	1374
K.2 Definitions and levels of capability for the parts list	1381
K.3 Definitions and levels of capability for the data list	1402
K.4 Definitions and levels of capability for the index list	1417
K.5 Definitions and levels of capability for the Data Definition Exchange	1429
K.6 Definitions and levels of capability for the indentured data list	1455
Bibliography	1479
Index	1480
Figures Figure 2 -- High level planning model	xii
Figure 3 -- Functional usage of technical data	2
Figure 4 -- Format style for date	70
Figure 5 -- Graphics utilized in presenting a tabulated listing	179
Figure 6 -- Page anchor location	180
Figure 7 -- Standard cross sections	225
Figure F.1 -- A-0: develop, procure, build, use, and maintain a product	1251
Figure F.2 -- A0: develop, procure, build, use, and maintain a product	1252
Figure F.3 -- A2: manage, design, and support a product	1253
Figure F.4 -- A22: design and analyze a product	1254
Figure F.5 -- A223: perform product detail and design analysis	1255
Figure F.6 -- A2232: create detail product design	1256
Figure F.7 -- A22323: prepare product models and drawings	1257
Figure F.8 -- A223232: create product layouts and models	1258
Figure F.9 -- A223233: create product drawing data	1259
Figure F.10 -- A2232332: prepare detail product item drawings	1260

Figure F.11 -- A22324: build product associated lists	1261
Figure F.12 -- A24: prepare product data for use	1262
Figure F.13 -- A3: use and maintain a product	1263
Figure F.14 -- A33: support product	1264
Figure F.15 -- A331: spares procurement	1265
Figure F.16 -- A223: local manufacture	1266
Figure F.17 -- A333: develop modifications	1267
Figure G.1 -- ARM diagram (1 of 33)	1273
Figure G.2 -- ARM diagram (2 of 33)	1274
Figure G.3 -- ARM diagram (3 of 33)	1275
Figure G.4 -- ARM diagram (4 of 33)	1276
Figure G.5 -- ARM diagram (5 of 33)	1277
Figure G.6 -- ARM diagram (6 of 33)	1278
Figure G.7 -- ARM diagram (7 of 33)	1279
Figure G.8 -- ARM diagram (8 of 33)	1280
Figure G.9 -- ARM diagram (9 of 33)	1281
Figure G.10 -- ARM diagram (10 of 33)	1282
Figure G.11 -- ARM diagram (11 of 33)	1283
Figure G.12 -- ARM diagram (12 of 33)	1284
Figure G.13 -- ARM diagram (13 of 33)	1285
Figure G.14 -- ARM diagram (14 of 33)	1286
Figure G.15 -- ARM diagram (15 of 33)	1287
Figure G.16 -- ARM diagram (16 of 33)	1288
Figure G.17 -- ARM diagram (17 of 33)	1289
Figure G.18 -- ARM diagram (18 of 33)	1290
Figure G.19 -- ARM diagram (19 of 33)	1291
Figure G.20 -- ARM diagram (20 of 33)	1292
Figure G.21 -- ARM diagram (21 of 33)	1293
Figure G.22 -- ARM diagram (22 of 33)	1294
Figure G.23 -- ARM diagram (23 of 33)	1295
Figure G.24 -- ARM diagram (24 of 33)	1296

Figure G.25 -- ARM diagram (25 of 33)	1297
Figure G.26 -- ARM diagram (26 of 33)	1298
Figure G.27 -- ARM diagram (27 of 33)	1299
Figure G.28 -- ARM diagram (28 of 33)	1300
Figure G.29 -- ARM diagram (29 of 33)	1301
Figure G.30 -- ARM diagram (30 of 33)	1302
Figure G.31 -- ARM diagram (31 of 33)	1303
Figure G.32 -- ARM diagram (32 of 33)	1304
Figure G.33 -- ARM diagram (33 of 33)	1305
Figure H.1 -- AIM EXPRESS-G diagram (1 of 66)	1307
Figure H.2 -- AIM EXPRESS-G diagram (2 of 66)	1308
Figure H.3 -- AIM EXPRESS-G diagram (3 of 66)	1309
Figure H.4 -- AIM EXPRESS-G diagram (4 of 66)	1310
Figure H.5 -- AIM EXPRESS-G diagram (5 of 66)	1311
Figure H.6 -- AIM EXPRESS-G diagram (6 of 66)	1312
Figure H.7 -- AIM EXPRESS-G diagram (7 of 66)	1313
Figure H.8 -- AIM EXPRESS-G diagram (8 of 66)	1314
Figure H.9 -- AIM EXPRESS-G diagram (9 of 66)	1315
Figure H.10 -- AIM EXPRESS-G diagram (10 of 66)	1316
Figure H.11 -- AIM EXPRESS-G diagram (11 of 66)	1317
Figure H.12 -- AIM EXPRESS-G diagram (12 of 66)	1318
Figure H.13 -- AIM EXPRESS-G diagram (13 of 66)	1319
Figure H.14 -- AIM EXPRESS-G diagram (14 of 66)	1320
Figure H.15 -- AIM EXPRESS-G diagram (15 of 66)	1321
Figure H.16 -- AIM EXPRESS-G diagram (16 of 66)	1322
Figure H.17 -- AIM EXPRESS-G diagram (17 of 66)	1323
Figure H.18 -- AIM EXPRESS-G diagram (18 of 66)	1324
Figure H.19 -- AIM EXPRESS-G diagram (19 of 66)	1325
Figure H.20 -- AIM EXPRESS-G diagram (20 of 66)	1326
Figure H.21 -- AIM EXPRESS-G diagram (21 of 66)	1327
Figure H.22 -- AIM EXPRESS-G diagram (22 of 66)	1328

Figure H.23 -- AIM EXPRESS-G diagram (23 of 66)	1329
Figure H.24 -- AIM EXPRESS-G diagram (24 of 66)	1330
Figure H.25 -- AIM EXPRESS-G diagram (25 of 66)	1331
Figure H.26 -- AIM EXPRESS-G diagram (26 of 66)	1332
Figure H.27 -- AIM EXPRESS-G diagram (27 of 66)	1333
Figure H.28 -- AIM EXPRESS-G diagram (28 of 66)	1334
Figure H.29 -- AIM EXPRESS-G diagram (29 of 66)	1335
Figure H.30 -- AIM EXPRESS-G diagram (30 of 66)	1336
Figure H.31 -- AIM EXPRESS-G diagram (31 of 66)	1337
Figure H.32 -- AIM EXPRESS-G diagram (32 of 66)	1338
Figure H.33 -- AIM EXPRESS-G diagram (33 of 66)	1339
Figure H.34 -- AIM EXPRESS-G diagram (34 of 66)	1340
Figure H.35 -- AIM EXPRESS-G diagram (35 of 66)	1341
Figure H.36 -- AIM EXPRESS-G diagram (36 of 66)	1342
Figure H.37 -- AIM EXPRESS-G diagram (37 of 66)	1343
Figure H.38 -- AIM EXPRESS-G diagram (38 of 66)	1344
Figure H.39 -- AIM EXPRESS-G diagram (39 of 66)	1345
Figure H.40 -- AIM EXPRESS-G diagram (40 of 66)	1346
Figure H.41 -- AIM EXPRESS-G diagram (41 of 66)	1347
Figure H.42 -- AIM EXPRESS-G diagram (42 of 66)	1348
Figure H.43 -- AIM EXPRESS-G diagram (43 of 66)	1349
Figure H.44 -- AIM EXPRESS-G diagram (44 of 66)	1350
Figure H.45 -- AIM EXPRESS-G diagram (45 of 66)	1351
Figure H.46 -- AIM EXPRESS-G diagram (46 of 66)	1352
Figure H.47 -- AIM EXPRESS-G diagram (47 of 66)	1353
Figure H.48 -- AIM EXPRESS-G diagram (48 of 66)	1354
Figure H.49 -- AIM EXPRESS-G diagram (49 of 66)	1355
Figure H.50 -- AIM EXPRESS-G diagram (50 of 66)	1356
Figure H.51 -- AIM EXPRESS-G diagram (51 of 66)	1357
Figure H.52 -- AIM EXPRESS-G diagram (52 of 66)	1358
Figure H.53 -- AIM EXPRESS-G diagram (53 of 66)	1359

Figure H.54 -- AIM EXPRESS-G diagram (54 of 66)	1360
Figure H.55 -- AIM EXPRESS-G diagram (55 of 66)	1361
Figure H.56 -- AIM EXPRESS-G diagram (56 of 66)	1362
Figure H.57 -- AIM EXPRESS-G diagram (57 of 66)	1363
Figure H.58 -- AIM EXPRESS-G diagram (58 of 66)	1364
Figure H.59 -- AIM EXPRESS-G diagram (59 of 66)	1365
Figure H.60 -- AIM EXPRESS-G diagram (60 of 66)	1366
Figure H.61 -- AIM EXPRESS-G diagram (61 of 66)	1367
Figure H.62 -- AIM EXPRESS-G diagram (62 of 66)	1368
Figure H.63 -- AIM EXPRESS-G diagram (63 of 66)	1369
Figure H.64 -- AIM EXPRESS-G diagram (64 of 66)	1370
Figure H.65 -- AIM EXPRESS-G diagram (65 of 66)	1371
Figure H.66 -- AIM EXPRESS-G diagram (66 of 66)	1372
Figure K.1 -- TDP information exchange activity	1375
Figure K.2 -- Information creation scenario for TDP development	1378
Tables Table 1 -- Applicability of selects and enumerations to units of functionality	17
Table 2 -- Applicability of types and entities to the units of functionality	18
Table 3 -- Change_identification attribute relationships	68
Table 4 -- Mapping table for common	312
Table 5 -- Mapping table for data_definition_exchange	389
Table 6 -- Mapping table for data_list	519
Table 7 -- Mapping table for drawing	566
Table 8 -- Mapping table for indentured_data_list	594
Table 9 -- Mapping table for index_list	694
Table 10 -- Mapping table for other_list	719
Table 11 -- Mapping table for parts_list	749
Table 12 -- Mapping table for presentation	853
Table 13 -- Mapping table for product_data_set	874
Table 14 -- Mapping table for reference_document	931
Table 15 -- Conformance classes	1019
Table 16 -- Conformance class elements	1024

Table K.2.1 -- Levels of capability for PL selects and enumerations	1383
Table K.2.2 -- Levels of capability for PL application objects and attributes	1384
Table K.3.1 -- Levels of capability for DL selects and enumerations	1404
Table K.3.2 -- Levels of capability for DL application objects and attributes	1405
Table K.4.1 -- Levels of capability for IL selects and enumerations	1419
Table K.4.2 -- Levels of capability for IL application objects and attributes	1419
Table K.5.1 -- Parent child relationships used in indenture list types	1432
Table K.5.2 -- Levels of capability for DDE, selects, and enumerations	1435
Table K.5.3 -- Levels of capability for DDE application objects and attributes	1438
Table K.6.1 -- Parent child relationships used in indenture list types	1458
Table K.6.2 -- Levels of capability for IDL selects, and enumerations	1461
Table K.6.3 -- Levels of capability for IDL application objects and attributes	1463