

ISO 13584-24:2003-11 (E)

Industrial automation systems and integration — Parts library — Part 24: Logical resource: Logical model of supplier library

| Contents | Page |
|----------|--|
| 1 | Scope 1 |
| 2 | Normative references 2 |
| 3 | Terms, definitions and abbreviations 3 |
| 4 | Structure of ISO 13584-24 19 |
| 4.1 | Generic resources 19 |
| 4.1.1 | ISO13584_instance_resource_schema 19 |
| 4.1.2 | ISO13584_library_expressions_schema 19 |
| 4.1.3 | ISO13584_table_resource_schema 19 |
| 4.1.4 | ISO13584_variable_semantics_schema 20 |
| 4.1.5 | ISO13584_domain_resource_schema 20 |
| 4.2 | Parts library specific resources 20 |
| 4.2.1 | ISO13584_extended_dictionary_schema 20 |
| 4.2.2 | ISO13584_library_content_schema 20 |
| 4.2.3 | ISO13584_external_file_schema 21 |
| 4.2.4 | ISO13584_method_schema 21 |
| 4.3 | Library integrated information models 21 |
| 4.3.1 | ISO13584_g_m_iim_schema and LIIM 24-1 21 |
| 4.3.2 | ISO13584_f_m_iim_schema and LIIM 24-2 21 |
| 4.3.3 | ISO13584_f_v_iim_schema and LIIM 24-3 22 |
| 5 | Fundamental concepts and assumptions 22 |
| 5.1 | Conceptual model of a supplier library 22 |
| 5.2 | Implicit versus explicit description of a parts library 22 |
| 5.2.1 | Explicit modelling of simple families of parts: by set extension 22 |
| 5.2.2 | Implicit modeling of simple families by entity data type 23 |
| 5.2.3 | Explicit and implicit description of classes in this part of ISO 13584 24 |
| 5.3 | Direct use of EXPRESS versus meta-modelling for implicit description 25 |
| 5.3.1 | Direct use of the EXPRESS language for modelling classes 25 |
| 5.3.2 | Meta-modelling of classes using EXPRESS 26 |
| 5.4 | Two level description of a supplier library and the ISO/IEC common dictionary schema 27 |
| 5.4.1 | Common dictionary description for ISO 13584 and IEC 61360 28 |
| 5.4.2 | Dictionary descriptions for ISO 13584 28 |
| 5.4.3 | Interoperability of ISO 13584 and IEC 61360 28 |
| 5.5 | Independence between dictionary_elements and content_items: the BSU mechanism 28 |
| 5.5.1 | Reference between several EXPRESS schema populations via the BSU mechanism .. 29 |
| 5.5.2 | Expressing constraints between dictionary entries 29 |
| 5.6 | ISO 13584 and the Internet 29 |
| 5.6.1 | Documents represented within a library exchange context 29 |
| 5.6.2 | Support of the HTTP protocol and local Internet server 29 |
| 5.6.3 | Particular HTTP formats to be supported by an implementation 30 |
| 5.6.4 | Remote access to a document through the Internet 31 |
| 6 | ISO13584_instance_resource_schema 31 |
| 6.1 | Introduction to the ISO13584_instance_resource_schema 33 |
| 6.2 | Fundamental concepts and assumptions for the ISO13584_instance_resource_schema 34 |
| 6.2.1 | Two-fold description of classes and instance representation 34 |
| 6.2.2 | Representation of a context-dependent characteristic value 37 |
| 6.2.3 | Optional properties 37 |
| 6.3 | ISO13584_instance_resource_schema type definitions 37 |
| 6.3.1 | Null_value 37 |

| | | |
|--------|---|----|
| 6.3.2 | Primitive_value..... | 38 |
| 6.3.3 | Null_or_primitive_value..... | 38 |
| 6.3.4 | Simple_value..... | 38 |
| 6.3.5 | Null_or_simple_value..... | 39 |
| 6.3.6 | Number_value..... | 39 |
| 6.3.7 | Null_or_number_value..... | 39 |
| 6.3.8 | Integer_value..... | 39 |
| 6.3.9 | Null_or_integer_value..... | 40 |
| 6.3.10 | Real_value..... | 40 |
| 6.3.11 | Null_or_real_value..... | 40 |
| 6.3.12 | Boolean_value..... | 40 |
| 6.3.13 | Null_or_boolean_value..... | 41 |
| 6.3.14 | Translatable_string_value..... | 41 |
| 6.3.15 | Translated_string_value..... | 41 |
| 6.3.16 | String_value..... | 42 |
| 6.3.17 | Null_or_translatable_string_value..... | 42 |
| 6.3.18 | Complex_value..... | 42 |
| 6.3.19 | Null_or_complex_value..... | 43 |
| 6.3.20 | Entity_instance_value..... | 43 |
| 6.3.21 | Null_or_entity_instance_value..... | 44 |
| 6.3.22 | Defined_entity_instance_value..... | 44 |
| 6.3.23 | Controlled_entity_instance_value..... | 44 |
| 6.3.24 | STEP_entity_instance_value..... | 45 |
| 6.3.25 | PLIB_entity_instance_value..... | 45 |
| 6.3.26 | Uncontrolled_entity_instance_value..... | 46 |
| 6.3.27 | Property_or_data_type_BSU..... | 46 |
| 6.4 | ISO13584_instance_resource_schema entity definitions..... | 46 |
| 6.4.1 | Level_spec_value..... | 46 |
| 6.4.2 | Null_or_level_spec_value..... | 47 |
| 6.4.3 | Int_level_spec_value..... | 47 |
| 6.4.4 | Null_or_int_level_spec_value..... | 48 |
| 6.4.5 | Real_level_spec_value..... | 48 |
| 6.4.6 | Null_or_real_level_spec_value..... | 48 |
| 6.4.7 | Class instances..... | 48 |
| | Property_value..... | 56 |
| | Context_dependent_property_value..... | 57 |
| 6.5 | ISO13584_instance_resource_schema rule definition..... | 58 |
| 6.5.1 | Valued_properties_are_allowed_for_implicit_spec_rule rule..... | 58 |
| 6.5.2 | Valued_properties_are_allowed_for_explicit_spec_rule rule..... | 59 |
| 6.5.3 | Identification_properties_are_valued_for_implicit_spec_rule rule..... | 59 |
| 6.5.4 | Identification_properties_are_valued_for_explicit_spec_rule rule..... | 60 |
| 6.5.5 | Fm_valued_properties_are_allowed_for_implicit_spec_rule rule..... | 61 |
| 6.5.6 | Fm_valued_properties_are_allowed_for_explicit_spec_rule rule..... | 62 |
| 6.5.7 | Fm_free_properties_are_valued_for_implicit_spec_rule rule..... | 63 |
| 6.5.8 | Fm_free_properties_are_valued_for_explicit_spec_rule rule..... | 64 |
| 6.6 | ISO13584_instance_resource_schema function definitions..... | 64 |
| 6.6.1 | Compatible_class_and_class function..... | 64 |
| 6.6.2 | Right_values_for_level_spec function..... | 66 |
| 6.6.3 | Compatible_level_type_and_instance function..... | 67 |
| 6.6.4 | Compatible_type_and_value function..... | 68 |
| 6.6.5 | Collects_assigned_instance_properties function..... | 71 |
| 6.6.6 | Correct_view_from_model function..... | 72 |
| 6.6.7 | Is_condition_det function..... | 72 |
| 6.6.8 | Is_dependent_p_det function..... | 73 |
| 6.6.9 | All_context_parameters_referenced function..... | 73 |
| 6.6.10 | Collects_property_context function..... | 74 |
| 6.6.11 | Check_class_type_for_dic_item_instance function..... | 75 |
| 6.6.12 | Check_class_type_for_dic_f_model_instance function..... | 76 |

| | | |
|--------|---|-----|
| 6.6.13 | Check_class_type_for_dic_f_view_instance function..... | 76 |
| 6.6.14 | Check_property_values_translations function | 77 |
| 6.6.15 | Same_translations function | 77 |
| 6.6.16 | Compatible_item_caseof_with_class_definition function..... | 78 |
| 6.6.17 | Compatible_model_caseof_with_class_definition function..... | 79 |
| 6.6.18 | superclass_closure function | 79 |
| 6.6.19 | compute_superclass_closure procedure..... | 80 |
| 6.6.20 | item_caseof_closure function | 81 |
| 6.6.21 | next_item_caseof function..... | 81 |
| 6.6.22 | compute_item_caseof_closure procedure..... | 82 |
| 6.6.23 | model_caseof_closure function | 83 |
| 6.6.24 | next_model_caseof function..... | 83 |
| 6.6.25 | compute_model_caseof_closure procedure..... | 84 |
| 7 | ISO13584_library_expressions_schema | 85 |
| 7.1 | Introduction to the ISO13584_library_expressions_schema..... | 86 |
| 7.2 | Fundamental concepts and assumptions for the ISO13584_library_expressions_schema | 87 |
| 7.2.1 | Information model of a variable | 87 |
| 7.2.2 | Strong typing of variables and expressions | 87 |
| 7.3 | ISO13584_library_expressions_schema type definitions..... | 88 |
| 7.3.1 | Library_expression..... | 88 |
| 7.3.2 | Library_variable..... | 88 |
| 7.4 | ISO13584_library_expressions_schema entity definitions..... | 89 |
| 7.4.1 | Level_spec_expression | 89 |
| 7.4.2 | Entity_instance_expression | 93 |
| 7.4.3 | Class_instance_expression | 95 |
| 7.4.4 | Exists_value..... | 102 |
| 7.4.5 | Instance_comparison_equal..... | 102 |
| 7.5 | ISO13584_library_expressions_schema rule definition | 103 |
| 7.5.1 | Two_fold_variable_representation_rule..... | 103 |
| 1. | ISO13584_library_expressions_schema function definitions..... | 104 |
| 7.5.2 | Syntax_of function | 104 |
| 7.5.3 | Semantics_of function | 104 |
| 7.5.4 | Collects_assigned_properties function | 105 |
| 7.5.5 | Collects_referenced_library_expressions function | 105 |
| 7.5.6 | Compatible_simple_type_and_expression function | 106 |
| 7.5.7 | Compatible_type_and_library_expression function | 107 |
| 7.5.8 | Compatible_variable_and_expression function | 109 |
| 7.5.9 | Compatible_variable_and_library_expression function | 110 |
| 8 | ISO13584_table_resource_schema..... | 111 |
| 8.1 | Introduction to the ISO13584_table_resource_schema..... | 113 |
| 8.2 | Fundamental concepts and assumptions for the ISO13584_table_resource_schema | 114 |
| 8.2.1 | Description of tables | 114 |
| 8.2.2 | Description of table expressions..... | 115 |
| 8.3 | ISO13584_table_resource_schema entity definitions..... | 115 |
| 8.3.1 | Table_identification | 115 |
| 8.3.2 | Table_specification | 116 |
| 8.3.3 | Table_extension..... | 117 |
| 8.3.4 | Column..... | 119 |
| 8.3.5 | Simple_column | 120 |
| 8.3.6 | Complex_column | 123 |
| 8.3.7 | Table expressions..... | 126 |
| 8.4 | ISO13584_table_resource_schema functions definition..... | 136 |
| 8.4.1 | Compatible_column_and_variable function..... | 136 |
| 8.4.2 | Compatible_column_and_variable_semantics function..... | 139 |
| 8.4.3 | Compatible_list_variable_semantics_and_columns function | 139 |
| 8.4.4 | Compatible_variable_semantics_and_expression function..... | 140 |
| 8.4.5 | Compatible_list_variable_semantics_and_expressions function..... | 141 |

| | | |
|---------|---|-----|
| 8.4.6 | Collects_columns function | 141 |
| 8.4.7 | Diff_columns function | 143 |
| 8.4.8 | Return_key function | 143 |
| 8.4.9 | Is_SQL_mappable_table_expression function | 145 |
| 8.4.10 | Used_table_literals function | 147 |
| 8.4.11 | Check_iterator_context function | 148 |
| 8.4.12 | Check_iterator_domain_uniqueness function..... | 148 |
| 8.4.13 | No_null_values_in_key_columns function | 149 |
| 8.4.14 | Same_translations_for_string_values function | 150 |
| 8.4.15 | Same_translations_for_table_extension function | 151 |
| 8.4.16 | Get_translated_string_values_of_tuple function..... | 151 |
| 9 | ISO13584_variable_semantics_schema..... | 152 |
| 9.1 | Introduction to the ISO13584_variable_semantics_schema..... | 153 |
| 9.2 | Fundamental concepts and assumptions for the ISO13584_variable_semantics_schema..... | 153 |
| 9.2.1 | Instance related operation | 153 |
| 9.2.2 | Instance structure | 153 |
| 9.2.3 | Context of a method | 154 |
| 9.3 | ISO13584_variable_semantics_schema type definition | 154 |
| 9.3.1 | Property_semantics_or_path | 154 |
| 9.4 | ISO13584_variable_semantics_schema entity definitions..... | 154 |
| 9.5 | Property_semantics..... | 154 |
| 9.6 | Sub_property_path..... | 155 |
| 9.7 | Variable_semantics referring to the SELF entity..... | 156 |
| 9.7.1 | Self_variable_semantics..... | 156 |
| 9.7.2 | Self_property_semantics | 156 |
| 9.7.3 | Self_property_value_semantics..... | 157 |
| 9.7.4 | Self_property_name_semantics | 157 |
| 9.7.5 | Self_class_variable_semantics..... | 161 |
| 9.7.6 | Self_class_name_semantics | 161 |
| 9.8 | Variables referring to the open view characteristics..... | 164 |
| 9.8.1 | Open_view_variable_semantics | 164 |
| 9.8.2 | Open_view_property_semantics..... | 164 |
| 9.8.3 | Open_view_property_value_semantics | 165 |
| 9.9 | ISO13584_variable_semantics_schema function definitions..... | 165 |
| 9.9.1 | BSU_of_property_semantics function | 165 |
| 9.9.2 | Check_property_semantics function..... | 166 |
| 10 | ISO13584_domain_resource_schema | 166 |
| 10.1 | Introduction to the ISO13584_domain_resource_schema..... | 167 |
| 10.2 | Fundamental concepts and assumption for the ISO13584_domain_resource_schema | 168 |
| 10.3 | ISO13584_domain_resource_schema type definition | 169 |
| 10.3.1 | Boolean_expression_or_others | 169 |
| 10.4 | ISO13584_domain_resource_schema entity definitions..... | 170 |
| 10.4.1 | Others | 170 |
| 10.4.2 | Domain_restriction | 170 |
| 10.4.3 | Guarded_simple_domain..... | 171 |
| 10.4.4 | Simple_domain | 172 |
| 10.4.5 | Table_defined_domain | 172 |
| 10.4.6 | Type_defined_domain | 173 |
| 10.4.7 | Subclass_defined_domain..... | 173 |
| 10.4.8 | Constant_range_defined_domain..... | 174 |
| 10.4.9 | Variable_range_defined_domain | 175 |
| 10.4.10 | Predicate_defined_domain..... | 177 |
| 10.4.11 | Functional_domain_restriction | 177 |
| 10.4.12 | Guarded_functional_domain | 178 |

| | | |
|---------|---|-----|
| 10.4.13 | Simple_functional_domain | 178 |
| 10.4.14 | Library_expression_defined_value..... | 178 |
| 10.4.15 | Table_defined_value | 179 |
| 10.4.16 | Null_defined_value..... | 180 |
| 10.5 | ISO13584_domain_resource_schema function definitions..... | 181 |
| 10.5.1 | Collects_variables function | 181 |
| 10.5.2 | Collects_var_sem function..... | 181 |
| 10.5.3 | Used_tables_in_domain function..... | 182 |
| 10.5.4 | Used_variables_in_domain function | 183 |
| 10.5.5 | Variables_belong_to_assumes function | 184 |
| 11 | ISO13584_extended_dictionary_schema | 185 |
| 11.1 | Introduction to the ISO13584_extended_dictionary_schema | 187 |
| 11.2 | Fundamental concepts and assumptions for the ISO13584_extended_dictionary_schema | 188 |
| 11.2.1 | Dictionary structure | 188 |
| 11.2.2 | Class related elements | 188 |
| 11.2.3 | Supplier related elements | 188 |
| 11.2.4 | Three-fold description of dictionary elements | 189 |
| 11.2.5 | Unique identification of dictionary elements..... | 189 |
| 11.2.6 | Applicable elements..... | 189 |
| 11.2.7 | Visibility rule | 189 |
| 11.2.8 | Semantic relationships between classes | 190 |
| 11.2.9 | A priori semantic relationships and importation rule | 190 |
| 11.2.10 | Type checking for the tables referenced in the dictionary..... | 191 |
| 11.3 | ISO13584_extended_dictionary_schema constant definitions | 191 |
| 11.3.1 | Element_code_len | 191 |
| 11.3.2 | Dictionary_code_len..... | 192 |
| 11.4 | ISO13584_extended_dictionary_schema type definitions | 192 |
| 11.4.1 | Document_code_type | 192 |
| 11.4.2 | Program_library_code_type..... | 192 |
| 11.4.3 | Table_code_type | 193 |
| 11.4.4 | Absolute_URL_type | 193 |
| 11.4.5 | Dictionary_code_type..... | 193 |
| 11.5 | ISO13584_extended_dictionary_schema identification of a dictionary..... | 194 |
| 11.6 | ISO13584_extended_dictionary_schema overall architecture of a dictionary..... | 195 |
| 11.7 | Dictionary_in_standard_format | 200 |
| 11.8 | Data_exchange_specification_identification | 201 |
| 11.9 | Library_iim_identification..... | 202 |
| 11.10 | View_exchange_protocol_identification | 202 |
| 11.11 | ISO13584_extended_dictionary_schema entity definitions: additional entity instance types..... | 203 |
| 11.11.1 | Representation_type | 203 |
| 11.11.2 | Geometric_representation_context_type | 203 |
| 11.11.3 | Representation_reference_type | 204 |
| 11.11.4 | Program_reference_type..... | 204 |
| 11.12 | ISO13584_extended_dictionary_schema entity definitions: additional basic semantic units..... | 205 |
| 11.12.1 | Program_library_BSU | 205 |
| 11.12.2 | Table_BSU | 206 |
| 11.12.3 | Document_BSU..... | 207 |
| 11.13 | ISO13584_extended_dictionary_schema entity definitions: supplier BSU relationship | 208 |
| 11.13.1 | Supplier_program_library_relationship..... | 208 |
| 11.14 | ISO13584_extended_dictionary_schema entity definitions: class BSU relationships..... | 209 |
| 11.14.1 | Class_table_relationship | 209 |
| 11.14.2 | Class_document_relationship | 209 |
| 11.15 | ISO13584_extended_dictionary_schema entity definitions: properties of functional models and functional views | 210 |
| 11.15.1 | Representation_P_DET | 210 |

| | | |
|----------|--|-----|
| 11.16 | ISO13584_extended_dictionary_schema entity definitions: specific dictionary elements..... | 211 |
| 11.16.1 | Supplier_related_dictionary_element..... | 211 |
| 11.16.2 | Class_related_dictionary_element..... | 211 |
| 11.16.3 | Program_library_element..... | 212 |
| 11.17 | ISO13584_extended_dictionary_schema entity definitions: class related elements..... | 212 |
| 11.17.1 | Table_element..... | 212 |
| 11.17.2 | RDB_table_element..... | 214 |
| 11.17.3 | Document_element..... | 214 |
| 11.17.4 | Document_element_with_http_access..... | 215 |
| 11.17.5 | Document_element_with_translated_http_access..... | 215 |
| 11.17.6 | Referenced_document..... | 216 |
| 11.17.7 | Referenced_graphics..... | 217 |
| 11.18 | ISO13584_extended_dictionary_schema entity definitions: feature class..... | 217 |
| 11.19 | ISO13584_extended_dictionary_schema entity definitions: a priori semantic relationship..... | 218 |
| 11.20 | ISO13584_extended_dictionary_schema entity definitions: functional model class..... | 219 |
| 11.20.1 | Abstract_functional_model_class..... | 220 |
| 11.20.2 | Functional_model_class..... | 223 |
| 11.20.3 | Fm_class_view_of..... | 224 |
| 11.21 | ISO13584_extended_dictionary_schema entity definitions: functional view class..... | 225 |
| 11.21.1 | Functional_view_class..... | 226 |
| 11.21.2 | Non_instantiable_functional_view_class..... | 228 |
| 11.21.3 | Specification of the range of a view control variable..... | 228 |
| 11.22 | ISO13584_extended_dictionary_schema entity definitions: item class a priori case of..... | 229 |
| 11.22.1 | Item_class_case_of..... | 229 |
| 11.22.2 | Component_class_case_of..... | 230 |
| 11.22.3 | Material_class_case_of..... | 231 |
| 11.22.4 | Feature_class_case_of..... | 231 |
| 11.23 | ISO13584_extended_dictionary_schema entity definitions: a posteriori semantic relationships..... | 231 |
| 11.23.1 | A_posteriori_semantic_relationship..... | 232 |
| 11.23.2 | A_posteriori_case_of..... | 232 |
| 11.23.3 | A_posteriori_view_of..... | 233 |
| 11.24 | ISO13584_extended_dictionary_schema entity definitions: table contents..... | 234 |
| 11.24.1 | Table_content..... | 234 |
| 11.24.2 | RDB_table_content..... | 235 |
| 11.25 | ISO13584_extended_dictionary_schema: RULE definitions..... | 236 |
| 11.25.1 | Representation_properties_for_model_and_view_rule rule..... | 236 |
| 11.25.2 | Allowed_named_type_usage_rule rule..... | 237 |
| 11.25.3 | Assert_oneof_for_table_rule rule..... | 238 |
| 11.25.4 | Assert_oneof_for_class_rule rule..... | 238 |
| 11.25.5 | No_forward_reference_from_table_rule rule..... | 239 |
| 11.25.6 | Imported_properties_are_visible_or_applicable_rule rule..... | 240 |
| 11.25.7 | Imported_data_types_are_visible_or_applicable_rule rule..... | 240 |
| 11.25.8 | Imported_tables_are_visible_or_applicable_rule rule..... | 241 |
| 11.25.9 | Imported_documents_are_visible_or_applicable_rule rule..... | 241 |
| 11.26 | ISO13584_extended_dictionary_schema: function definitions..... | 242 |
| 11.26.1 | Visible_properties function..... | 242 |
| 11.26.2 | Visible_types function..... | 243 |
| 11.26.3 | Visible_tables function..... | 244 |
| 11.26.4 | Visible_documents function..... | 245 |
| 11.26.5 | Applicable_properties function..... | 246 |
| 11.26.6 | Applicable_types function..... | 247 |
| 11.26.7 | Applicable_tables function..... | 248 |
| 11.26.8 | Retrieve_tables function..... | 249 |
| 11.26.9 | Applicable_documents function..... | 249 |
| 11.26.10 | Retrieve_documents function..... | 251 |

| | | |
|----------|--|-----|
| 11.26.11 | Makes_reference_outside function | 251 |
| 11.26.12 | Prefix_ordered_class_list function | 253 |
| 11.26.13 | Functional_view_v_c_v function..... | 256 |
| 11.26.14 | Retrieve_functional_view_v_c_v function | 257 |
| 11.26.15 | Data_type_named_type function..... | 258 |
| 11.26.16 | Data_type_typeof function..... | 259 |
| 11.26.17 | Data_type_class_of function | 260 |
| 11.26.18 | Data_type_type_name function..... | 261 |
| 11.26.19 | Data_type_level_spec function | 262 |
| 11.26.20 | Data_type_level_value_typeof function..... | 264 |
| 11.26.21 | Simple_type_data_type function | 265 |
| 11.26.22 | Complex_type_data_type function | 265 |
| 11.26.23 | Compatible_subclass function | 266 |
| 11.26.24 | Compatible_types function | 267 |
| 11.26.25 | Ordered_index_value function | 270 |
| 11.26.26 | Makes_sub_list..... | 271 |
| 11.26.27 | Sub_list_until | 271 |
| 11.26.28 | Get_property_BSU_from_property_semantics function..... | 272 |
| 11.26.29 | Compatible_list_library_types_and_columns function | 272 |
| 11.26.30 | Data_type_non_quantitative_int_type function..... | 276 |
| 11.26.31 | Data_type_non_quantitative_code_type function..... | 278 |
| 11.26.32 | Applicable_properties_for_applicable_tables function | 279 |
| 11.26.33 | Superclass_of_item_is_item function..... | 280 |
| 11.26.34 | Compatible_content_and_specification function..... | 280 |
| 11.26.35 | Check_view_of_instance_datatype function | 281 |
| 11.26.36 | View_control_variables_attributes_belong_to_domain function | 281 |
| 11.26.37 | Created_view_is_functional_view function..... | 282 |
| 11.26.38 | Check_is_case_of_referenced_classes_definition function | 282 |
| 12 | ISO13584_library_content_schema..... | 284 |
| 12.1 | Introduction to the ISO13584_library_content_schema | 286 |
| 12.2 | Fundamental concepts and assumption for the ISO13584_library_content_schema..... | 287 |
| 12.2.1 | Class extension of non-leaf classes | 287 |
| 12.2.2 | Explicit description of class extensions..... | 287 |
| 12.2.3 | Implicit description of class extensions..... | 288 |
| 12.2.4 | Common pieces of information in implicit description and in explicit description of class extensions 288 | |
| 12.2.5 | Properties modeling in explicit description of class extensions | 289 |
| 12.2.6 | Typical usage of explicit description of class extensions..... | 290 |
| 12.2.7 | Properties modeling in implicit description of class extensions | 292 |
| 12.2.8 | Assemblies modeling in explicit description of class extensions | 294 |
| 12.2.9 | Assemblies modeling in implicit description of class extensions | 295 |
| 12.2.10 | Instances satisfying a class definition in an implicit description of a class extension | 296 |
| 12.2.11 | Mandatory support of the user selection process when implicit description of class extensions are used | 298 |
| 12.3 | ISO13584_library_content_schema constant definitions | 301 |
| 12.3.1 | Classification_value | 302 |
| 12.4 | ISO13584_library_content_schema: overall architecture of a library..... | 302 |
| 12.5 | Library_in_standard_format | 303 |
| 12.6 | Extension of a class | 304 |
| 12.6.1 | Class_extension..... | 304 |
| 12.6.2 | Opt_or_mand_property_BSU | 304 |
| 12.6.3 | Property_classification | 305 |
| 12.6.4 | Property_value_recommended_presentation..... | 305 |
| 12.6.5 | Model_class_extension..... | 306 |
| 12.6.6 | Explicit_model_class_extension | 308 |
| 12.6.7 | Explicit_item_class_extension | 310 |
| 12.6.8 | Explicit_functional_model_class_extension..... | 311 |
| 12.6.9 | Implicit_model_class_extension | 315 |

| | | |
|---------|--|-----|
| 12.6.10 | Item_class_extension..... | 319 |
| 12.6.11 | Functional_model_class_extension..... | 322 |
| 12.7 | ISO13584_library_content_schema: RULE definitions..... | 326 |
| 12.7.1 | Assert_oneof_for_library_rule rule..... | 326 |
| 12.7.2 | Declared_created_views_are_created_rule rule..... | 327 |
| 12.7.3 | Complete_identification_for_instance_rule rule..... | 327 |
| 12.7.4 | Complete_identification_for_item_instance_rule rule..... | 328 |
| 12.7.5 | Complete_identification_for_model_instance_rule rule..... | 329 |
| 12.7.6 | All_views_available_for_each_component_rule rule..... | 330 |
| 12.8 | ISO13584_library_content_schema function definitions..... | 330 |
| 12.8.1 | Acyclic_class_extension_definition..... | 330 |
| 12.8.2 | Acyclic_order..... | 331 |
| 12.8.3 | Defined_domain function..... | 332 |
| 12.8.4 | Defined_derivation_function function..... | 332 |
| 12.8.5 | Allowed_properties function..... | 333 |
| 12.8.6 | Provided_properties_list function..... | 333 |
| 12.8.7 | Provided_properties_or_method_variables function..... | 334 |
| 12.8.8 | Selectable_properties_list function..... | 335 |
| 12.8.9 | Required_defined_properties function..... | 335 |
| 12.8.10 | Derived_properties_list function..... | 336 |
| 12.8.11 | Optional_properties_list function..... | 337 |
| 12.8.12 | Method_variables function..... | 338 |
| 12.8.13 | Gm_identification_characteristics_list function..... | 338 |
| 12.8.14 | Fm_free_model_properties_list function..... | 339 |
| 12.8.15 | Exists_super function..... | 340 |
| 12.8.16 | Super function..... | 341 |
| 12.8.17 | Is_in_v_c_v_range function..... | 341 |
| 12.8.18 | Get_v_c_v_range function..... | 342 |
| 12.8.19 | All_v_c_v_range_available function..... | 342 |
| 12.8.20 | Make_ordered_list_of_v_c_v_range function..... | 343 |
| 12.8.21 | Cdr_list function..... | 344 |
| 12.8.22 | Make_tuple function..... | 344 |
| 12.8.23 | Computable_set_of_created_views_from_model..... | 345 |
| 12.8.24 | Declared_created_views function..... | 346 |
| 12.8.25 | Created_views_by_methods function..... | 347 |
| 12.8.26 | In_typeof function..... | 347 |
| 12.8.27 | Referenced_veps_exist_in_supported_veps function..... | 348 |
| 12.8.28 | Referenced_protocols_exist_in_supported_protocols function..... | 348 |
| 12.8.29 | Required_properties_are_non_dependent_p_det function..... | 349 |
| 12.8.30 | Required_properties_are_imported_properties function..... | 350 |
| 12.8.31 | Same_order_for_properties function..... | 351 |
| 12.8.32 | All_properties_are_applicable function..... | 353 |
| 12.8.33 | Required_values_are_non_dependent_p_det function..... | 353 |
| 12.8.34 | Required_values_are_imported_properties function..... | 355 |
| 12.8.35 | Data_type_of_BSU function..... | 356 |
| 12.8.36 | Presentation_unit_is_correct function..... | 357 |
| 12.8.37 | Exists_representation_for_instanciable_view function..... | 358 |
| 12.8.38 | Is_provided_once_property_value function..... | 359 |
| 12.8.39 | Number_of_instance_representations..... | 360 |
| 12.8.40 | Correct_parameters_for_explicit_program function..... | 361 |
| 12.8.41 | Get_dic_item_instances_from_required_item_properties function..... | 362 |
| 12.8.42 | Get_list_of_required_properties function..... | 364 |
| 12.8.43 | Properties_projection_on_population function..... | 364 |
| 12.8.44 | All_views_available_for_components function..... | 365 |
| 12.8.45 | Available_components_views function..... | 366 |
| 12.8.46 | All_view_control_variables_belong_to_each_view function..... | 368 |
| 12.8.47 | Check_all_view_control_variables_belong_to_view function..... | 369 |
| 12.8.48 | All_vcvs_belong_to_instance_identification function..... | 369 |

| | | |
|---------|--|-----|
| 12.8.49 | Same_string_values_translations_for_class_extension function..... | 370 |
| 13 | ISO13584_external_file_schema | 371 |
| 13.1 | Introduction to the ISO13584_external_file_schema | 373 |
| 13.2 | Fundamental concepts and assumptions for the ISO13584_external_file_schema..... | 375 |
| 13.2.1 | Representations of items | 375 |
| 13.2.2 | Explicit and implicit description of item representations | 376 |
| 13.2.3 | Support of user dialogue..... | 376 |
| 13.2.4 | Http files storage..... | 376 |
| 13.2.5 | Hyper-text link usage | 377 |
| 13.2.6 | Escape mechanism from document navigation to data retrieval and selection..... | 377 |
| 13.2.7 | Common Gateway Interface access..... | 378 |
| 13.2.8 | Common Gateway Interface implementation rule..... | 380 |
| 13.3 | ISO13584_external_file_schema constant definitions | 380 |
| 13.3.1 | Compiler_version_length | 380 |
| 13.3.2 | External_file_address_length..... | 380 |
| 13.3.3 | External_item_code_length | 381 |
| 13.3.4 | Http_file_name_length..... | 381 |
| 13.3.5 | Http_directory_name_length..... | 381 |
| 13.4 | ISO13584_external_file_schema type definitions | 381 |
| 13.4.1 | External_file_address | 381 |
| 13.4.2 | External_item_code_type | 382 |
| 13.4.3 | Http_file_name_type | 382 |
| 13.4.4 | Http_directory_name_type..... | 383 |
| 13.4.5 | MIME_type | 383 |
| 13.4.6 | MIME_subtype | 384 |
| 13.4.7 | IAB_RFC..... | 384 |
| 13.4.8 | Character_set_type..... | 385 |
| 13.4.9 | Content_encoding_type | 385 |
| 13.4.10 | Program_status..... | 385 |
| 13.4.11 | Program_reference_name_type | 386 |
| 13.4.12 | Compiler_version_type..... | 386 |
| 13.4.13 | Illustration_type | 387 |
| 13.5 | ISO13584_external_file_schema entity definitions: external_file_protocols | 387 |
| 13.5.1 | External_file_protocol | 387 |
| 13.5.2 | Standard_protocol..... | 388 |
| 13.5.3 | Non_standard_protocol..... | 389 |
| 13.5.4 | Data_protocol..... | 389 |
| 13.5.5 | Program_protocol | 390 |
| 13.5.6 | Simple_program_protocol..... | 390 |
| 13.5.7 | Standard_simple_program_protocol..... | 391 |
| 13.5.8 | Non_standard_simple_program_protocol..... | 391 |
| 13.5.9 | Linked_interface_program_protocol | 392 |
| 13.5.10 | Standard_data_protocol..... | 393 |
| 13.5.11 | Non_standard_data_protocol..... | 393 |
| 13.5.12 | Http_protocol..... | 393 |
| 13.6 | ISO13584_external_file_schema entity definitions: dictionary external items | 394 |
| 13.6.1 | External_item | 394 |
| 13.6.2 | Dictionary_external_item | 395 |
| 13.6.3 | Supplier_BSU_related_content..... | 395 |
| 13.6.4 | Program_library_content..... | 396 |
| 13.6.5 | Class_BSU_related_content..... | 396 |
| 13.6.6 | Document_content..... | 397 |
| 13.7 | ISO13584_external_file_schema entity definition: class extension external items..... | 397 |
| 13.7.1 | Class_extension_external_item | 398 |
| 13.7.2 | Representation_reference | 399 |
| 13.7.3 | Program_reference..... | 399 |
| 13.7.4 | Dialogue_resource..... | 400 |
| 13.7.5 | Message | 400 |

| | | |
|---------|--|-----|
| 13.7.6 | Illustration..... | 401 |
| 13.7.7 | A6_illustration | 402 |
| 13.7.8 | A9_illustration | 402 |
| 13.8 | ISO13584_external_file_schema entity definition: property_value_external_item..... | 402 |
| 13.9 | ISO13584_external_file_schema rule definition..... | 403 |
| 13.9.1 | Unique_http_file_name_per_supplier_element_rule rule | 403 |
| 13.9.2 | Unique_http_directory_name_per_supplier_rule rule | 404 |
| 13.9.3 | No_http_directory_for_supplier_related_file_rule rule | 404 |
| 13.9.4 | Http_directory_refers_to_bsu_related_class_rule rule | 405 |
| 13.9.5 | Http_directory_refers_to_class_extension_rule rule..... | 405 |
| 13.9.6 | Illustration_is_not_a_referenced_graphics_rule rule | 406 |
| 13.10 | ISO13584_external_file_schema entity definitions: external content..... | 406 |
| 13.10.1 | External_content | 407 |
| 13.10.2 | Translated_external_content..... | 408 |
| 13.10.3 | Not_translated_external_content | 408 |
| 13.10.4 | Not_translatable_external_content..... | 409 |
| 13.10.5 | Language_specific_content..... | 409 |
| 13.10.6 | External_file_unit..... | 410 |
| 13.10.7 | Http_file | 411 |
| 13.10.8 | Http_class_directory..... | 413 |
| 13.11 | ISO13584_external_file_schema function definitions | 413 |
| 13.11.1 | Supplier_associated_http_files..... | 413 |
| 13.11.2 | Control_compiler_version_format | 415 |
| 14 | ISO13584_method_schema | 415 |
| 14.1 | Introduction to the ISO13584_method_schema..... | 417 |
| 14.2 | Fundamental concepts and assumptions for the ISO13584_method_schema | 417 |
| 14.3 | ISO13584_method_schema type definitions | 419 |
| 14.3.1 | Accessible_variable_for_method..... | 419 |
| 14.3.2 | Assignment_allowed_variable | 420 |
| 14.3.3 | Control_allowed_variable..... | 421 |
| 14.4 | ISO13584_method_schema entity definitions..... | 422 |
| 14.4.1 | Method | 422 |
| 14.4.2 | Method_specif..... | 423 |
| 14.4.3 | Method_body | 424 |
| 14.4.4 | Method_statement..... | 426 |
| 14.4.5 | Guarded_statement..... | 427 |
| 14.4.6 | Simple_statement | 428 |
| 14.4.7 | Null_statement | 428 |
| 14.4.8 | Modelling statement..... | 428 |
| 14.4.9 | Set_reference_lcs | 429 |
| 14.4.10 | Begin_set | 431 |
| 14.4.11 | Close_set | 432 |
| 14.4.12 | Set_2d_relative_view_level..... | 432 |
| 14.4.13 | Predefined_representation_call_statement..... | 433 |
| 14.4.14 | Send_representation_statement | 434 |
| 14.4.15 | Send_representation_reference_statement..... | 436 |
| 14.4.16 | Call_program_statement..... | 438 |
| 14.4.17 | Assignment_statement..... | 440 |
| 14.4.18 | Sub_object_view_statement | 442 |
| 14.4.19 | Referenced_sub_item_view_statement..... | 443 |
| 14.4.20 | Constructed_sub_model_view_statement | 444 |
| 14.5 | ISO13584_method_schema rules definitions | 446 |
| 14.5.1 | Created_view_v_c_v_rule rule..... | 446 |
| 14.5.2 | V_c_v_values_set_and_created_view_v_c_v_set_equality_rule rule | 446 |
| 14.5.3 | No_v_c_v_in_assigned_variables_set_rule rule..... | 447 |
| 14.6 | ISO13584_method_schema function definitions | 447 |
| 14.6.1 | Checks_classes_in_path function | 447 |

| | | |
|---------|---|-----|
| 14.6.2 | Checks_applicable_properties_in_path function | 448 |
| 14.6.3 | same_view_model_method | 449 |
| 14.6.4 | self_property_value_semantics_is_item_class..... | 450 |
| 15 | Conformance requirements | 451 |
| 16 | Exchange of general model classes: library integrated information model 24-1..... | 453 |
| 16.1 | ISO13584_g_m_iim_schema short listing | 454 |
| 16.2 | ISO13584_g_m_iim_schema global rule definitions | 462 |
| 16.2.1 | At_most_one_dictionary_rule rule | 462 |
| 16.2.2 | Class_associated_items_rule rule | 462 |
| 16.3 | Conformance class requirements | 463 |
| 16.3.1 | Conformance class 0 | 463 |
| 16.3.2 | Conformance class 1 | 465 |
| 16.3.3 | Conformance class 1E..... | 467 |
| 16.3.4 | Conformance class 2 | 467 |
| 16.3.5 | Conformance class 2E..... | 468 |
| 16.3.6 | Conformance class 3 | 468 |
| 16.3.7 | Conformance class 3E..... | 470 |
| 16.3.8 | Conformance class 4 | 470 |
| 16.3.9 | Conformance class 4E..... | 472 |
| 16.3.10 | Conformance class 5 | 472 |
| 16.3.11 | Conformance class 5E | 473 |
| 16.3.12 | Conformance class 6 | 474 |
| 16.3.13 | Conformance class 6E | 475 |
| 17 | Exchange of functional model classes: library integrated information model 24-2 | 475 |
| 17.1 | ISO13584_f_m_iim_schema short listing | 477 |
| 17.2 | ISO13584_f_m_iim_schema global rule definitions | 485 |
| 17.2.1 | Exactly_one_dictionary_rule rule | 485 |
| 17.2.2 | Class_associated_items_rule rule | 485 |
| 17.2.3 | Supplier_associated_items_rule rule | 486 |
| 17.3 | Conformance class requirements | 487 |
| 17.3.1 | Conformance class 1 | 487 |
| 17.3.2 | Conformance class 1E..... | 489 |
| 17.3.3 | Conformance class 2 | 490 |
| 17.3.4 | Conformance class 2E..... | 490 |
| 17.3.5 | Conformance class 3 | 490 |
| 17.3.6 | Conformance class 3E..... | 493 |
| 17.3.7 | Conformance class 4 | 493 |
| 17.3.8 | Conformance class 4E..... | 495 |
| 17.3.9 | Conformance class 5 | 495 |
| 17.3.10 | Conformance class 5E | 496 |
| 17.3.11 | Conformance class 6 | 497 |
| 17.3.12 | Conformance class 6E | 498 |
| 18 | Exchange of functional view classes: library integrated information model 24-3 | 498 |
| 18.1 | ISO13584_f_v_iim_schema short listing..... | 499 |
| 18.2 | ISO13584_f_v_iim_schema global rule definitions | 503 |
| 18.2.1 | Exactly_one_dictionary_rule rule | 503 |
| 18.2.2 | Class_associated_items_rule rule | 503 |
| 18.3 | Conformance class requirements | 504 |
| 18.3.1 | Conformance class 1 | 504 |
| 18.3.2 | Conformance class 1E..... | 506 |
| 18.3.3 | Conformance class 2 | 506 |
| 18.3.4 | Conformance class 2E..... | 507 |
| | Annex A (normative) Short names of entities defined in this part | 508 |
| | Annex B (normative) Information object registration | 515 |

| | |
|---|-----|
| Annex C (normative) ISO13584_g_m_iim_library_implicit_schema expanded listing | 517 |
| Annex D (informative) ISO13584_g_m_iim_schema short names of entities..... | 519 |
| Annex E (normative) Standard data requirements for the library integrated information model 24-1 . | 520 |
| Annex F (normative) Implementation method specific requirements for the library integrated information model 24-1 | 529 |
| Annex G (normative) ISO13584_f_m_iim_library_implicit_schema expanded listing..... | 530 |
| Annex H (informative) ISO13584_f_m_iim_schema short names of entities..... | 532 |
| Annex I (normative) Standard data requirements for the library integrated information model 24-2... | 533 |
| Annex J (normative) Implementation method specific requirements for the library integrated information model 24-2..... | 542 |
| Annex K (normative) ISO13584_f_v_iim_library_implicit_schema expanded listing..... | 543 |
| Annex L (informative) ISO13584_f_v_iim_schema short names of entities..... | 545 |
| Annex M (normative) Standard data requirements for the library integrated information model 24-3 | 545 |
| Annex N (normative) Implementation method specific requirements for the library integrated information model 24-3..... | 555 |
| Annex O (informative) Logical description of the compiling process of ISO 13584-conformant dictionaries and libraries | 556 |
| Annex P (informative) Commented example of Parts Library physical files..... | 559 |
| Annex Q (informative) Guidelines for creating functional model classes | 609 |
| Annex R (informative) EXPRESS-G diagrams..... | 611 |
| Annex S (informative) Notational Conventions and Generic Grammar for URL-encoded strings..... | 640 |
| Bibliography | 642 |
| Index..... | 643 |

Figures

| | |
|---|----|
| Figure 1 — Simplified example of an explicit information model for families of parts | 23 |
| Figure 2 — Example of explicit description of a family of parts | 23 |
| Figure 3 — Example of implicit description of a parts family in the EXPRESS language | 24 |
| Figure 4 — Capturing context parameters in an implicit description | 25 |
| Figure 5 — Simple meta-model of a part class in EXPRESS | 26 |
| Figure 6 — Model of a part family using a meta-modelling approach | 27 |
| Figure 7 — Planning model of the relationships between class definition and the instance level..... | 36 |

| | |
|--|-----|
| Figure 8 – External_item planning model | 374 |
| Figure 9 — Class_extension_external_items planning model..... | 398 |
| Figure 10 — External_content planning model | 407 |
| | |
| Figure P.1 — PAW family description | 559 |
| Figure P.2 — Instance of a dictionary description | 560 |
| Figure P.3 — Explicit representation of a dictionary description | 560 |
| Figure P.4 — Implicit representation of a dictionary description | 561 |
| Figure P.5 — Identifiers of the concepts involved in the PAW family..... | 562 |
| Figure P.6 — The BSU / Dictionary element relationship..... | 562 |
| Figure P.7 — Dictionary_element of the concepts involved in the PAW family..... | 563 |
| Figure P.8 — The Dictionary Element / Library Content relationship | 563 |
| Figure P.9 — Description of one particular instance of the PAW parts family | 564 |
| Figure P.10 — Description of the PAW explicit class extension | 564 |
| Figure P.11 — Description of the supplier identifiers | 564 |
| Figure P.12 — Description of the class identifiers..... | 565 |
| Figure P.13 — Description of the general model property identifiers | 565 |
| Figure P.14 — Description of the functional model / view property identifiers | 565 |
| Figure P.15 — Functional model supplier description | 565 |
| Figure P.16 — Property description for referencing programs..... | 566 |
| Figure P.17 — View control variables range definition | 566 |
| Figure P.18 — Specification of the view created by a functional model class..... | 567 |
| Figure P.19 — Description by extension of the instances of a functional a functional model | 567 |
| Figure P.20 — References to FORTRAN programs that display geometry. | 568 |
| Figure P.21 — The BSU / Dictionary element relationship..... | 568 |
| Figure P.22 — Identifiers of the concepts involved in the PAW family..... | 581 |
| Figure P.23 — The BSU / Dictionary element relationship..... | 582 |
| Figure P.24 — Dictionary_element of the concepts involved in the PAW family..... | 583 |
| Figure P.25 — The Dictionary Element / Library Content relationship | 583 |
| Figure P.26 — Syntax / Semantics variable association | 584 |

| | |
|---|-----|
| Figure P.27 — Data model of the variable that stands of the inner diameter of a PAW instance..... | 584 |
| Figure P.28 — Displayable and optional properties | 584 |
| Figure P.29 — Content of a table | 585 |
| Figure P.30 — Domain restriction description | 585 |
| Figure P.31 — Specification of a domain as a table..... | 586 |
| Figure P.32 — Derivation | 586 |
| Figure P.33 — Derivation by algebraic expressions..... | 587 |
| Figure P.34 — Specification of a property value by an algebraic expression..... | 587 |
| Figure P.35 — Derivation table..... | 587 |
| Figure P.36 — Specification of a property value by a table | 588 |
| Figure P.37 — Description of the PAW implicit class extension | 588 |
| Figure P.38 — Association mechanism between a general model and a functional model..... | 589 |
| Figure P.39 — View control variables range definition | 591 |
| Figure P.40 — Specification of the view created by a functional model class..... | 591 |
| Figure P.41 — The view creation mechanism..... | 592 |
| Figure P.42 — Description of a method | 594 |
| Figure P.43 — Library specification of a functional model class | 594 |
| | |
| Figure R.1 — ISO13584_instance_resource_schema diagram 1 of 3..... | 612 |
| Figure R.2 — ISO13584_instance_resource_schema diagram 2 of 3..... | 613 |
| Figure R.3 — ISO13584_instance_resource_schema diagram 3 of 3..... | 614 |
| Figure R.4 — ISO13584_library_expressions_schema diagram 1 of 3 | 615 |
| Figure R.5 — ISO13584_library_expressions_schema diagram 2 of 3 | 616 |
| Figure R.6 — ISO13584_library_expressions_schema diagram 3 of 3 | 617 |
| Figure R.7 — ISO13584_table_resource_schema diagram 1 of 4 | 618 |
| Figure R.8 — ISO13584_table_resource_schema diagram 2 of 4 | 619 |
| Figure R.9 — ISO13584_table_resource_schema diagram 3 of 4 | 620 |
| Figure R.10 — ISO13584_table_resource_schema diagram 4 of 4 | 621 |
| Figure R.11 — ISO13584_variable_semantics_schema diagram 1 of 1 | 622 |
| Figure R.12 — ISO13584_domain_resource_schema diagram 1 of 1 | 623 |

| | |
|--|-----|
| Figure R.13 — ISO13584_extended_dictionary_schema diagram 1 of 7 | 624 |
| Figure R.14 — ISO13584_extended_dictionary_schema diagram 2 of 7 | 625 |
| Figure R.15 — ISO13584_extended_dictionary_schema diagram 3 of 7 | 626 |
| Figure R.16 — ISO13584_extended_dictionary_schema diagram 4 of 7 | 627 |
| Figure R.17 — ISO13584_extended_dictionary_schema diagram 5 of 7 | 628 |
| Figure R.18 — ISO13584_extended_dictionary_schema diagram 6 of 7 | 629 |
| Figure R.19 — ISO13584_extended_dictionary_schema diagram 7 of 7 | 630 |
| Figure R.20 — ISO13584_library_content_schema diagram 1 of 4..... | 631 |
| Figure R.21 — ISO13584_library_content_schema diagram 2 of 4..... | 632 |
| Figure R.22 — ISO13584_library_content_schema diagram 3 of 4..... | 633 |
| Figure R.23 — ISO13584_library_content_schema diagram 4 of 4..... | 634 |
| Figure R.24 — ISO13584_external_file_schema diagram 1 of 3..... | 635 |
| Figure R.25 — ISO13584_external_file_schema diagram 2 of 3..... | 636 |
| Figure R.26 — ISO13584_external_file_schema diagram 3 of 3..... | 637 |
| Figure R.27 — ISO13584_method_schema diagram 1 of 2 | 638 |
| Figure R.28 — ISO13584_method_schema diagram 2 of 2 | 639 |

Tables

| | |
|--|-----|
| Table 1 — Conformance options of library integrated information model 24-1 | 454 |
| Table 2 — Conformance options of library integrated information model 24-2 | 477 |
| Table A.1 — Short names of entities | 508 |
| Table E.1 — ISO 13584 LIIM 24-1 conformance class specification | 521 |
| Table I.1 — ISO 13584 LIIM 24-2 conformance class specification..... | 534 |
| Table M.1 — ISO 13584 LIIM 24-3 conformance class specification..... | 547 |
| Table P.1 — View control variables of the geometry functional view class | 590 |