

# ISO 10303-215:2004-05 (E)

## Industrial automation systems and integration - Product data representation and exchange - Part 215: Application protocol: Ship arrangement

---

<b>Contents</b>		<b>Page</b>
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>3</b>
<b>3</b>	<b>Terms, definitions and abbreviations .....</b>	<b>4</b>
<b>3.7</b>	<b>Other terms and definitions .....</b>	<b>7</b>
<b>3.8</b>	<b>Abbreviations .....</b>	<b>8</b>
<b>4</b>	<b>Information requirements .....</b>	<b>9</b>
<b>4.1</b>	<b>Units of functionality .....</b>	<b>9</b>
<b>4.1.1</b>	<b>arrangement_relationships .....</b>	<b>10</b>
<b>4.1.2</b>	<b>cargoes .....</b>	<b>11</b>
<b>4.1.3</b>	<b>coatings .....</b>	<b>12</b>
<b>4.1.4</b>	<b>compartment_design_definitions .....</b>	<b>12</b>
<b>4.1.5</b>	<b>compartment_properties .....</b>	<b>12</b>
<b>4.1.6</b>	<b>compartment_requirements .....</b>	<b>13</b>
<b>4.1.7</b>	<b>configuration_management .....</b>	<b>14</b>
<b>4.1.8</b>	<b>damaged_stability .....</b>	<b>15</b>
<b>4.1.9</b>	<b>definitions .....</b>	<b>15</b>
<b>4.1.10</b>	<b>external_references .....</b>	<b>16</b>
<b>4.1.11</b>	<b>hull_class_applicability .....</b>	<b>16</b>
<b>4.1.12</b>	<b>items .....</b>	<b>16</b>
<b>4.1.13</b>	<b>loading_conditions .....</b>	<b>17</b>
<b>4.1.14</b>	<b>location_concepts .....</b>	<b>17</b>
<b>4.1.15</b>	<b>product_structures .....</b>	<b>18</b>
<b>4.1.16</b>	<b>ship_general_characteristics .....</b>	<b>18</b>
<b>4.1.17</b>	<b>ship_measures .....</b>	<b>19</b>
<b>4.1.18</b>	<b>spaces .....</b>	<b>19</b>
<b>4.1.19</b>	<b>surface_representations .....</b>	<b>19</b>
<b>4.1.20</b>	<b>tonnage .....</b>	<b>20</b>
<b>4.1.21</b>	<b>weights .....</b>	<b>20</b>
<b>4.2</b>	<b>Application objects .....</b>	<b>20</b>
<b>4.3</b>	<b>Application assertions .....</b>	<b>166</b>
<b>5</b>	<b>Application interpreted model .....</b>	<b>185</b>
<b>5.1</b>	<b>Mapping specification .....</b>	<b>185</b>
<b>5.2</b>	<b>AIM EXPRESS short listing .....</b>	<b>439</b>
<b>6</b>	<b>Conformance requirements .....</b>	<b>714</b>
	<b>Annex A (normative) AIM EXPRESS expanded listing .....</b>	<b>725</b>
	<b>Annex B (normative) AIM short names .....</b>	<b>884</b>
	<b>Annex C (normative) Implementation method specific requirements .....</b>	<b>892</b>
	<b>Annex D (normative) Protocol implementation conformance statement (PICS) proforma .....</b>	<b>893</b>
	<b>Annex E (normative) Information object registration .....</b>	<b>894</b>
	<b>Annex F (informative) Application activity model .....</b>	<b>895</b>

<b>Annex G (normative) Application reference model .....</b>	<b>919</b>
<b>Annex H (informative) AIM EXPRESS-G .....</b>	<b>943</b>
<b>Annex J (informative) Computer-interpretable listings .....</b>	<b>973</b>
<b>Annex K (informative) Technical discussions .....</b>	<b>974</b>
<b>Bibliography .....</b>	<b>986</b>
<b>Index .....</b>	<b>987</b>
<b>Figures Figure 1 -- The full series of ship application protocols .....</b>	<b>viii</b>
<b>Figure 2 -- Data planning model .....</b>	<b>ix</b>
<b>Figure 4 -- Global axis placement .....</b>	<b>108</b>
<b>Figure F.1 -- IDEF0 basic notation .....</b>	<b>903</b>
<b>Figure F.2 -- A-0 Ship arrangement AAM .....</b>	<b>904</b>
<b>Figure F.3 -- A0 Perform ship life cycle .....</b>	<b>905</b>
<b>Figure F.4 -- A1 Specify ship .....</b>	<b>906</b>
<b>Figure F.5 -- A12 Prepare bid .....</b>	<b>907</b>
<b>Figure F.6 -- A122 Create preliminary design .....</b>	<b>908</b>
<b>Figure F.7 -- A1222 Create preliminary general arrangements .....</b>	<b>909</b>
<b>Figure F.8 -- A12221 Define compartments .....</b>	<b>910</b>
<b>Figure F.9 -- A12222 Calculate capacities .....</b>	<b>911</b>
<b>Figure F.10 -- A12223 Estimate weight .....</b>	<b>912</b>
<b>Figure F.11 -- A12224 Calculate stability and trim .....</b>	<b>913</b>
<b>Figure F.12 -- A2 Complete and approve ship design .....</b>	<b>914</b>
<b>Figure F.13 -- A21 Finalise and approve general arrangements .....</b>	<b>915</b>
<b>Figure F.14 -- A211 Finalise general arrangements .....</b>	<b>916</b>
<b>Figure F.15 -- A212 Approve general arrangements .....</b>	<b>917</b>
<b>Figure F.16 -- A2122 Check design against rules and regulations .....</b>	<b>918</b>
<b>Figure G.1 -- ARM diagram (1 of 23) .....</b>	<b>920</b>
<b>Figure G.2 -- ARM diagram (2 of 23) .....</b>	<b>921</b>
<b>Figure G.3 -- ARM diagram (3 of 23) .....</b>	<b>922</b>
<b>Figure G.4 -- ARM diagram (4 of 23) .....</b>	<b>923</b>
<b>Figure G.5 -- ARM diagram (5 of 23) .....</b>	<b>924</b>
<b>Figure G.6 -- ARM diagram (6 of 23) .....</b>	<b>925</b>

Figure G.7 -- ARM diagram (7 of 23) .....	926
Figure G.8 -- ARM diagram (8 of 23) .....	927
Figure G.9 -- ARM diagram (9 of 23) .....	928
Figure G.10 -- ARM diagram (10 of 23) .....	929
Figure G.11 -- ARM diagram (11 of 23) .....	930
Figure G.12 -- ARM diagram (12 of 23) .....	931
Figure G.13 -- ARM diagram (13 of 23) .....	932
Figure G.14 -- ARM diagram (14 of 23) .....	933
Figure G.15 -- ARM diagram (15 of 23) .....	934
Figure G.16 -- ARM diagram (16 of 23) .....	935
Figure G.17 -- ARM diagram (17 of 23) .....	936
Figure G.18 -- ARM diagram (18 of 23) .....	937
Figure G.19 -- ARM diagram (19 of 23) .....	938
Figure G.20 -- ARM diagram (20 of 23) .....	939
Figure G.21 -- ARM diagram (21 of 23) .....	940
Figure G.22 -- ARM diagram (22 of 23) .....	941
Figure G.23 -- ARM diagram (23 of 23) .....	942
Figure H.1 -- AIM EXPRESS-G diagram application context .....	944
Figure H.2 -- AIM EXPRESS-G diagram product definition .....	945
Figure H.3 -- AIM EXPRESS-G diagram property definition .....	946
Figure H.4 -- AIM EXPRESS-G diagram shape aspect .....	947
Figure H.5 -- AIM EXPRESS-G diagram representation .....	948
Figure H.6 -- AIM EXPRESS-G diagram geometry and topology .....	949
Figure H.7 -- AIM EXPRESS-G diagram face based surface model .....	950
Figure H.8 -- AIM EXPRESS-G diagram topology .....	951
Figure H.9 -- AIM EXPRESS-G diagram point .....	952
Figure H.10 -- AIM EXPRESS-G diagram geometric orientation .....	953
Figure H.11 -- AIM EXPRESS-G diagram curve .....	954
Figure H.12 -- AIM EXPRESS-G diagram bounded curve .....	955
Figure H.13 -- AIM EXPRESS-G diagram surface curve .....	956
Figure H.14 -- AIM EXPRESS-G diagram surface .....	957

Figure H.15 -- AIM EXPRESS-G diagram elementary surface .....	958
Figure H.16 -- AIM EXPRESS-G diagram bounded surface .....	959
Figure H.17 -- AIM EXPRESS-G diagram action .....	960
Figure H.18 -- AIM EXPRESS-G diagram group .....	961
Figure H.19 -- AIM EXPRESS-G diagram approval .....	962
Figure H.20 -- AIM EXPRESS-G diagram document .....	963
Figure H.21 -- AIM EXPRESS-G diagram person and organization .....	964
Figure H.22 -- AIM EXPRESS-G diagram person and organization assignment .....	965
Figure H.23 -- AIM EXPRESS-G diagram date and time .....	966
Figure H.24 -- AIM EXPRESS-G diagram units .....	967
Figure H.25 -- AIM EXPRESS-G diagram measures .....	968
Figure H.26 -- AIM EXPRESS-G diagram associations and attributes .....	969
Figure H.27 -- AIM EXPRESS-G diagram classification assignment .....	970
Figure H.28 -- AIM EXPRESS-G diagram identification assignment .....	971
Figure H.29 -- AIM EXPRESS-G diagram effectivity assignment and defined types .....	972
Figure K.1 -- Ship product model .....	980
Figure K.2 -- SCM framework .....	981
Tables Table 1 -- UoFs in conformance classes .....	715
Table 2 -- Conformance class elements .....	716
Table B.1 Short names .....	884
Table K.1 -- ARM measures and corresponding AIM measures and units .....	974