ISO 10303-11:2004-11 (E)

Industrial automation systems and integration - Product data representation and exchange - Part 11: Description methods: The EXPRESS language reference manual

Contents

Page

0 Introduction xii
0.1 General xii
0.2 Language overview xii

1 Scope 1

2 Normative references 2

3 Terms and definitions 2
3.2 Terms defined in ISO/IEC 10646 2
3.3 Other terms and definitions 2

4 Conformance requirements 5
4.1 Formal specifications written in EXPRESS 5
4.1.1 Lexical language 5
4.1.2 Graphical form 6
4.2 Implementations of EXPRESS 6
4.2.1 EXPRESS language parser 6
4.2.2 Graphical editing tool 6

5 Fundamental principles 7

6 Language specification syntax 8
6.1 The syntax of the specification 8
6.2 Special character notation 9

7 Basic language elements 9
7.1 Character set 10
7.1.1 Digits 10
7.1.2 Letters 10
7.1.3 Special characters 11
7.1.4 Underscore 11
7.1.5 Whitespace 11
7.1.6 Remarks 11
7.2 Reserved words 14
7.2.1 Keywords 14
7.2.2 Reserved words which are operators 14
7.2.3 Built-in constants 15
7.2.4 Built-in functions 15
7.2.5 Built-in procedures 15
7.3 Symbols 15
7.4 Identifiers 15
7.5 Literals 16
7.5.1 Binary literal 16
7.5.2 Integer literal 17
7.5.3 Real literal 17
7.5.4 String literal 18
7.5.5 Logical literal 19

8 Data types 19
8.1 Simple data types 20

8.1.1 Number data type 20
8.1.2 Real data type 20
8.1.3 Integer data type 21
8.1.4 Logical data type 21
8.1.5 Boolean data type 21
8.1.6 String data type 21
8.1.7 Binary data type 22
8.2 Aggregation data types 23
8.2.1 Array data type 24
8.2.2 List data type 25
8.2.3 Bag data type 26
8.2.4 Set data type 26
8.2.5 Value uniqueness on aggregates 27
8.3 Named data types 28
8.3.1 Entity data type 28
8.3.2 Defined data type 29
8.4 Constructed data types 29
8.4.1 Enumeration data type 30
8.4.2 Select data type 33
8.5 Generalized data types 35
8.6 Data type usage classification 35
8.6.1 Instantiable data types 37
8.6.2 Parameter data types 37
8.6.3 Underlying data types 37

9 Declarations 38
9.1 Type declaration 38
9.2 Entity declaration 40
9.2.1 Attributes 41
9.2.2 Local rules 45
9.2.3 Subtypes and supertypes 48
9.2.4 Abstract entity data type 54
9.2.5 Subtype/supertype constraints 55
9.2.6 Implicit declarations 60
9.2.7 Specialization 61
9.3 Schema 62
9.4 Constant 63
9.5 Algorithms 64
9.5.1 Function 64
9.5.2 Procedure 65
9.5.3 Parameters 65
9.5.4 Local variables 71
9.6 Rule 72
9.7 Subtype constraints 74
9.7.1 Abstract supertype constraint 75
9.7.2 Total coverage subtypes 75
9.7.3 Overlapping subtypes and their specification 76

10 Scope and visibility 78
10.1 Scope rules 78
10.2 Visibility rules 79
10.3 Explicit item rules 81
10.3.1 Alias statement 81
10.3.2 Attribute 81
10.3.3 Constant 81
10.3.4 Enumeration item 81
10.3.5 Entity 81
10.3.6 Function 82
10.3.7 Parameter 83
10.3.8 Procedure 83
10.3.9 Query expression 83
10.3.10 Repeat statement 84

10.3.11 Rule 84
10.3.12 Rule label 85
10.3.13 Schema 85
10.3.14 Subtype constraint 86
10.3.15 Type 86
10.3.16 Type label 86
10.3.17 Variable 86

11 Interface specification 86
11.1 Use interface specification 87
11.2 Reference interface specification 87
11.3 The interaction of use and reference 88
11.4 Implicit interfaces 89
11.4.1 Constant interfaces 89
11.4.2 Defined data type interfaces 90
11.4.3 Entity data type interfaces 90
11.4.4 Function interfaces 91
11.4.5 Procedure interfaces 91
11.4.6 Rule interfaces 91
11.4.7 Subtype constraint interfaces 91

12 Expression 92
12.1 Arithmetic operators 93
12.2 Relational operators 94
12.2.1 Value comparison operators 95
12.2.2 Instance comparison operators 99
12.2.3 Membership operator 101
12.2.4 Interval expressions 102
12.2.5 Like operator 102
12.3 Binary operators 103
12.3.1 Binary indexing 103
12.3.2 Binary concatenation operator 104
12.4 Logical operators 104
12.4.1 NOT operator 105
12.4.2 AND operator 105
12.4.3 OR operator 105
12.4.4 XOR operator 105
12.5 String operators 106
12.5.1 String indexing 106
12.5.2 String concatenation operator 107
12.6 Aggregate operators 107
12.6.1 Aggregate indexing 107
12.6.2 Intersection operator 108
12.6.3 Union operator 109
12.6.4 Difference operator 109
12.6.5 Subset operator 110
12.6.6 Superset operator 111
12.6.7 Query expression 111
12.7 References 112
12.7.1 Simple references 113
12.7.2 Prefixed references 113
12.7.3 Attribute references 114
12.7.4 Group references 115
12.8 Function call 116
12.9 Aggregate initializer 117
12.10 Complex entity instance construction operator 118
12.11 Type compatibility 119
12.12 Select data types in expressions 120
12.12.1 Select data types in unary expressions 120
12.12.2 Select data types in binary expressions 120
12.12.3 Select data types in ternary expressions 121

13 Executable statements ... 121
13.1 Null (statement) ... 121
13.2 Alias statement ... 122
13.3 Assignment ... 122
13.3.1 Assignment statement ... 122
13.3.2 Assignment compatibility ... 123
13.4 Case statement ... 126
13.5 Compound statement ... 127
13.6 Escape statement ... 127
13.7 If ... Then Else statement 127
13.8 Procedure call statement ... 128
13.9 Repeat statement ... 128
13.9.1 Increment control ... 129
13.9.2 While control ... 130
13.9.3 Until control ... 130
13.10 Return statement ... 131
13.11 Skip statement ... 131

14 Built-in constants ... 132
14.1 Constant e ... 132
14.2 Indeterminate ... 132
14.3 False ... 132
14.4 Pi ... 132
14.5 Self ... 132
14.6 True ... 133
14.7 Unknown ... 133

15 Built-in functions ... 133
15.1 Abs - arithmetic function ... 133
15.2 ACos - arithmetic function ... 133
15.3 ASin - arithmetic function ... 133
15.4 ATan - arithmetic function ... 134
15.5 BLength - binary function ... 134
15.6 Cos - arithmetic function ... 134
15.7 Exists - general function ... 135
15.8 Exp - arithmetic function ... 135
15.9 Format - general function ... 135
15.9.1 Symbolic representation ... 136
15.9.2 Picture representation ... 137
15.9.3 Standard representation ... 138
15.10 HiBound - arithmetic function ... 138
15.11 HiIndex - arithmetic function ... 138
15.12 Length - string function ... 139
15.13 LoBound - arithmetic function ... 139
15.14 Log - arithmetic function ... 140
15.15 Log2 - arithmetic function ... 140
15.16 Log10 - arithmetic function ... 140
15.17 LoIndex - arithmetic function ... 140
15.18 NVL - null value function ... 141
15.19 Odd - arithmetic function ... 141
15.20 RolesOf - general function ... 142
15.21 Sin - arithmetic function ... 143
15.22 SizeOf - aggregate function ... 143
15.23 Sqrt - arithmetic function ... 143
15.24 Tan - arithmetic function ... 144
15.25 TypeOf - general function ... 144
15.26 UsedIn - general function ... 147
15.27 Value - arithmetic function ... 148
15.28 Value in - membership function ... 148
15.29 Value unique - uniqueness function ... 149

16 Built-in procedures ... 149

16.1 Insert 149
16.2 Remove 150

Annex A (normative) EXPRESS language syntax 151

A.1 Tokens 151
A.1.1 Keywords 151
A.1.2 Character classes 153
A.1.3 Lexical elements 154
A.1.4 Remarks 154
A.1.5 Interpreted identifiers 154
A.2 Grammar rules 155
A.3 Cross reference listing 159

Annex B (normative) Determination of the allowed entity instantiations 166

B.1 Formal approach 166
B.2 Supertype and subtype constraint operators 167
B.2.1 OneOf 168
B.2.2 And 168
B.2.3 AndOr 168
B.2.4 Precedence of operators 168
B.3 Interpreting the possible complex entity data types 168

Annex C (normative) Instance limits imposed by the interface specification 181

Annex D (normative) EXPRESS-G: A graphical subset of EXPRESS 185

D.1 Introduction and overview 185
D.2 Definition symbols 185
D.2.1 Symbol for simple data types 186
D.2.2 Symbols for constructed data types 187
D.2.3 Symbols for defined data types 188
D.2.4 Symbols for entity data types 188
D.2.5 Symbols for subtype constraints 188
D.2.6 Symbols for functions and procedures 188
D.2.7 Symbols for rules 189
D.2.8 Symbols for schemas 189
D.3 Relationship symbols 189
D.4 Composition symbols 190
D.4.1 Page references 190
D.4.2 Inter-schema references 191
D.5 Entity level diagrams 191
D.5.1 Role names 191
D.5.2 Cardinalities 192
D.5.3 Constraints 192
D.5.4 Constructed and defined data types 193
D.5.5 Entity data types 193
D.5.6 Inter-schema references 197
D.6 Schema level diagrams 198
D.7 Complete EXPRESS-G diagrams 198
D.7.1 Complete entity level diagram 199
D.7.2 Complete schema level diagram 200

Annex E (normative) Protocol implementation conformance statement (PICS) 201

E.1 EXPRESS language parser 201
E.2 EXPRESS-G editing tool 201

Annex F (normative) Information object registration 203

F.1 Document identification 203

F.2 Syntax identification 203

Annex G (normative) Generating a single schema from multiple schemas 204

G.1 Introduction 204
G.2 Fundamental concepts 204
G.3 Name munging 206
G.3.1 Name clashes 206
G.3.2 Identifiers as strings 206
G.4 Stage 1: multi-schema to intermediate schema conversion 207
G.4.1 Introduction 207
G.4.2 Primary population 207
G.4.3 Secondary population 209
G.4.4 Prune 216
G.4.5 Schema names and versions 222
G.5.1 Introduction 223
G.5.2 Initialisation 223
G.5.3 Conversion of extensible constructed data types 223
G.5.4 Conversion of subtype constraints 228
G.5.5 Conversion of abstract entity and generalized types 231
G.5.6 Conversion of attributes renamed in a redeclaration 233

Annex H (informative) Relationships 235

H.1 Relationships via attributes 235
H.1.1 Simple relationship 236
H.1.2 Collective relationship 238
H.1.3 Distributive relationship 239
H.1.4 Inverse attribute 240
H.2 Subtype/supertype relationships 241

Annex J (informative) EXPRESS models for EXPRESS-G illustrative examples 242

J.1 Example single schema model 242
J.2 Relationship sampler 243
J.3 Simple subtype/supertype tree 244
J.4 Attribute redeclaration 244
J.5 Multi-schema models 245

Annex K (informative) Deprecated features of EXPRESS 248

Annex L (informative) Examples of the new EXPRESS constructs 249

L.1 Product management example 249

Bibliography 251

Index 252

Figures Figure B.1 -- EXPRESS-G diagram of schema for example 1 on page 171 172

Figure B.2 -- EXPRESS-G diagram of schema for example 2 on page 174 174

Figure B.3 -- EXPRESS-G diagram of schema for example 3 on page 176 177

Figure D.1 -- Complete entity level diagram of the example in J.1 on page 242 (Page 1 of 2)186
Figure D.2 -- Complete entity level diagram of the example in J.1 on page 242 (Page 2 of 2)186 Figure D.3 -- Symbols for EXPRESS simple data types 186

Figure D.4 -- Symbol for EXPRESS generic entity data type 187

Figure D.5 -- Symbols for EXPRESS constructed data types 187

Figure D.6 -- Abbreviated symbols for the EXPRESS constructed data types when used as the representation of defined data types 187

Figure D.7 -- Example of alternative methods for representing an enumeration data type 187 Figure D.8 -- Symbols for EXPRESS extensible constructed data types 188

Figure D.9 -- Symbol for EXPRESS defined data type 188

Figure D.10 -- Symbol for an EXPRESS entity data type 188

Figure D.11 -- Symbol for an EXPRESS subtype constraint 188

Figure D.12 -- Symbol for a schema 189

Figure D.13 -- Relationship line styles 189

Figure D.14 -- Partial entity level diagram illustrating relationship directions from the example in J.2 on page 243 (Page 1 of 1) 190

Figure D.15 -- Composition symbols: page references 190

Figure D.16 -- Composition symbols: inter-schema references 191

Figure D.17 -- Complete entity level diagram of the example in J.2 on page 243 (Page 1 of 1) 192

Figure D.18 -- Extensible select data type diagram 193

Figure D.19 -- Symbol for denoting an ABSTRACT SUPERTYPE if the abstract con- straint is defined within a SUBTYPE CONSTRAINT 195

Figure D.20 -- Symbol denoting an ABSTRACT ENTITY 195

Figure D.21 -- Example of the TOTAL OVER coverage constraint 196

Figure D.22 -- Complete entity level diagram of the inheritance graph from the example in J.3 on page 244 (Page 1 of 1) 196

Figure D.23 -- Complete entity level diagram of the example in J.4 on page 245 showing attribute redeclarations in subtypes (Page 1 of 1) 197

Figure D.24 -- Complete entity level diagram of the top schema of example 1 on page 245 illustrating inter-schema references (Page 1 of 1) 197

Figure D.25 -- Complete schema level diagram of example 1 on page 245 (Page 1 of 1) . 198 Figure D.26 -- Complete schema level diagram of example 2 on page 246 (Page 1 of 1) . 199 Tables Table 1 -- EXPRESS keywords 14

Table 2 -- EXPRESS reserved words which are operators 14

Table 3 -- EXPRESS reserved words which are constants 15

Table 4 -- EXPRESS reserved words which are function names 15

Table 5 -- EXPRESS reserved words which are procedure names 15

Table 6 -- EXPRESS symbols 16

Table 7 -- The use of data types 36

Table 8 -- Supertype expression operator precedence 59

Table 9 -- Scope and identifier defining items 79

Table 10 -- Operator precedence 93

Table 11 -- Pattern matching characters 103

Table 12 -- NOT operator 105

Table 13 -- AND operator 105

Table 14 -- OR operator 105

Table 15 -- XOR operator 106

Table 16 -- Intersection operator - operand and result types 108

Table 17 -- Union operator - operand and result types 110

Table 18 -- Difference operator - operand and result types 110

Table 19 -- Subset and superset operators - operand types 111

Table 20 -- Example symbolic formatting effects 137

Table 21 -- Picture formatting characters 137

Table 22 -- Example picture formatting effects 137