

ISO 10303-11:2004-11 (E)

Industrial automation systems and integration - Product data representation and exchange - Part 11: Description methods: The EXPRESS language reference manual

Contents		Page
0	Introduction	xii
0.1	General	xii
0.2	Language overview	xii
1	Scope	1
2	Normative references	2
3	Terms and definitions	2
3.2	Terms defined in ISO/IEC 10646	2
3.3	Other terms and definitions	2
4	Conformance requirements	5
4.1	Formal specifications written in EXPRESS	5
4.1.1	Lexical language	5
4.1.2	Graphical form	6
4.2	Implementations of EXPRESS	6
4.2.1	EXPRESS language parser	6
4.2.2	Graphical editing tool	6
5	Fundamental principles	7
6	Language specification syntax	8
6.1	The syntax of the specification	8
6.2	Special character notation	9
7	Basic language elements	9
7.1	Character set	10
7.1.1	Digits	10
7.1.2	Letters	10
7.1.3	Special characters	11
7.1.4	Underscore	11
7.1.5	Whitespace	11
7.1.6	Remarks	11
7.2	Reserved words	14
7.2.1	Keywords	14
7.2.2	Reserved words which are operators	14
7.2.3	Built-in constants	15
7.2.4	Built-in functions	15
7.2.5	Built-in procedures	15
7.3	Symbols	15
7.4	Identifiers	15
7.5	Literals	16
7.5.1	Binary literal	16
7.5.2	Integer literal	17
7.5.3	Real literal	17
7.5.4	String literal	18
7.5.5	Logical literal	19
8	Data types	19
8.1	Simple data types	20

8.1.1	Number data type	20
8.1.2	Real data type	20
8.1.3	Integer data type	21
8.1.4	Logical data type	21
8.1.5	Boolean data type	21
8.1.6	String data type	21
8.1.7	Binary data type	22
8.2	Aggregation data types	23
8.2.1	Array data type	24
8.2.2	List data type	25
8.2.3	Bag data type	26
8.2.4	Set data type	26
8.2.5	Value uniqueness on aggregates	27
8.3	Named data types	28
8.3.1	Entity data type	28
8.3.2	Defined data type	29
8.4	Constructed data types	29
8.4.1	Enumeration data type	30
8.4.2	Select data type	33
8.5	Generalized data types	35
8.6	Data type usage classification	35
8.6.1	Instantiable data types	37
8.6.2	Parameter data types	37
8.6.3	Underlying data types	37
9	Declarations	38
9.1	Type declaration	38
9.2	Entity declaration	40
9.2.1	Attributes	41
9.2.2	Local rules	45
9.2.3	Subtypes and supertypes	48
9.2.4	Abstract entity data type	54
9.2.5	Subtype/supertype constraints	55
9.2.6	Implicit declarations	60
9.2.7	Specialization	61
9.3	Schema	62
9.4	Constant	63
9.5	Algorithms	64
9.5.1	Function	64
9.5.2	Procedure	65
9.5.3	Parameters	65
9.5.4	Local variables	71
9.6	Rule	72
9.7	Subtype constraints	74
9.7.1	Abstract supertype constraint	75
9.7.2	Total coverage subtypes	75
9.7.3	Overlapping subtypes and their specification	76
10	Scope and visibility	78
10.1	Scope rules	78
10.2	Visibility rules	79
10.3	Explicit item rules	81
10.3.1	Alias statement	81
10.3.2	Attribute	81
10.3.3	Constant	81
10.3.4	Enumeration item	81
10.3.5	Entity	81
10.3.6	Function	82
10.3.7	Parameter	83
10.3.8	Procedure	83
10.3.9	Query expression	83
10.3.10	Repeat statement	84

10.3.11	Rule	84
10.3.12	Rule label	85
10.3.13	Schema	85
10.3.14	Subtype constraint	86
10.3.15	Type	86
10.3.16	Type label	86
10.3.17	Variable	86
11	Interface specification	86
11.1	Use interface specification	87
11.2	Reference interface specification	87
11.3	The interaction of use and reference	88
11.4	Implicit interfaces	89
11.4.1	Constant interfaces	89
11.4.2	Defined data type interfaces	90
11.4.3	Entity data type interfaces	90
11.4.4	Function interfaces	91
11.4.5	Procedure interfaces	91
11.4.6	Rule interfaces	91
11.4.7	Subtype constraint interfaces	91
12	Expression	92
12.1	Arithmetic operators	93
12.2	Relational operators	94
12.2.1	Value comparison operators	95
12.2.2	Instance comparison operators	99
12.2.3	Membership operator	101
12.2.4	Interval expressions	102
12.2.5	Like operator	102
12.3	Binary operators	103
12.3.1	Binary indexing	103
12.3.2	Binary concatenation operator	104
12.4	Logical operators	104
12.4.1	NOT operator	105
12.4.2	AND operator	105
12.4.3	OR operator	105
12.4.4	XOR operator	105
12.5	String operators	106
12.5.1	String indexing	106
12.5.2	String concatenation operator	107
12.6	Aggregate operators	107
12.6.1	Aggregate indexing	107
12.6.2	Intersection operator	108
12.6.3	Union operator	109
12.6.4	Difference operator	109
12.6.5	Subset operator	110
12.6.6	Superset operator	111
12.6.7	Query expression	111
12.7	References	112
12.7.1	Simple references	113
12.7.2	Prefixed references	113
12.7.3	Attribute references	114
12.7.4	Group references	115
12.8	Function call	116
12.9	Aggregate initializer	117
12.10	Complex entity instance construction operator	118
12.11	Type compatibility	119
12.12	Select data types in expressions	120
12.12.1	Select data types in unary expressions	120
12.12.2	Select data types in binary expressions	120
12.12.3	Select data types in ternary expressions	121

13	Executable statements	121
13.1	Null (statement)	121
13.2	Alias statement	122
13.3	Assignment	122
13.3.1	Assignment statement	122
13.3.2	Assignment compatibility	123
13.4	Case statement	126
13.5	Compound statement	127
13.6	Escape statement	127
13.7	If Then Else statement	127
13.8	Procedure call statement	128
13.9	Repeat statement	128
13.9.1	Increment control	129
13.9.2	While control	130
13.9.3	Until control	130
13.10	Return statement	131
13.11	Skip statement	131
14	Built-in constants	132
14.1	Constant e	132
14.2	Indeterminate	132
14.3	False	132
14.4	Pi	132
14.5	Self	132
14.6	True	133
14.7	Unknown	133
15	Built-in functions	133
15.1	Abs - arithmetic function	133
15.2	ACos - arithmetic function	133
15.3	ASin - arithmetic function	133
15.4	ATan - arithmetic function	134
15.5	BLength - binary function	134
15.6	Cos - arithmetic function	134
15.7	Exists - general function	135
15.8	Exp - arithmetic function	135
15.9	Format - general function	135
15.9.1	Symbolic representation	136
15.9.2	Picture representation	137
15.9.3	Standard representation	138
15.10	HiBound - arithmetic function	138
15.11	HiIndex - arithmetic function	138
15.12	Length - string function	139
15.13	LoBound - arithmetic function	139
15.14	Log - arithmetic function	140
15.15	Log2 - arithmetic function	140
15.16	Log10 - arithmetic function	140
15.17	LoIndex - arithmetic function	140
15.18	NVL - null value function	141
15.19	Odd - arithmetic function	141
15.20	RolesOf - general function	142
15.21	Sin - arithmetic function	143
15.22	SizeOf - aggregate function	143
15.23	Sqrt - arithmetic function	143
15.24	Tan - arithmetic function	144
15.25	TypeOf - general function	144
15.26	UsedIn - general function	147
15.27	Value - arithmetic function	148
15.28	Value in - membership function	148
15.29	Value unique - uniqueness function	149
16	Built-in procedures	149

16.1	Insert	149
16.2	Remove	150
Annex A (normative) EXPRESS language syntax		151
A.1	Tokens	151
A.1.1	Keywords	151
A.1.2	Character classes	153
A.1.3	Lexical elements	154
A.1.4	Remarks	154
A.1.5	Interpreted identifiers	154
A.2	Grammar rules	155
A.3	Cross reference listing	159
Annex B (normative) Determination of the allowed entity instantiations		166
B.1	Formal approach	166
B.2	Supertype and subtype constraint operators	167
B.2.1	OneOf	168
B.2.2	And	168
B.2.3	AndOr	168
B.2.4	Precedence of operators	168
B.3	Interpreting the possible complex entity data types	168
Annex C (normative) Instance limits imposed by the interface specification		181
Annex D (normative) EXPRESS-G: A graphical subset of EXPRESS		185
D.1	Introduction and overview	185
D.2	Definition symbols	185
D.2.1	Symbol for simple data types	186
D.2.2	Symbols for constructed data types	187
D.2.3	Symbols for defined data types	188
D.2.4	Symbols for entity data types	188
D.2.5	Symbols for subtype constraints	188
D.2.6	Symbols for functions and procedures	188
D.2.7	Symbols for rules	189
D.2.8	Symbols for schemas	189
D.3	Relationship symbols	189
D.4	Composition symbols	190
D.4.1	Page references	190
D.4.2	Inter-schema references	191
D.5	Entity level diagrams	191
D.5.1	Role names	191
D.5.2	Cardinalities	192
D.5.3	Constraints	192
D.5.4	Constructed and defined data types	193
D.5.5	Entity data types	193
D.5.6	Inter-schema references	197
D.6	Schema level diagrams	198
D.7	Complete EXPRESS-G diagrams	198
D.7.1	Complete entity level diagram	199
D.7.2	Complete schema level diagram	200
Annex E (normative) Protocol implementation conformance statement (PICS)		201
E.1	EXPRESS language parser	201
E.2	EXPRESS-G editing tool	201
Annex F (normative) Information object registration		203
F.1	Document identification	203

F.2	Syntax identification	203
Annex G (normative) Generating a single schema from multiple schemas		204
G.1	Introduction	204
G.2	Fundamental concepts	204
G.3	Name munging	206
G.3.1	Name clashes	206
G.3.2	Identifiers as strings	206
G.4	Stage 1: multi-schema to intermediate schema conversion	207
G.4.1	Introduction	207
G.4.2	Primary population	207
G.4.3	Secondary population	209
G.4.4	Prune	216
G.4.5	Schema names and versions	222
G.5.1	Introduction	223
G.5.2	Initialisation	223
G.5.3	Conversion of extensible constructed data types	223
G.5.4	Conversion of subtype constraints	228
G.5.5	Conversion of abstract entity and generalized types	231
G.5.6	Conversion of attributes renamed in a redeclaration	233
Annex H (informative) Relationships		235
H.1	Relationships via attributes	235
H.1.1	Simple relationship	236
H.1.2	Collective relationship	238
H.1.3	Distributive relationship	239
H.1.4	Inverse attribute	240
H.2	Subtype/supertype relationships	241
Annex J (informative) EXPRESS models for EXPRESS-G illustrative examples		242
J.1	Example single schema model	242
J.2	Relationship sampler	243
J.3	Simple subtype/supertype tree	244
J.4	Attribute redeclaration	244
J.5	Multi-schema models	245
Annex K (informative) Deprecated features of EXPRESS		248
Annex L (informative) Examples of the new EXPRESS constructs		249
L.1	Product management example	249
Bibliography		251
Index		252
Figures Figure B.1 -- EXPRESS-G diagram of schema for example 1 on page 171		172
Figure B.2 -- EXPRESS-G diagram of schema for example 2 on page 174		174
Figure B.3 -- EXPRESS-G diagram of schema for example 3 on page 176		177
Figure D.1 -- Complete entity level diagram of the example in J.1 on page 242 (Page 1 of 2)186		
Figure D.2 -- Complete entity level diagram of the example in J.1 on page 242 (Page 2 of 2)186		
Figure D.3 -- Symbols for EXPRESS simple data types		186
Figure D.4 -- Symbol for EXPRESS generic entity data type		187
Figure D.5 -- Symbols for EXPRESS constructed data types		187

Figure D.6 -- Abbreviated symbols for the EXPRESS constructed data types when used as the representation of defined data types	187
Figure D.7 -- Example of alternative methods for representing an enumeration data type 187 Figure D.8 -- Symbols for EXPRESS extensible constructed data types	188
Figure D.9 -- Symbol for EXPRESS defined data type	188
Figure D.10 -- Symbol for an EXPRESS entity data type	188
Figure D.11 -- Symbol for an EXPRESS subtype constraint	188
Figure D.12 -- Symbol for a schema	189
Figure D.13 -- Relationship line styles	189
Figure D.14 -- Partial entity level diagram illustrating relationship directions from the example in J.2 on page 243 (Page 1 of 1)	190
Figure D.15 -- Composition symbols: page references	190
Figure D.16 -- Composition symbols: inter-schema references	191
Figure D.17 -- Complete entity level diagram of the example in J.2 on page 243 (Page 1 of 1)	192
Figure D.18 -- Extensible select data type diagram	193
Figure D.19 -- Symbol for denoting an ABSTRACT SUPERTYPE if the abstract constraint is defined within a SUBTYPE CONSTRAINT	195
Figure D.20 -- Symbol denoting an ABSTRACT ENTITY	195
Figure D.21 -- Example of the TOTAL OVER coverage constraint	196
Figure D.22 -- Complete entity level diagram of the inheritance graph from the example in J.3 on page 244 (Page 1 of 1)	196
Figure D.23 -- Complete entity level diagram of the example in J.4 on page 245 showing attribute redeclarations in subtypes (Page 1 of 1)	197
Figure D.24 -- Complete entity level diagram of the top schema of example 1 on page 245 illustrating inter-schema references (Page 1 of 1)	197
Figure D.25 -- Complete schema level diagram of example 1 on page 245 (Page 1 of 1) . 198 Figure D.26 -- Complete schema level diagram of example 2 on page 246 (Page 1 of 1) . 199	
Tables Table 1 -- EXPRESS keywords	14
Table 2 -- EXPRESS reserved words which are operators	14
Table 3 -- EXPRESS reserved words which are constants	15
Table 4 -- EXPRESS reserved words which are function names	15
Table 5 -- EXPRESS reserved words which are procedure names	15
Table 6 -- EXPRESS symbols	16
Table 7 -- The use of data types	36
Table 8 -- Supertype expression operator precedence	59

Table 9 -- Scope and identifier defining items	79
Table 10 -- Operator precedence	93
Table 11 -- Pattern matching characters	103
Table 12 -- NOT operator	105
Table 13 -- AND operator	105
Table 14 -- OR operator	105
Table 15 -- XOR operator	106
Table 16 -- Intersection operator - operand and result types	108
Table 17 -- Union operator - operand and result types	110
Table 18 -- Difference operator - operand and result types	110
Table 19 -- Subset and superset operators - operand types	111
Table 20 -- Example symbolic formatting effects	137
Table 21 -- Picture formatting characters	137
Table 22 -- Example picture formatting effects	137