

# ISO 10303-218:2004-11 (E)

## Industrial automation systems and integration - Product data representation and exchange - Part 218: Application protocol: Ship structures

---

<b>Contents</b>		<b>Page</b>
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>3</b>
<b>3</b>	<b>Terms, definitions and abbreviated terms .....</b>	<b>5</b>
<b>3.8</b>	<b>Other terms and definitions .....</b>	<b>10</b>
<b>3.9</b>	<b>Abbreviated terms .....</b>	<b>17</b>
<b>4</b>	<b>Information requirements .....</b>	<b>19</b>
<b>4.1</b>	<b>Units of functionality .....</b>	<b>19</b>
<b>4.1.1</b>	<b>class_approvals .....</b>	<b>20</b>
<b>4.1.2</b>	<b>configuration_management .....</b>	<b>21</b>
<b>4.1.3</b>	<b>definitions .....</b>	<b>22</b>
<b>4.1.4</b>	<b>design_loads .....</b>	<b>23</b>
<b>4.1.5</b>	<b>external_references .....</b>	<b>23</b>
<b>4.1.6</b>	<b>hull_class_applicability .....</b>	<b>24</b>
<b>4.1.7</b>	<b>hull_cross_sections .....</b>	<b>24</b>
<b>4.1.8</b>	<b>items .....</b>	<b>25</b>
<b>4.1.9</b>	<b>library_reference .....</b>	<b>25</b>
<b>4.1.10</b>	<b>location_concepts .....</b>	<b>26</b>
<b>4.1.11</b>	<b>product_structures .....</b>	<b>27</b>
<b>4.1.12</b>	<b>shapes .....</b>	<b>27</b>
<b>4.1.13</b>	<b>ship_general_characteristics .....</b>	<b>28</b>
<b>4.1.14</b>	<b>ship_manufacturing_definitions .....</b>	<b>29</b>
<b>4.1.15</b>	<b>ship_material_properties .....</b>	<b>30</b>
<b>4.1.16</b>	<b>ship_measures .....</b>	<b>30</b>
<b>4.1.17</b>	<b>structural_features .....</b>	<b>30</b>
<b>4.1.18</b>	<b>structural_parts .....</b>	<b>32</b>
<b>4.1.19</b>	<b>structural_systems .....</b>	<b>34</b>
<b>4.1.20</b>	<b>welds .....</b>	<b>35</b>
<b>4.2</b>	<b>Application objects .....</b>	<b>36</b>
<b>4.3</b>	<b>Application assertions .....</b>	<b>290</b>
<b>5</b>	<b>Application interpreted model .....</b>	<b>319</b>
<b>5.1</b>	<b>Mapping specification .....</b>	<b>319</b>
<b>5.2</b>	<b>AIM EXPRESS short listing .....</b>	<b>879</b>
<b>6</b>	<b>Conformance requirements .....</b>	<b>1307</b>
<b>Annex A (normative) AIM EXPRESS expanded listing .....</b>		<b>1321</b>
<b>Annex B (normative) AIM short names .....</b>		<b>1606</b>
<b>Annex C (normative) Implementation method specific requirements .....</b>		<b>1615</b>
<b>Annex D (normative) Protocol Implementation Conformance Statement (PICS) proforma .....</b>		<b>1616</b>
<b>Annex E (normative) Information object registration .....</b>		<b>1619</b>
<b>Annex F (informative) Application activity model .....</b>		<b>1620</b>

Annex G (informative) Application reference model .....	1660
Annex H (informative) EXPRESS-G Diagrams .....	1710
Annex J (informative) Computer interpretable listings .....	1739
Annex K (informative) Application protocol usage guide .....	1740
Annex L (informative) Technical discussions .....	1741
L.1 Introduction .....	1741
L.2 The ship common model .....	1743
L.3 Key concepts of ship structures .....	1746
L.4 Globally unambiguous identifier usage .....	1755
L.5 AIM units for each measure type .....	1760
Bibliography .....	1765
Index .....	1766
Figures Figure 1 -- Shipbuilding application protocols .....	xi
Figure 2 -- Data planning model .....	xii
Figure 3 -- Angle_bar_cross_section .....	37
Figure 4 -- Assembly .....	42
Figure 5 -- Bending moment .....	46
Figure 6 -- Bevel_design_definition .....	50
Figure 7 -- Bulbflat_cross_section .....	52
Figure 8 -- One side butt weld .....	53
Figure 9 -- Both sides butt weld .....	54
Figure 10 -- Circular cutout .....	65
Figure 11 -- Composite features on plate part .....	71
Figure 12 -- Composite features on profile part .....	72
Figure 13 -- Corrugated part parameters .....	75
Figure 14 -- Corrugated system parameters .....	78
Figure 15 -- Corrugated bulkhead .....	81
Figure 16 -- Design_still_water_bending_moment .....	84
Figure 17 -- Drain_hole_cutout .....	89
Figure 18 -- Drain_hole_cutout shape .....	90
Figure 19 -- Elliptical_cutout .....	96
Figure 20 -- Elongated_oval_cutout .....	97
Figure 21 -- Flat_bar_cross_section .....	106

Figure 22 -- Global axis placement .....	111
Figure 23 -- Groove weld types .....	112
Figure 24 -- Double bottom of a bulk carrier .....	117
Figure 25 -- Hull cross section of a cargo ship .....	118
Figure 26 -- Hull cross section of a bulk carrier .....	119
Figure 27 -- Inward_round_corner_cutout .....	132
Figure 28 -- Local coordinate system .....	140
Figure 29 -- Outward_round_corner_cutout .....	149
Figure 30 -- Part edge cutout .....	156
Figure 31 -- Part ID locations for various Profile_cross_sections .....	157
Figure 32 -- Examples of part edge cutout shapes .....	157
Figure 33 -- Profile design of a simple profile .....	171
Figure 34 -- Profile design using curve_on_surface geometry for trace line .....	172
Figure 35 -- Profile design with declination angle .....	173
Figure 36 -- Profile design using twist .....	173
Figure 37 -- Rectangular_cutback_corner_cutout .....	184
Figure 38 -- Round_corner_rectangular_cutout .....	188
Figure 39 -- Shear_bevel_design_definition .....	193
Figure 40 -- Spacing positions .....	199
Figure 41 -- Plate cutouts .....	206
Figure 42 -- Profile cutouts .....	207
Figure 43 -- Deck .....	211
Figure 44 -- Bulkhead .....	212
Figure 45 -- Double bottom as section .....	224
Figure 46 -- Double bottom .....	224
Figure 47 -- Structural_system .....	225
Figure 48 -- Single bottom .....	234
Figure 49 -- Deck in three dimensions .....	236
Figure 50 -- Double bottom in two dimensions .....	236
Figure 51 -- Shell .....	238
Figure 52 -- Fore ship in two dimensions .....	240

Figure 53 -- Fore ship in three dimensions .....	241
Figure 54 -- Bow .....	242
Figure 55 -- Bilge keel .....	244
Figure 56 -- Longitudinal girder .....	245
Figure 57 -- Tank .....	248
Figure 58 -- Web frame .....	250
Figure 59 -- T bar cross section .....	255
Figure 60 -- Weld examples .....	266
Figure 61 -- Weld positions .....	273
Figure 62 -- Weld distortion .....	276
Figure 63 -- Weld methods .....	277
Figure 64 -- Weld procedures .....	278
Figure 65 -- Weld types .....	282
Figure 66 -- Weld sequence .....	286
Figure F.1 -- IDEF0 Basic notation .....	1620
Figure F.2 -- Node A-0: Describe ship life cycle .....	1637
Figure F.3 -- Node A0: Perform ship life cycle .....	1638
Figure F.4 -- Node A1: Specify ship .....	1639
Figure F.5 -- A12: Prepare bid .....	1640
Figure F.6 -- A122: Create preliminary design .....	1641
Figure F.7 -- Node A2: Complete and approve ship design .....	1642
Figure F.8 -- Node A24: Complete design of ship structure .....	1643
Figure F.9 -- Node A241: Design ship structure .....	1644
Figure F.10 -- Node A2412: Create design of classification items .....	1645
Figure F.11 -- Node A24121: Design of transverse structure .....	1646
Figure F.12 -- Node A242: Approve design of ship structure .....	1647
Figure F.13 -- Node A2424: Check global strength and secondary structure .....	1648
Figure F.14 -- Node A243: Elaborate ship structure design .....	1649
Figure F.15 -- Node A2434: Make hull detail design .....	1650
Figure F.16 -- Node A24341: Design secondary structure .....	1651
Figure F.17 -- Node A24342: Handle plates .....	1652

Figure F.18 -- Node A24343: Handle profiles .....	1653
Figure F.19 -- Node A244: Make production design of ship structure .....	1654
Figure F.20 -- Node A2442: Create production documents .....	1655
Figure F.21 -- Node A2443: Refine working information .....	1656
Figure F.22 -- Node A3: Produce and inspect a ship .....	1657
Figure F.23 -- Node A34: Test a ship .....	1658
Figure F.24 -- Node A4: Operate and maintain a ship .....	1659
Figure G.1 -- ARM EXPRESS-G diagram 1 of 49 .....	1661
Figure G.2 -- ARM EXPRESS-G diagram 2 of 49 .....	1662
Figure G.3 -- ARM EXPRESS-G diagram 3 of 49 .....	1663
Figure G.4 -- ARM EXPRESS-G diagram 4 of 49 .....	1664
Figure G.5 -- ARM EXPRESS-G diagram 5 of 49 .....	1665
Figure G.6 -- ARM EXPRESS-G diagram 6 of 49 .....	1666
Figure G.7 -- ARM EXPRESS-G diagram 7 of 49 .....	1667
Figure G.8 -- ARM EXPRESS-G diagram 8 of 49 .....	1668
Figure G.9 -- ARM EXPRESS-G diagram 9 of 49 .....	1669
Figure G.10 -- ARM EXPRESS-G diagram 10 of 49 .....	1670
Figure G.11 -- ARM EXPRESS-G diagram 11 of 49 .....	1671
Figure G.12 -- ARM EXPRESS-G diagram 12 of 49 .....	1672
Figure G.13 -- ARM EXPRESS-G diagram 13 of 49 .....	1673
Figure G.14 -- ARM EXPRESS-G diagram 14 of 49 .....	1674
Figure G.15 -- ARM EXPRESS-G diagram 15 of 49 .....	1675
Figure G.16 -- ARM EXPRESS-G diagram 16 of 49 .....	1676
Figure G.17 -- ARM EXPRESS-G diagram 17 of 49 .....	1677
Figure G.18 -- ARM EXPRESS-G diagram 18 of 49 .....	1678
Figure G.19 -- ARM EXPRESS-G diagram 19 of 49 .....	1679
Figure G.20 -- ARM EXPRESS-G diagram 20 of 49 .....	1680
Figure G.21 -- ARM EXPRESS-G diagram 21 of 49 .....	1681
Figure G.22 -- ARM EXPRESS-G diagram 22 of 49 .....	1682
Figure G.23 -- ARM EXPRESS-G diagram 23 of 49 .....	1683
Figure G.24 -- ARM EXPRESS-G diagram 24 of 49 .....	1684

Figure G.25 -- ARM EXPRESS-G diagram 25 of 49 .....	1685
Figure G.26 -- ARM EXPRESS-G diagram 26 of 49 .....	1686
Figure G.27 -- ARM EXPRESS-G diagram 27 of 49 .....	1687
Figure G.28 -- ARM EXPRESS-G diagram 28 of 49 .....	1688
Figure G.29 -- ARM EXPRESS-G diagram 29 of 49 .....	1689
Figure G.30 -- ARM EXPRESS-G diagram 30 of 49 .....	1690
Figure G.31 -- ARM EXPRESS-G diagram 31 of 49 .....	1691
Figure G.32 -- ARM EXPRESS-G diagram 32 of 49 .....	1692
Figure G.33 -- ARM EXPRESS-G diagram 33 of 49 .....	1693
Figure G.34 -- ARM EXPRESS-G diagram 34 of 49 .....	1694
Figure G.35 -- ARM EXPRESS-G diagram 35 of 49 .....	1695
Figure G.36 -- ARM EXPRESS-G diagram 36 of 49 .....	1696
Figure G.37 -- ARM EXPRESS-G diagram 37 of 49 .....	1697
Figure G.38 -- ARM EXPRESS-G diagram 38 of 49 .....	1698
Figure G.39 -- ARM EXPRESS-G diagram 39 of 49 .....	1699
Figure G.40 -- ARM EXPRESS-G diagram 40 of 49 .....	1700
Figure G.41 -- ARM EXPRESS-G diagram 41 of 49 .....	1701
Figure G.42 -- ARM EXPRESS-G diagram 42 of 49 .....	1702
Figure G.43 -- ARM EXPRESS-G diagram 43 of 49 .....	1703
Figure G.44 -- ARM EXPRESS-G diagram 44 of 49 .....	1704
Figure G.45 -- ARM EXPRESS-G diagram 45 of 49 .....	1705
Figure G.46 -- ARM EXPRESS-G diagram 46 of 49 .....	1706
Figure G.47 -- ARM EXPRESS-G diagram 47 of 49 .....	1707
Figure G.48 -- ARM EXPRESS-G diagram 48 of 49 .....	1708
Figure G.49 -- ARM EXPRESS-G diagram 49 of 49 .....	1709
Figure H.1 -- AIM diagram 1 of 28 in EXPRESS-G .....	1711
Figure H.2 -- AIM diagram 2 of 28 in EXPRESS-G .....	1712
Figure H.3 -- AIM diagram 3 of 28 in EXPRESS-G .....	1713
Figure H.4 -- AIM diagram 4 of 28 in EXPRESS-G .....	1714
Figure H.5 -- AIM diagram 5 of 28 in EXPRESS-G .....	1715
Figure H.6 -- AIM diagram 6 of 28 in EXPRESS-G .....	1716

Figure H.7 -- AIM diagram 7 of 28 in EXPRESS-G .....	1717
Figure H.8 -- AIM diagram 8 of 28 in EXPRESS-G .....	1718
Figure H.9 -- AIM diagram 9 of 28 in EXPRESS-G .....	1719
Figure H.10 -- AIM diagram 10 of 28 in EXPRESS-G .....	1720
Figure H.11 -- AIM diagram 11 of 28 in EXPRESS-G .....	1721
Figure H.12 -- AIM diagram 12 of 28 in EXPRESS-G .....	1722
Figure H.13 -- AIM diagram 13 of 28 in EXPRESS-G .....	1723
Figure H.14 -- AIM diagram 14 of 28 in EXPRESS-G .....	1724
Figure H.15 -- AIM diagram 15 of 28 in EXPRESS-G .....	1725
Figure H.16 -- AIM diagram 16 of 28 in EXPRESS-G .....	1726
Figure H.17 -- AIM diagram 17 of 28 in EXPRESS-G .....	1727
Figure H.18 -- AIM diagram 18 of 28 in EXPRESS-G .....	1728
Figure H.19 -- AIM diagram 19 of 28 in EXPRESS-G .....	1729
Figure H.20 -- AIM diagram 20 of 28 in EXPRESS-G .....	1730
Figure H.21 -- AIM diagram 21 of 28 in EXPRESS-G .....	1731
Figure H.22 -- AIM diagram 22 of 28 in EXPRESS-G .....	1732
Figure H.23 -- AIM diagram 23 of 28 in EXPRESS-G .....	1733
Figure H.24 -- AIM diagram 24 of 28 in EXPRESS-G .....	1734
Figure H.25 -- AIM diagram 25 of 28 in EXPRESS-G .....	1735
Figure H.26 -- AIM diagram 26 of 28 in EXPRESS-G .....	1736
Figure H.27 -- AIM diagram 27 of 28 in EXPRESS-G .....	1737
Figure H.28 -- AIM diagram 28 of 28 in EXPRESS-G .....	1738
Figure L.1 -- Ship product model .....	1741
Figure L.2 -- Ship life cycle .....	1743
Figure L.3 -- SCM framework .....	1744
Figure L.4 -- Subtypes of items for ship structures .....	1747
Figure L.5 -- Subtypes of definitions for ship structures .....	1747
Figure L.6 -- Subtypes of Design_definition for ship structures .....	1749
Figure L.7 -- Corrugated part model .....	1750
Figure L.8 -- Corrugated system model .....	1751
Figure L.9 -- Hierarchy of feature design definitions .....	1753

<b>Tables Table 1 -- Conformance classes - Early design &amp; class approval .....</b>	<b>1309</b>
<b>Table 2 -- Conformance classes - Detail design .....</b>	<b>1310</b>
<b>Table 3 -- Conformance classes - Manufacturing .....</b>	<b>1311</b>
<b>Table 4 -- Conformance class - Class approval .....</b>	<b>1312</b>
<b>Table 5 -- Conformance class elements .....</b>	<b>1313</b>
<b>Table 6 -- Units used in AIM .....</b>	<b>1761</b>