ISO 22343-2:2023-09 (E)

Security and resilience - Vehicle security barriers - Part 2: Application

Contents

Page

Foreword ... **vi**

1 Scope ... **1**

2 Normative references ... **1**

3 Terms and definitions ... **2**

4 Introduction to hostile vehicle mitigation ... **2**
4.1 General ... 2
4.1.1 Vehicle-borne threats ... 2
4.1.2 Mitigation of vehicle-borne threats ... 2
4.2 Selection of a VSB ... 4

5 The threat ... **4**
5.1 Identify and quantify the threat ... 4
5.2 Deployment considerations ... 5
5.2.1 General ... 5
5.2.2 Installation ... 5

6 Assets ... **6**
6.1 Identification of the critical assets ... 6
6.2 Identification of interested parties ... 6
6.3 Consequence evaluation ... 6

7 Site assessment ... **6**
7.1 New locations ... 6
7.2 Review of existing security arrangements ... 7
7.3 Site survey ... 7
7.4 Traffic survey ... 8
7.5 Civil works ... 8
7.5.1 Variations between VSB performance under vehicle impact test conditions and site conditions ... 8
7.5.2 Ground types ... 9
7.5.3 Foundations ... 9
7.5.4 Surface-placed VSB ... 10

8 Site design ... **10**
8.1 Traffic management ... 10
8.2 Aesthetics ... 12

9 VSB performance ... **12**
9.1 Impact performance ... 12
9.2 Vehicle speed ... 12
9.2.1 General ... 12
9.2.2 Vehicle dynamics assessment ... 13
9.2.3 Road layout ... 13
9.2.4 Speed reduction features ... 13
9.3 Impact angle ... 13
9.4 Vehicle penetration distance and major debris distance/coordinates ... 13
9.4.1 Vehicle penetration distance ... 13
9.4.2 Major debris distance/coordinates ... 13
9.4.3 Stand-off distance ... 14
9.5 Operational performance ... 14

9.5.1 Vehicle access control 14
9.5.2 Speed of legitimate access 15
9.5.3 Power requirement 15
9.5.4 Environmental conditions 15
9.5.5 Design criteria 16
9.6 VSB integrity 16
9.6.1 VSB damage 16
9.6.2 Remote access to automatic access control system 16
9.6.3 Repairs 17
9.6.4 Staff, skills and availability 17
9.7 Design method 18

10 Procurement strategy 18
10.1 General 18
10.2 Availability and maintenance of the VSB 18
10.3 Quality 18
10.4 Cost 18
10.5 Commissioning and handover 19

11 Deployment and removal 20
11.1 Highway/local authority approval 20
11.2 Logistics of deployment 20
11.3 Installation 20
11.4 Lifting and placement 20
11.5 Removal considerations 21

12 Types of VSB 21
12.1 General 21
12.2 Passive VSBs 21
12.3 Active VSBs 21
12.4 Foundation type 22
12.5 Foundations and layout 23
12.6 Examples of VSBs — Bollards 24
12.6.1 General 24
12.6.2 Fixed bollards 24
12.6.3 Active bollards 24
12.7 Examples of VSBs — Road blockers 25
12.8 Examples of VSBs — Rising arm barriers 25
12.8.1 General 25
12.8.2 Layout 26
12.9 Examples of VSBs — Sliding and swing gates 26
12.9.1 General 26
12.9.2 Foundations 26
12.9.3 Layout 26
12.10 Examples of VSBs — Street furniture 27
12.10.1 General 27
12.10.2 Foundations 27
12.11 Examples of VSBs — Manually deployable (portable) 28

13 Vehicle access control points 28
13.1 General 28
13.2 Layout of active VSBs at VACPs 30
13.2.1 General 30
13.2.2 Single line of VSBs 30
13.2.3 Interlocked VSBs 31
13.2.4 Final denial VSB 32
13.2.5 Traffic throughput 33
13.3 Safety issues 34
13.4 Control system 35

14 Training 36

15 Maintenance, service and inspection 36
15.1 General 36
15.2 Adjacent works 37

16 Operational requirements 37
16.1 General 37

16.2 Level 1 OR 37
16.3 Level 2 OR 37
16.4 Level 2 OR proforma 39
Annex A (informative) **Level 2 operational requirement proforma** **40**
Annex B (informative) **Design method** **56**
Annex C (informative) **Modifications to the VSB** **60**
Annex D (informative) **VSB compliance sign off** **61**
Bibliography **63**