

DIN ISO 22343-2:2025-04 (E)

Security and resilience - Vehicle security barriers - Part 2: Application (ISO 22343-2:2023)

Contents		Page
National foreword		5
National Annex NA (informative) Bibliography		6
Foreword		7
1	Scope	8
2	Normative references	8
3	Terms and definitions	9
4	Introduction to hostile vehicle mitigation	9
4.1	General	9
4.1.1	Vehicle-borne threats	9
4.1.2	Mitigation of vehicle-borne threats	9
4.2	Selection of a VSB	11
5	The threat	11
5.1	Identify and quantify the threat	11
5.2	Deployment considerations	12
5.2.1	General	12
5.2.2	Installation	12
6	Assets	13
6.1	Identification of the critical assets	13
6.2	Identification of interested parties	13
6.3	Consequence evaluation	13
7	Site assessment	13
7.1	New locations	13
7.2	Review of existing security arrangements	14
7.3	Site survey	14
7.4	Traffic survey	15
7.5	Civil works	15
7.5.1	Variations between VSB performance under vehicle impact test conditions and site conditions	15
7.5.2	Ground types	16
7.5.3	Foundations	16
7.5.4	Surface-placed VSB	17
8	Site design	17
8.1	Traffic management	17
8.2	Aesthetics	19
9	VSB performance	19
9.1	Impact performance	19
9.2	Vehicle speed	19
9.2.1	General	19
9.2.2	Vehicle dynamics assessment	20
9.2.3	Road layout	20
9.2.4	Speed reduction features	20
9.3	Impact angle	20
9.4	Vehicle penetration distance and major debris distance/coordinates	20

9.4.1	Vehicle penetration distance	20
9.4.2	Major debris distance/coordinates	20
9.4.3	Stand-off distance	21
9.5	Operational performance	21
9.5.1	Vehicle access control	21
9.5.2	Speed of legitimate access	22
9.5.3	Power requirement	22
9.5.4	Environmental conditions	22
9.5.5	Design criteria	23
9.6	VSB integrity	23
9.6.1	VSB damage	23
9.6.2	Remote access to automatic access control system	23
9.6.3	Repairs	24
9.6.4	Staff, skills and availability	24
9.7	Design method	25
10	Procurement strategy	25
10.1	General	25
10.2	Availability and maintenance of the VSB	25
10.3	Quality	25
10.4	Cost	25
10.5	Commissioning and handover	26
11	Deployment and removal	27
11.1	Highway/local authority approval	27
11.2	Logistics of deployment	27
11.3	Installation	27
11.4	Lifting and placement	27
11.5	Removal considerations	28
12	Types of VSB	28
12.1	General	28
12.2	Passive VSBs	28
12.3	Active VSBs	28
12.4	Foundation type	29
12.5	Foundations and layout	30
12.6	Examples of VSBs — Bollards	31
12.6.1	General	31
12.6.2	Fixed bollards	31
12.6.3	Active bollards	31
12.7	Examples of VSBs — Road blockers	32
12.8	Examples of VSBs — Rising arm barriers	32
12.8.1	General	32
12.8.2	Layout	33
12.9	Examples of VSBs — Sliding and swing gates	33
12.9.1	General	33
12.9.2	Foundations	33
12.9.3	Layout	33
12.10	Examples of VSBs — Street furniture	34
12.10.1	General	34
12.10.2	Foundations	34
12.11	Examples of VSBs — Manually deployable (portable)	35
13	Vehicle access control points	35
13.1	General	35
13.2	Layout of active VSBs at VACPs	37
13.2.1	General	37
13.2.2	Single line of VSBs	37
13.2.3	Interlocked VSBs	38

13.2.4	Final denial VSB.....	39
13.2.5	Traffic throughput.....	40
13.3	Safety issues.....	41
13.4	Control system.....	42
14	Training.....	43
15	Maintenance, service and inspection.....	43
15.1	General.....	43
15.2	Adjacent works.....	44
16	Operational requirements.....	44
16.1	General.....	44
16.2	Level 1 OR.....	44
16.3	Level 2 OR.....	44
16.4	Level 2 OR proforma.....	46
	Annex A (informative) Level 2 operational requirement proforma.....	47
	Annex B (informative) Design method.....	63
	Annex C (informative) Modifications to the VSB.....	67
	Annex D (informative) VSB compliance sign off.....	68
	Bibliography.....	70