

# DIN EN 13445-3:2013-12 (E)

## Unfired pressure vessels - Part 3: Design

---

<b>Contents</b>		<b>Page</b>
Foreword .....		6
1	Scope .....	7
2	Normative references .....	7
3	Terms and definitions .....	8
4	Symbols and abbreviations .....	10
5	Basic design criteria .....	12
5.1	General .....	12
5.2	Corrosion, erosion and protection .....	12
5.3	Load cases .....	14
5.4	Design methods .....	18
5.5	Thickness calculations (DBF) .....	19
5.6	Joint coefficient .....	20
5.7	Design requirements of welded joints .....	21
6	Maximum allowed values of the nominal design stress for pressure parts .....	24
6.1	General .....	24
6.2	Steels (except castings), other than austenitic steels covered by 6.4 and 6.5, with a minimum rupture elongation, as given in the relevant technical specification for the material, below 30 % .....	25
6.3	Alternative route for steels (except castings), other than austenitic steels covered by 6.4 and 6.5, with a minimum rupture elongation, as given in the relevant technical specification for the material, below 30 % .....	25
6.4	Austenitic steels (except castings) with a minimum elongation after rupture, as given in the relevant technical specification for the material, from 30 % to 35 % .....	26
6.5	Austenitic steels (except castings) with a minimum rupture elongation, as given in the relevant technical specification for the material, from 35 % .....	26
6.6	Cast steels .....	27
7	Shells under internal pressure .....	28
7.1	Purpose .....	28
7.2	Specific definitions .....	28
7.3	Specific symbols and abbreviations .....	28
7.4	Cylindrical and spherical shells .....	28
7.5	Dished ends .....	29
7.6	Cones and conical ends .....	34
7.7	Nozzles which encroach into the knuckle region .....	42
8	Shells under external pressure .....	47
8.1	Purpose .....	47
8.2	Specific definitions .....	47
8.3	Specific symbols and definitions .....	47
8.4	General .....	50
8.5	Cylindrical shells .....	51
8.6	Conical shell .....	72
8.7	Spherical shells .....	80
8.8	Vessel ends .....	81

<b>9</b>	<b>Openings in shells .....</b>	<b>82</b>
<b>9.1</b>	<b>Purpose .....</b>	<b>82</b>
<b>9.2</b>	<b>Specific definitions .....</b>	<b>82</b>
<b>9.3</b>	<b>Specific symbols and abbreviations .....</b>	<b>83</b>
<b>9.4</b>	<b>General .....</b>	<b>86</b>
<b>9.5</b>	<b>Isolated openings .....</b>	<b>98</b>
<b>9.6</b>	<b>Multiple openings .....</b>	<b>114</b>
<b>9.7</b>	<b>Openings close to a shell discontinuity .....</b>	<b>124</b>
<b>10</b>	<b>Flat ends .....</b>	<b>132</b>
<b>10.1</b>	<b>Purpose .....</b>	<b>132</b>
<b>10.2</b>	<b>Specific definitions .....</b>	<b>132</b>
<b>10.3</b>	<b>Specific symbols and abbreviations .....</b>	<b>132</b>
<b>10.4</b>	<b>Unpierced circular flat ends welded to cylindrical shells .....</b>	<b>134</b>
<b>10.5</b>	<b>Unpierced bolted circular flat ends .....</b>	<b>141</b>
<b>10.6</b>	<b>Pierced circular flat ends .....</b>	<b>145</b>
<b>10.7</b>	<b>Flat ends of non-circular or annular shape .....</b>	<b>149</b>
<b>11</b>	<b>Flanges .....</b>	<b>153</b>
<b>11.1</b>	<b>Purpose .....</b>	<b>153</b>
<b>11.2</b>	<b>Specific definitions .....</b>	<b>153</b>
<b>11.3</b>	<b>Specific symbols and abbreviations .....</b>	<b>153</b>
<b>11.4</b>	<b>General .....</b>	<b>156</b>
<b>11.5</b>	<b>Narrow face gasketed flanges .....</b>	<b>160</b>
<b>11.6</b>	<b>Full face flanges with soft ring type gaskets .....</b>	<b>175</b>
<b>11.7</b>	<b>Seal welded flanges .....</b>	<b>178</b>
<b>11.8</b>	<b>Reverse narrow face flanges .....</b>	<b>178</b>
<b>11.9</b>	<b>Reverse full face flanges .....</b>	<b>181</b>
<b>11.10</b>	<b>Full face flanges with metal to metal contact .....</b>	<b>185</b>
<b>12</b>	<b>Bolted domed ends .....</b>	<b>188</b>
<b>12.1</b>	<b>Purpose .....</b>	<b>188</b>
<b>12.2</b>	<b>Specific definitions .....</b>	<b>188</b>
<b>12.3</b>	<b>Specific symbols and abbreviations .....</b>	<b>188</b>
<b>12.4</b>	<b>General .....</b>	<b>188</b>
<b>12.5</b>	<b>Bolted domed ends with narrow face gaskets .....</b>	<b>188</b>
<b>12.6</b>	<b>Bolted domed ends with full face joints .....</b>	<b>190</b>
<b>13</b>	<b>Heat Exchanger Tubesheets .....</b>	<b>192</b>
<b>13.1</b>	<b>Purpose .....</b>	<b>192</b>
<b>13.2</b>	<b>Specific definitions .....</b>	<b>192</b>
<b>13.3</b>	<b>Specific symbols and abbreviations .....</b>	<b>192</b>
<b>13.4</b>	<b>U-tube tubesheet heat exchangers .....</b>	<b>195</b>
<b>13.5</b>	<b>Fixed tubesheet heat exchangers .....</b>	<b>209</b>
<b>13.6</b>	<b>Floating tubesheet heat exchangers .....</b>	<b>237</b>
<b>13.7</b>	<b>Tubesheet characteristics .....</b>	<b>254</b>
<b>13.8</b>	<b>Maximum permissible tube to tubesheet joint stress .....</b>	<b>261</b>
<b>13.9</b>	<b>Maximum permissible longitudinal compressive stress for tubes .....</b>	<b>262</b>
<b>13.10</b>	<b>Design of tubesheet flange extension with a narrow face gasket .....</b>	<b>265</b>
<b>13.11</b>	<b>Design of tubesheet flange extension with a full face gasket .....</b>	<b>268</b>
<b>13.12</b>	<b>Special tube-to-tubesheet welded joints .....</b>	<b>271</b>
<b>14</b>	<b>Expansion bellows .....</b>	<b>274</b>
<b>14.1</b>	<b>Purpose .....</b>	<b>274</b>
<b>14.2</b>	<b>Specific definitions .....</b>	<b>274</b>
<b>14.3</b>	<b>Specific symbols and abbreviations .....</b>	<b>276</b>
<b>14.4</b>	<b>Conditions of applicability .....</b>	<b>278</b>
<b>14.5</b>	<b>U-shaped unreinforced bellows .....</b>	<b>280</b>
<b>14.6</b>	<b>U-shaped reinforced bellows .....</b>	<b>294</b>
<b>14.7</b>	<b>Toroidal bellows .....</b>	<b>302</b>
<b>14.8</b>	<b>Fabrication .....</b>	<b>309</b>

14.9	Inspection and testing .....	311
14.10	Bellows subjected to axial, lateral or angular displacements .....	313
15	Pressure vessels of rectangular section .....	318
15.1	Purpose .....	318
15.2	Specific definitions .....	318
15.3	Specific symbols and abbreviations .....	318
15.4	General .....	319
15.5	Unreinforced vessels .....	319
15.6	Reinforced vessels .....	325
15.7	Openings .....	332
16	Additional non-pressure loads .....	334
16.1	Purpose .....	334
16.2	Specific definitions .....	334
16.3	Specific symbols and abbreviations .....	335
16.4	Local loads on nozzles in spherical shells .....	336
16.5	Local loads on nozzles in cylindrical shells .....	346
16.6	Line loads .....	354
16.7	Lifting lugs .....	360
16.8	Horizontal vessels on saddle supports .....	364
16.9	Horizontal vessels on ring supports .....	378
16.10	Vertical vessels on bracket supports .....	383
16.11	Vertical vessels with supporting legs .....	388
16.12	Vertical vessels with skirts .....	390
16.13	Vertical vessels with ring supports .....	405
16.14	Global loads .....	415
17	Simplified assessment of fatigue life .....	420
17.1	Purpose .....	420
17.2	Specific definitions .....	420
17.3	Specific symbols and abbreviations .....	422
17.4	Conditions of applicability .....	423
17.5	General .....	424
17.6	Determination of allowable number of pressure cycles .....	425
17.7	Assessment rule .....	450
17.8	Design and manufacture .....	450
17.9	Testing .....	451
18	Detailed assessment of fatigue life .....	452
18.1	Purpose .....	452
18.2	Specific definitions .....	452
18.3	Specific symbols and abbreviations .....	455
18.4	Limitations .....	457
18.5	General .....	459
18.6	Welded material .....	461
18.7	Unwelded components and bolts .....	466
18.8	Elastic-plastic conditions .....	469
18.9	Fatigue action .....	471
18.10	Fatigue strength of welded components .....	474
18.11	Fatigue strength of unwelded components .....	495
18.12	Fatigue strength of steel bolts .....	500
19	Creep design .....	503
19.1	Purpose .....	503
19.2	Specific definitions .....	503
19.3	Specific symbols and abbreviations .....	503
19.4	Design in the creep range .....	504
19.5	Nominal Design stress in the creep range .....	504
19.6	Weld joint factor in the creep range .....	509
19.7	Pressure loading of predominantly non-cyclic nature in the creep range .....	509

19.8	Design procedures for DBF .....	509
20	Design rules for reinforced flat walls .....	513
20.1	General .....	513
20.2	Stayed flat walls .....	513
20.3	Specific definitions for stayed flat walls .....	513
20.4	Required thickness of stayed flat walls .....	513
20.5	Required dimensions and layout of staybolts and stays .....	513
20.6	Requirements for threaded staybolts .....	513
20.7	Requirements for welded-in staybolts and welded stays .....	514
20.8	Tables for stayed flat walls .....	515
20.9	Figures for Stayed Flat Walls .....	516
21	Circular flat ends with radial reinforcement ribs .....	519
21.1	Purpose .....	519
21.2	Specific definitions .....	519
21.3	Specific symbols and abbreviations .....	521
21.4	Ends without additional peripheral bending moment .....	522
21.5	Ends with additional peripheral bending moment .....	524
21.6	Openings .....	526
21.7	Welds .....	526
21.8	Central Ring .....	527
Annex A (normative)	Design requirements for pressure bearing welds .....	528
Annex B (normative)	Design by Analysis - Direct Route .....	552
Annex C (normative)	Design by analysis - Method based on stress categories .....	582
Annex D (informative)	Verification of the shape of vessels subject to external pressure .....	601
Annex E (normative)	Procedure for calculating the departure from the true circle of cylinders and cones .....	608
Annex F (normative)	Allowable external pressure for vessels outside circularity tolerance .....	611
Annex G (normative)	Alternative design rules for flanges and gasketed flange connections .....	613
Annex GA (informative)	Alternative design rules for flanges and gasketed flange connections .....	660
Annex H (informative)	Gasket factors m and y .....	723
Annex I (informative)	Additional information on heat exchanger tubesheet design .....	726
Annex J (normative)	Alternative method for the design of heat exchanger tubesheets .....	730
Annex K (informative)	Additional information on expansion bellows design .....	775
Annex L (informative)	Basis for design rules related to additional non-pressure loads .....	781
Annex M (informative)	In service monitoring of vessels operating in fatigue or creep .....	783
Annex N (informative)	Bibliography to clause 18 .....	786
Annex O (informative)	Physical properties of steels .....	787
Annex P (normative)	Classification of weld details to be assessed using principal stresses .....	795
Annex Q (normative)	Simplified procedure for the fatigue assessment of unwelded zones .....	808

<b>Annex R (informative) Coefficients for creep-rupture model equations for extrapolation of creep-rupture strength .....</b>	<b>809</b>
<b>Annex S (informative) Extrapolation of the nominal design stress based on time- independent behaviour in the creep range .....</b>	<b>813</b>
<b>Annex T (normative) Design by experimental methods .....</b>	<b>819</b>
<b>Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of the EU Pressure Equipment Directive 97/23/EC .....</b>	<b>833</b>