

# DIN EN 13480-3:2013-11 (E)

## Metallic industrial piping - Part 3: Design and calculation

---

| <b>Contents</b> |   | <b>Page</b> |
|-----------------|---|-------------|
| Foreword .....  |   | 9           |
| <b>1</b>        | <b>Scope .....</b>  | <b>11</b>   |
| <b>2</b>        | <b>Normative references .....</b>                                 | <b>11</b>   |
| <b>3</b>        | <b>Terms, definitions, symbols and units .....</b>                | <b>12</b>   |
| 3.1             | Terms and definitions .....                                       | 12          |
| 3.2             | Symbols and units .....   | 12          |
| <b>4</b>        | <b>Basic design criteria .....</b>                                | <b>14</b>   |
| 4.1             | General .....   | 14          |
| 4.2             | Loadings .....  | 14          |
| 4.2.1           | General .....   | 14          |
| 4.2.2           | Combination of loads .....  | 15          |
| 4.2.3           | Loads for dimensioning .....                                      | 15          |
| 4.2.4           | Other loads to be taken into account .....                        | 16          |
| 4.2.5           | Design conditions .....   | 18          |
| 4.3             | Thickness .....   | 20          |
| 4.4             | Tolerances .....  | 22          |
| 4.5             | Joint coefficient .....   | 22          |
| 4.6             | Dimensioning of piping components subject to pressure .....       | 22          |
| <b>5</b>        | <b>Design stresses .....</b>                                      | <b>23</b>   |
| 5.1             | General .....   | 23          |
| 5.2             | Time-independent nominal design stress .....                      | 23          |
| 5.2.1           | Steels other than austenitic steels .....                         | 23          |
| 5.2.2           | Austenitic steels .....   | 23          |
| 5.2.3           | Nickel and / or chromium alloy steels .....                       | 24          |
| 5.2.4           | Steels castings .....   | 24          |
| 5.2.5           | Additional requirements for steels with no specific control ..... | 24          |
| 5.3             | Time-dependent nominal design stress .....                        | 25          |
| 5.3.1           | General .....   | 25          |
| 5.3.2           | Steels .....  | 25          |
| 5.3.3           | Nickel and/or chromium alloy steels .....                         | 26          |
| <b>6</b>        | <b>Design of piping components under internal pressure .....</b>  | <b>26</b>   |
| 6.1             | Straight pipes .....  | 26          |
| 6.2             | Pipe bends and elbows .....                                       | 27          |
| 6.2.1           | General .....   | 27          |
| 6.2.2           | Symbols .....   | 27          |
| 6.2.3           | Required wall thicknesses .....                                   | 27          |
| 6.3             | Mitre bends .....   | 29          |
| 6.3.1           | General .....   | 29          |
| 6.3.2           | Symbols .....   | 29          |
| 6.3.3           | Effective radius of mitre bend .....                              | 30          |
| 6.3.4           | Multiple mitre bends .....  | 31          |
| 6.3.5           | Single mitre bends .....  | 31          |
| 6.3.6           | Adjacent straight pipe sections of mitre bends .....              | 31          |
| 6.4             | Reducers .....  | 31          |
| 6.4.1           | Conditions of applicability .....                                 | 31          |
| 6.4.2           | Specific definitions .....  | 32          |

|                   |   |    |
|-------------------|---|----|
| 6.4.3             | Specific symbols and abbreviations .....  | 32 |
| 6.4.4             | Conical shells .....  | 33 |
| Issue 2 (2013-08) | 6.4.5 Junctions - general .....   | 34 |
| 6.4.6             | Junction between the large end of a cone and a cylinder without a knuckle ..... | 34 |
| 6.4.7             | Junction between the large end of a cone and a cylinder with a knuckle .....    | 37 |
| 6.4.8             | Junction between the small end of a cone and a cylinder .....                   | 38 |
| 6.4.9             | Offset reducers .....   | 40 |
| 6.4.10            | Special forged reducers .....   | 40 |
| 6.5               | Flexible piping components .....  | 41 |
| 6.5.1             | General .....   | 41 |
| 6.5.2             | Expansion joints .....  | 41 |
| 6.5.3             | Corrugated metal hose assemblies .....  | 42 |
| 6.6               | Bolted flange connections .....   | 44 |
| 6.6.1             | General .....   | 44 |
| 6.6.2             | Symbols .....   | 44 |
| 6.6.3             | Standard flange .....   | 44 |
| 6.6.4             | Non-standard flange .....   | 45 |
| 7                 | Design of ends under internal pressure .....                                    | 45 |
| 7.1               | Dished ends .....   | 45 |
| 7.1.1             | Symbols .....   | 45 |
| 7.1.2             | Hemispherical ends .....  | 46 |
| 7.1.3             | Torispherical ends .....  | 46 |
| 7.1.4             | Ellipsoidal ends .....  | 48 |
| 7.1.5             | Calculation of .....  | 49 |
| 7.2               | Circular flat ends .....  | 52 |
| 7.2.1             | General .....   | 52 |
| 7.2.2             | Symbols .....   | 52 |
| 7.2.3             | Unstayed flat circular ends welded to cylindrical shells/pipes .....            | 54 |
| 7.2.4             | Unstayed flat circular bolted ends .....  | 61 |
| 7.2.5             | Reinforcements of openings in unstayed flat ends .....                          | 67 |
| 8                 | Openings and branch connections .....   | 69 |
| 8.1               | General .....   | 69 |
| 8.2               | Symbols .....   | 70 |
| 8.3               | Limitations .....   | 71 |
| 8.3.1             | Thickness ratio .....   | 71 |
| 8.3.2             | Openings in the vicinity of discontinuities .....                               | 72 |
| 8.3.3             | Types of reinforcement .....  | 74 |
| 8.3.4             | Calculation method .....  | 75 |
| 8.3.5             | Elliptical openings and oblique branch connections .....                        | 75 |
| 8.3.6             | Reinforcing pads .....  | 77 |
| 8.3.7             | Dissimilar material of shell and reinforcements .....                           | 77 |
| 8.3.8             | Extruded outlets .....  | 77 |
| 8.3.9             | Branches in bends or elbows .....   | 77 |
| 8.3.10            | Screwed-in branches .....   | 77 |
| 8.4               | Isolated openings .....   | 78 |
| 8.4.1             | General .....   | 78 |
| 8.4.2             | Unreinforced openings .....   | 81 |
| 8.4.3             | Reinforced openings with $d_i/D_i < 0,8$ .....                                  | 81 |
| 8.4.4             | Reinforced single openings with $0,8 < d/D \leq 1,0$ .....                      | 87 |
| 8.5               | Adjacent openings .....   | 87 |
| 8.5.1             | Unreinforced openings .....   | 87 |
| 8.5.2             | Reinforced openings with $d/D \leq 0,8$ .....                                   | 87 |
| 8.6               | Design of special piping components .....                                       | 88 |
| 8.6.1             | Cylindrical Y-pieces .....  | 88 |
| 8.6.2             | Spherical Y-pieces .....  | 89 |
| 8.6.3             | Triform reinforced branches .....   | 90 |
| 9                 | Design of piping components under external pressure .....                       | 91 |
| 9.1               | General .....   | 91 |

|                   |  |     |
|-------------------|--|-----|
| 9.2               | Symbols and elastic stress limits .....  | 93  |
| Issue 2 (2013-08) | 9.2.1 Symbols .....  | 93  |
| 9.2.2             | Elastic stress limits .....  | 94  |
| 9.3               | Cylindrical pipes, elbows and mitre bends .....                                      | 94  |
| 9.3.1             | Determination of lengths .....   | 94  |
| 9.3.2             | Interstiffener collapse .....  | 96  |
| 9.3.3             | Overall collapse of stiffened pipes .....  | 98  |
| 9.3.4             | Stiffener stability .....  | 99  |
| 9.3.5             | Heating/cooling channels .....   | 102 |
| 9.4               | Reducers (conical shells) .....  | 103 |
| 9.5               | Dished ends .....  | 104 |
| 9.5.1             | Hemispherical ends .....   | 104 |
| 9.5.2             | Torispherical ends .....   | 105 |
| 9.5.3             | Ellipsoidal ends .....   | 105 |
| 10                | Design for cyclic loading .....  | 106 |
| 10.1              | General .....  | 106 |
| 10.2              | Exemption from detailed fatigue analysis .....                                       | 106 |
| 10.3              | Fatigue design for cyclic pressure .....   | 107 |
| 10.3.1            | Equivalent full load cycles .....  | 107 |
| 10.3.2            | Simplified fatigue analysis .....  | 107 |
| 10.4              | Fatigue design for thermal gradients .....   | 121 |
| 10.4.1            | General .....  | 121 |
| 10.4.2            | Design guidance .....  | 121 |
| 10.5              | Fatigue design for combined loads .....  | 121 |
| 11                | Integral attachments .....   | 122 |
| 11.1              | General .....  | 122 |
| 11.2              | Allowable stresses .....   | 122 |
| 11.3              | Symbols .....  | 123 |
| 11.4              | Hollow circular attachments .....  | 125 |
| 11.4.1            | Limitations .....  | 125 |
| 11.4.2            | Preliminary calculations .....   | 125 |
| 11.4.3            | Analysis of attachments welded to pipe with a full penetration weld .....            | 127 |
| 11.4.4            | Analysis of attachments welded to pipe with fillet or partial penetration weld ..... | 128 |
| 11.5              | Rectangular attachments .....  | 128 |
| 11.5.1            | Limitations .....  | 128 |
| 11.5.2            | Preliminary calculations .....   | 128 |
| 11.5.3            | Analysis of attachments welded to pipe with a full penetration weld .....            | 130 |
| 11.5.4            | Analysis of attachments welded to pipe with fillet or partial penetration weld ..... | 130 |
| 11.6              | Stress analysis of the run pipe .....  | 131 |
| 11.7              | Shear stress analysis in attachment .....  | 132 |
| 11.7.1            | Hollow circular attachments .....  | 132 |
| 11.7.2            | Rectangular attachments .....  | 133 |
| 11.8              | Alternative calculation methods .....  | 133 |
| 12                | Flexibility analysis and acceptance criteria .....                                   | 133 |
| 12.1              | Basic conditions .....   | 133 |
| 12.1.1            | General .....  | 133 |
| 12.1.2            | Loading conditions .....   | 133 |
| 12.1.3            | Allowable stresses .....   | 133 |
| 12.2              | Piping flexibility .....   | 135 |
| 12.2.1            | General .....  | 135 |
| 12.2.2            | Basic conditions .....   | 135 |
| 12.2.3            | Displacement strains .....   | 136 |
| 12.2.4            | Displacement stresses .....  | 137 |
| 12.2.5            | Stress range .....   | 137 |
| 12.2.6            | Cold pull .....  | 138 |
| 12.2.7            | Properties for flexibility analysis .....  | 138 |
| 12.2.8            | Supporting conditions .....  | 139 |
| 12.2.9            | Expansion joints .....   | 140 |

|  |     |
|--|-----|
| Issue 2 (2013-08) 12.2.10 Flexibility analysis .....                     | 140 |
| 12.3 Flexibility analysis .....  | 142 |
| 12.3.1 General .....   | 142 |
| 12.3.2 Stress due to sustained loads .....                               | 142 |
| 12.3.3 Stress due to sustained and occasional or exceptional loads ..... | 143 |
| 12.3.4 Stress range due to thermal expansion and alternating loads ..... | 144 |
| 12.3.5 Additional conditions for the creep range .....                   | 145 |
| 12.3.6 Stresses due to a single non-repeated support movement .....      | 145 |
| 12.3.7 Determination of resultant moments .....                          | 145 |
| 12.3.8 Reactions .....   | 148 |
| 12.4 Fatigue analysis .....  | 148 |
| 12.5 Vibration .....   | 148 |
| <br>   |     |
| 13 Supports .....  | 148 |
| 13.1 General requirements .....  | 148 |
| 13.1.1 General .....   | 148 |
| 13.1.2 Classification of supports .....                                  | 149 |
| 13.1.3 Additional definitions .....                                      | 149 |
| 13.1.4 Boundaries .....  | 150 |
| 13.1.5 Welded support attachments .....                                  | 152 |
| 13.2 Material requirements .....   | 154 |
| 13.3 Design .....  | 154 |
| 13.3.1 General .....   | 154 |
| 13.3.2 Design temperatures for support components .....                  | 155 |
| 13.3.3 Detail design .....   | 157 |
| 13.3.4 Buckling .....  | 158 |
| 13.3.5 Support location .....  | 158 |
| 13.3.6 Determination of component sizes .....                            | 158 |
| 13.4 Connections .....   | 159 |
| 13.4.1 Welded connections .....  | 159 |
| 13.4.2 Bolted connections .....  | 160 |
| 13.5 Design requirements for special components .....                    | 160 |
| 13.5.1 Constant load hangers and supports .....                          | 160 |
| 13.5.2 Variable load hangers and supports .....                          | 161 |
| 13.5.3 Rigid struts .....  | 162 |
| 13.5.4 Shock arrestors (shock absorber, snubber) .....                   | 163 |
| 13.5.5 Sliding supports .....  | 164 |
| 13.5.6 Anchors .....   | 164 |
| 13.6 Documentation of supports .....                                     | 164 |
| 13.7 Marking of supports .....   | 164 |
| <br>   |     |
| Annex A (informative) Dynamic analysis .....                             | 165 |
| A.1 General .....  | 165 |
| A.2 Analysis by calculation .....  | 165 |
| A.2.1 Seismic events .....   | 165 |
| A.2.2 Rapid valve closure .....  | 169 |
| A.2.3 Flow induced vibration .....                                       | 172 |
| A.2.4 Safety valve discharge .....                                       | 174 |
| A.2.5 Allowable stresses .....   | 176 |
| A.3 Alternative means of design verification .....                       | 176 |
| A.3.1 Comparative studies .....  | 176 |
| A.3.2 Full scale testing .....   | 177 |
| A.3.3 Reduced scale testing .....  | 177 |
| <br>   |     |
| Annex B (normative) More accurate calculation of bends and elbows .....  | 178 |
| B.1 General .....  | 178 |
| B.2 Symbols and units .....  | 178 |
| B.3 Required wall thickness .....  | 179 |
| B.4 Calculation .....  | 180 |

|                         |  |     |
|-------------------------|--|-----|
| B.4.1                   | Calculation of wall thickness .....                                      | 180 |
| Issue 2 (2013-08) B.4.2 | Stress calculation .....   | 182 |
| Annex C (informative)   | Expansion joints .....   | 186 |
| C.1                     | Incorporation of expansion joints into piping systems .....              | 186 |
| C.1.1                   | General .....  | 186 |
| C.1.2                   | Types of expansion joints .....  | 186 |
| C.1.3                   | Design of expansion joints .....   | 187 |
| C.1.4                   | Designing with expansion joints .....                                    | 188 |
| C.1.5                   | Analyses and calculation .....   | 189 |
| C.1.6                   | Cold pull .....  | 190 |
| C.2                     | Maximum spacing for unrestrained axially compensated straight runs ..... | 190 |
| C.2.1                   | General .....  | 190 |
| C.2.2                   | Calculation rules .....  | 190 |
| C.2.3                   | Maximum spacing for defined conditions .....                             | 192 |
| C.3                     | Indication for the design of expansion joints .....                      | 193 |
| C.3.1                   | General .....  | 193 |
| C.3.2                   | Design data, Symbols .....   | 194 |
| C.3.3                   | Design and calculation .....   | 195 |
| C.3.4                   | Information for the system analyst .....                                 | 197 |
| Annex D (normative)     | Flanges .....  | 198 |
| D.1                     | Purpose .....  | 198 |
| D.2                     | Specific terms and definitions .....                                     | 198 |
| D.3                     | Specific symbols and abbreviations .....                                 | 199 |
| D.4                     | General .....  | 200 |
| D.4.1                   | Introduction .....   | 200 |
| D.4.2                   | Use of standard flanges without calculation .....                        | 201 |
| D.4.3                   | Bolting .....  | 201 |
| D.4.4                   | Flange construction .....  | 203 |
| D.4.5                   | Machining .....  | 203 |
| D.4.6                   | Gaskets .....  | 203 |
| D.5                     | Narrow face gasketed flanges .....                                       | 204 |
| D.5.1                   | General .....  | 204 |
| D.5.2                   | Bolt loads and areas .....   | 207 |
| D.5.3                   | Flange moments .....   | 208 |
| D.5.4                   | Flange stresses and stress limits .....                                  | 209 |
| D.5.5                   | Narrow face flanges subject to external pressure .....                   | 215 |
| D.5.6                   | Lap joints .....   | 215 |
| D.5.7                   | Split ring flanges .....   | 218 |
| D.6                     | Full face flanges with soft ring type gaskets .....                      | 219 |
| D.6.1                   | Specific symbols and abbreviations .....                                 | 220 |
| D.6.2                   | Bolt loads and areas .....   | 220 |
| D.6.3                   | Flange design .....  | 221 |
| D.6.4                   | Full face flanges subject to external pressure .....                     | 222 |
| D.7                     | Seal welded flanges .....  | 222 |
| D.8                     | Reverse narrow face flanges .....  | 223 |
| D.8.1                   | Internal pressure .....  | 223 |
| D.8.2                   | External pressure .....  | 225 |
| D.9                     | Reverse full face flanges .....  | 225 |
| D.9.1                   | General .....  | 225 |
| D.9.2                   | Design following method of D.5 .....                                     | 225 |
| D.9.3                   | Design following method of D.6 .....                                     | 227 |
| D.10                    | Full face flanges with metal to metal contact .....                      | 229 |
| D.10.1                  | General .....  | 229 |
| D.10.2                  | Specific symbols and abbreviations .....                                 | 229 |
| D.10.3                  | Design .....   | 230 |
| Annex E (normative)     | Design of branch connections in piping accessories .....                 | 232 |

|   |  |     |
|---|--|-----|
| E.1   | Scope .....  | 232 |
| E.1.1   | General .....  | 232 |
| Issue 2 (2013-08)   | E.2 Reinforcement .....  | 234 |
| E.2.1   | Angles and areas .....   | 234 |
| E.2.2   | The following condition shall be satisfied: .....                            | 234 |
| E.3   | Flexibility analysis .....   | 236 |
| Annex F (informative) Testing during operation in the case of cyclic loading .....  |  | 237 |
| F.1   | Testing during operation .....   | 237 |
| F.2   | Measures to be taken when the calculated fatigue life has been reached ..... | 237 |
| Annex G (informative) Physical properties of steels .....   |  | 238 |
| G.1   | General .....  | 238 |
| G.2   | Physical properties .....  | 238 |
| G.2.1   | Density .....  | 238 |
| G.2.2   | Differential coefficient of linear expansion .....                           | 239 |
| G.2.3   | Specific thermal capacity .....  | 239 |
| G.2.4   | Thermal diffusivity .....  | 239 |
| G.2.5   | Poisson's ratio .....  | 239 |
| G.3   | Physical properties of steels .....  | 239 |
| Annex H (normative) Flexibility characteristics, flexibility and stress intensification factors and section moduli of piping components and geometrical discontinuities ..... |  | 245 |
| Annex I (informative) Production testing of spring supports and shock arrestors (shock absorbers) .....   |  | 255 |
| I.1   | Constant load supports .....   | 255 |
| I.2   | Variable spring supports .....   | 255 |
| I.3   | Shock arrestors .....  | 255 |
| Annex J (normative) Type testing of support components .....  |  | 260 |
| Annex K (informative) Attachment of supports to structures .....  |  | 261 |
| K.1   | Attachment of supports to concrete structures .....                          | 261 |
| K.2   | Attachment to metallic structures .....                                      | 262 |
| K.2.1   | Standard bolts .....   | 262 |
| K.2.2   | Friction grip bolts .....  | 262 |
| K.2.3   | Welding .....  | 262 |
| Annex L (informative) Buckling of linear type supports .....  |  | 263 |
| L.1   | General .....  | 263 |
| L.2   | Symbols .....  | 263 |
| L.3   | Basic formulae .....   | 264 |
| L.4   | Allowable compressive stress .....   | 264 |
| L.5   | Buckling length .....  | 265 |
| Annex M (informative) Design guidance for structural components .....   |  | 267 |
| M.1   | Linear type components subjected to bending .....                            | 267 |
| M.1.1   | General .....  | 267 |
| M.1.2   | Supplementary verifications for linear type supports .....                   | 267 |
| M.2   | Stability of plate type supports .....                                       | 269 |
| M.3   | Anchorage plates or equivalent anchorage components .....                    | 269 |
| M.3.1   | General .....  | 269 |
| M.3.2   | Design of simple anchorage plates .....                                      | 269 |

|   |  |     |
|---|--|-----|
| M.3.3   | Fixing plates with stiffening gussets .....  | 270 |
| M.3.4   | Load calculations for anchorages fixed in concrete .....                               | 270 |
| Annex N (normative) Documentation of supports .....   |  | 271 |
| Annex O (normative) Alternative method for checking branch connections .....  |  | 273 |
| O.1   | Scope .....  | 273 |
| O.2   | Symbols .....  | 273 |
| O.3   | Design and checking of the branch connection .....                                     | 275 |
| O.3.1   | Limit value for the load due to pressure only for straight pipes without opening ..... | 275 |
| O.3.2   | Determination of the minimum thicknesses under loading due to pressure only .....      | 276 |
| Issue 2 (2013-08) O.3.3 Checking of the thicknesses selected for the combination of pressure loading and loadings due to external loads ..... |  | 276 |
| Annex P (informative) Bolted flange connections -- Application of EN 1591 .....   |  | 327 |
| P.1   | Introduction .....   | 327 |
| P.2   | Scope .....  | 328 |
| P.2.1   | General .....  | 328 |
| P.2.2   | Materials .....  | 328 |
| P.2.3   | Loadings .....   | 328 |
| P.2.4   | Assumptions .....  | 328 |
| P.3   | Application of EN 1591 .....   | 329 |
| P.3.1   | Calculations .....   | 329 |
| P.3.2   | Gasket coefficients .....  | 329 |
| P.3.3   | Tightening .....   | 330 |
| Annex Q (informative) Simplified pipe stress analysis .....   |  | 389 |
| Q.1   | General .....  | 389 |
| Q.2   | Simplified procedure .....   | 389 |
| Q.2.1   | General .....  | 389 |
| Q.2.2   | Specification of allowable spacing of supports .....                                   | 389 |
| Q.2.3   | Check of elasticity .....  | 389 |
| Q.3   | Explanatory notes for Table Q.1 .....  | 391 |
| Q.4   | Symbols .....  | 393 |
| Q.5   | Indices $f_L$ .....  | 393 |
| Q.6   | Explanatory notes to Q.2.2 .....   | 394 |
| Q.6.1   | Specification of allowable spacing of supports .....                                   | 394 |
| Q.7   | Conversion of the allowable lengths .....  | 395 |
| Q.7.1   | Other support conditions .....   | 395 |
| Q.7.2   | Other parameters .....   | 395 |
| Q.8   | Additional single loads .....  | 396 |
| Q.8.1   | General .....  | 396 |
| Q.9   | Explanatory note on Figure Q.2 .....   | 399 |
| Q.9.1   | General .....  | 399 |
| Q.9.2   | Required pipe leg length $L_1$ , for $f_1$ from the nomogram .....                     | 401 |
| Q.9.3   | Required pipe leg length $L_2$ , for $f_2$ from the nomogram .....                     | 401 |
| Annex ZA (informative) Relationship between this European Standard and the essential requirements of EU Directive 97/23/EC .....              |  | 407 |
| Bibliography .....  |  | 408 |