DIN 28151:2021-10 (E)

Nozzles of jacket on agitated vessels, of glass lined steel - Position of nozzles

Contents

Page

Foreword 4

1 Scope 5

2 Normative references 5

3 Terms and definitions 5

4 Designation 5

5 Nozzle arrangement 6
5.1 General 6
5.2 Arrangements A 1 and A 2, without agitation nozzles 6
5.3 Arrangements B 1 and B 2, with agitation nozzles 11

6 Examples of design features 16
6.1 Nozzles N 13 for arrangements A 1, A 2, B 1 and B 2 16
6.2 Detail Z in Figure 1 and Figure 4 17
6.3 Detail Y in Figure 2, Figure 3, Figure 5 and Figure 6 18
6.4 Detail X in Figure 3 and Figure 6 19
6.5 Detail W in Figure 3 20
6.6 Detail V in Figure 5 (agitation nozzle) 20
6.7 Nozzles N 16 to N 19 (agitation nozzles) 21
6.8 Materials for baffle plates 22
6.9 Baffle plates for nozzles N 11 and N 12 22

7 Vessels with a half pipe coil jacket 22

Annex A (informative) Explanatory notes 23

Bibliography 24

Figures Figure 1 -- Vessels with legs or bracket supports and a nominal capacity of 63 l to 40 000 l ..6

Figure 2 -- Vessels with support ring and a nominal capacity of 250 l to 1 000 l 7

Figure 3 -- Vessels with support ring and a nominal capacity of 1 600 l to 40 000 l 8

Figure 4 -- Vessels with legs or bracket supports and a nominal capacity of 250 l to 40 000 l 11

Figure 5 -- Vessels with support ring and a nominal capacity of 250 l to 1 000 l 12

Figure 6 -- Vessels with support ring and a nominal capacity of 1 600 l to 40 000 l 13

Figure 7 -- Vent socket N 13 16

Figure 8 -- Design and arrangement of the baffle plate 17

Figure 9 -- Design with vapour pocket 18

Figure 10 -- Arrangement of baffle plates for nozzle N 14 (see Figure 3) and nozzle N 15 (see Figure 6) 19

Figure 11 -- Arrangement A 2 of the baffle plate, see detail W in Figure 3 20

Figure 12 -- Arrangement of the agitation nozzle for arrangement B 2 20

Figure 13 -- Agitation nozzle in arrangement B 1 21

Figure A.1 -- Conversion of vertical dimensions referring to jacket nozzles 23

Tables Table 1 -- Arrangements A 1 and A 2 9

Table 2 -- Arrangements B 1 and B 2 14

Table 3 -- Diameter of the nozzle neck (position 2 in Figure 13) 22