

DIN 28151:2021-10 (E)

Nozzles of jacket on agitated vessels, of glass lined steel - Position of nozzles

Contents		Page
Foreword		4
1	Scope	5
2	Normative references	5
3	Terms and definitions	5
4	Designation	5
5	Nozzle arrangement	6
5.1	General	6
5.2	Arrangements A 1 and A 2, without agitation nozzles	6
5.3	Arrangements B 1 and B 2, with agitation nozzles	11
6	Examples of design features	16
6.1	Nozzles N 13 for arrangements A 1, A 2, B 1 and B 2	16
6.2	Detail Z in Figure 1 and Figure 4	17
6.3	Detail Y in Figure 2, Figure 3, Figure 5 and Figure 6	18
6.4	Detail X in Figure 3 and Figure 6	19
6.5	Detail W in Figure 3	20
6.6	Detail V in Figure 5 (agitation nozzle)	20
6.7	Nozzles N 16 to N 19 (agitation nozzles)	21
6.8	Materials for baffle plates	22
6.9	Baffle plates for nozzles N 11 and N 12	22
7	Vessels with a half pipe coil jacket	22
Annex A (informative)	Explanatory notes	23
Bibliography		24
Figure 1	-- Vessels with legs or bracket supports and a nominal capacity of 63 l to 40 000 l ..	6
Figure 2	-- Vessels with support ring and a nominal capacity of 250 l to 1 000 l	7
Figure 3	-- Vessels with support ring and a nominal capacity of 1 600 l to 40 000 l	8
Figure 4	-- Vessels with legs or bracket supports and a nominal capacity of 250 l to 40 000 l	11
Figure 5	-- Vessels with support ring and a nominal capacity of 250 l to 1 000 l	12
Figure 6	-- Vessels with support ring and a nominal capacity of 1 600 l to 40 000 l	13
Figure 7	-- Vent socket N 13	16
Figure 8	-- Design and arrangement of the baffle plate	17
Figure 9	-- Design with vapour pocket	18
Figure 10	-- Arrangement of baffle plates for nozzle N 14 (see Figure 3) and nozzle N 15 (see Figure 6)	19

Figure 11 -- Arrangement A 2 of the baffle plate, see detail W in Figure 3	20
Figure 12 -- Arrangement of the agitation nozzle for arrangement B 2	20
Figure 13 -- Agitation nozzle in arrangement B 1	21
Figure A.1 -- Conversion of vertical dimensions referring to jacket nozzles	23
Tables Table 1 -- Arrangements A 1 and A 2	9
Table 2 -- Arrangements B 1 and B 2	14
Table 3 -- Diameter of the nozzle neck (position 2 in Figure 13)	22