

# DIN EN 12952-3:2023-01 (Englisc h)

## Water-tube boilers and auxiliary installations - Part 3: Design and calculation for pressure parts of the boiler

---

<b>Contents</b>		<b>Page</b>
European foreword .....		8
<b>1</b>	<b>Scope .....</b>	<b>10</b>
<b>2</b>	<b>Normative references .....</b>	<b>10</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>11</b>
<b>4</b>	<b>Symbols and abbreviations .....</b>	<b>11</b>
<b>5</b>	<b>General .....</b>	<b>11</b>
5.1	Purpose .....	11
5.2	Dimensions of pressure parts .....	11
5.3	Strength of pressure parts .....	12
5.4	Design by analysis .....	12
5.5	Cyclic loading .....	12
5.6	Other design requirements .....	13
5.6.1	General .....	13
5.6.2	Access .....	14
5.6.3	Drainage and venting .....	14
5.7	Design, calculation and test pressures .....	14
5.7.1	Design pressure .....	14
5.7.2	Calculation pressure .....	14
5.7.3	Calculation pressure for pressure differences .....	15
5.7.4	Hydrostatic test .....	15
5.8	Metal wastage .....	16
5.8.1	Internal wastage .....	16
5.8.2	External wastage .....	16
5.8.3	Requirements .....	16
5.8.4	Stress corrosion .....	16
5.8.5	Mechanical requirements .....	17
5.9	Attachment on pressure parts .....	17
5.9.1	Load carrying attachments .....	17
5.9.2	Non load carrying attachments .....	17
<b>6</b>	<b>Calculation temperature and nominal design stress .....</b>	<b>17</b>
6.1	Calculation temperature .....	17
6.1.1	General .....	17
6.1.2	Circulation boilers .....	18
6.1.3	Once-through boilers, superheaters and reheaters .....	18
6.1.4	Hot water generators .....	18
6.1.5	Temperature allowances for unheated components .....	18
6.1.6	Headers .....	19
6.1.7	Unheated components .....	19
6.1.8	Components protected against radiation .....	19
6.1.9	Components heated by convection .....	19
6.1.10	Components heated by radiation .....	20
6.2	Maximum through-the-wall temperature difference and maximum flue gas temperature for heated drums and headers .....	21
6.2.1	Maximum through-the-wall temperature difference .....	21
6.2.2	Headers exposed to flue gas .....	21

6.2.3	Allowable deviations .....	22
6.3	Design stress .....	22
6.3.1	General .....	22
6.3.2	Rolled and forged steels .....	23
6.3.3	Austenitic steels .....	23
6.3.4	Non-alloy and low-alloy cast steel .....	24
6.3.5	Nodular graphite cast iron .....	24
6.3.6	Design stress for welded connections operating under creep condition .....	25
6.3.7	Design stress for test pressure .....	25
7	Cylindrical shells of drums and headers under internal pressure .....	25
7.1	Shell thickness .....	25
7.1.1	Requirements .....	25
7.1.2	Required wall thickness including allowances .....	26
7.2	Basic calculation .....	26
7.2.1	Required wall thickness without allowances .....	26
7.2.2	Different thickness .....	26
7.2.3	Fabrication tolerances .....	26
7.3	Combined stress in drum or header shells .....	27
7.3.1	General .....	27
7.3.2	Stress from longitudinal loads .....	27
7.3.3	Longitudinal bending stress .....	28
7.3.4	Evaluation of ligament stress for inclined ligaments in drums .....	29
7.4	Boiler drum supports .....	30
7.5	Other stresses in cylindrical shells .....	31
8	Openings and branches in cylindrical shells of drums and headers and integral tubes ...	31
8.1	General .....	31
8.1.1	Requirements for the ligament efficiency of the main body with openings and branches .	31
8.1.2	Effective lengths for calculation of efficiencies of components .....	36
8.1.3	Conditions for isolated openings .....	37
8.1.4	Requirements for design of branches .....	37
8.1.5	Requirements for the design of reinforcing pads .....	38
8.2	Efficiency factor, calculation by way of approximation, and maximum diameter of unreinforced openings .....	38
8.2.1	General .....	38
8.2.2	Allowable efficiency and maximum diameter of unreinforced opening .....	38
8.2.3	Isolated openings .....	39
8.2.4	Adjacent openings .....	41
8.3	Design of openings and branches in cylindrical shells (efficiency and reinforcement) .....	42
8.3.1	Symbols and abbreviations .....	42
8.3.2	Requirements for application .....	42
8.3.3	Design of isolated openings and branch connections .....	47
8.3.4	Design of adjacent openings and branch connections .....	50
8.4	Bolted connections .....	51
8.4.1	General .....	51
8.4.2	Symbols and abbreviations .....	52
8.4.3	Calculation of bolt diameter .....	53
8.4.4	Calculation of bolt load .....	54
8.4.5	Calculation temperature $t_c$ .....	56
8.4.6	Design strength value $K$ .....	57
8.4.7	Safety factor $S$ .....	57
8.4.8	Quality factor $q$ .....	57
8.5	Screwed and socket welded connections .....	58
8.5.1	Screwed connections into the belt .....	58
8.5.2	Screwed socket connections .....	58
8.5.3	Socket welded connections .....	59
9	Headers and plain tubes of rectangular section .....	60
9.1	General .....	60
9.2	Symbols and abbreviations .....	62
9.3	Required wall thickness .....	63

9.3.1	General .....	63
9.3.2	Minimum wall thickness at the centre of one side .....	64
9.3.3	Minimum wall thickness at the corners .....	64
9.3.4	Minimum thickness at a line of openings .....	64
9.3.5	Minimum wall thickness at staggered opening arrangement (diagonal pitch) .....	65
9.3.6	Minimum wall thickness at isolated openings .....	65
10	Ends and spherical shells .....	66
10.1	Symbols and abbreviations .....	66
10.2	Spherical shells and dished heads .....	66
10.2.1	General .....	66
10.2.2	Calculation formula .....	68
10.2.3	Openings in dished ends and spherical ends .....	71
10.3	Unstayed flat ends .....	75
10.3.1	General .....	75
10.3.2	Thickness of circular unstayed flat ends .....	78
10.3.3	Thickness of non-circular and rectangular unstayed flat ends .....	78
10.4	Flat unstayed closures .....	81
11	Tubes .....	83
11.1	Symbols and abbreviations .....	83
11.2	Thickness of straight boiler tubes .....	83
11.2.1	Required wall thickness with allowances .....	83
11.2.2	Required wall thickness without allowances .....	84
11.2.3	Minimum thickness .....	84
11.2.4	Circumferentially butt welded tubes .....	85
11.3	Thickness of tube bends and elbows .....	85
11.3.1	General .....	85
11.3.2	Required wall thickness with allowances .....	85
11.3.3	Required wall thickness without allowances .....	86
11.3.4	Departure from circularity of tube bends .....	86
11.4	Flexibility of integral tubing systems .....	87
11.4.1	General .....	87
11.4.2	Analysis .....	87
11.5	Structural attachments to tubes .....	87
11.5.1	General .....	87
11.5.2	Attachments welded on tube bends .....	89
11.5.3	Length of attachments .....	89
11.5.4	Limit of intensity in the case of radial loading .....	89
11.5.5	Calculation of intensity in the case of radial loading .....	89
11.5.6	Strength of welds .....	91
11.6	Fitting and joining of heated tubes .....	92
11.6.1	Fitting of tubes .....	92
11.6.2	Joining of heated tubes .....	92
11.7	Joining of unheated tubes .....	92
11.7.1	General .....	92
11.7.2	Flanges and bolting .....	92
11.7.3	Butt welded joints .....	92
11.7.4	Screwed or screwed and seal welded joints .....	92
11.8	Standardized fittings .....	92
12	Pressure parts of irregular shape .....	93
12.1	Hydrostatic test for determining the allowable internal pressure .....	93
12.1.1	General .....	93
12.1.2	Proof test to produce yielding .....	93
12.1.3	Proof test to destruction .....	94
12.2	Numerical methods .....	94
12.2.1	General .....	94
12.2.2	Methods .....	94
12.2.3	Evaluation of stress .....	95
13	Fatigue .....	95

13.1	General .....	95
13.1.1	Procedure .....	95
13.1.2	Fatigue loading .....	95
13.1.3	Calculation of fluctuating stress .....	96
13.1.4	Fatigue assessment .....	96
13.2	Symbols and abbreviations .....	96
13.3	Exemption rule for fatigue analysis .....	98
13.3.1	General .....	98
13.3.2	Materials .....	98
13.3.3	Loadings .....	99
13.3.4	Temperature differences during transient operating conditions .....	100
13.4	Stress analysis for fatigue calculation .....	106
13.4.1	Principal and equivalent stresses .....	106
13.4.2	Temperature of a load cycle .....	106
13.4.3	Protection of the magnetite layer .....	107
13.4.4	Allowable circumferential stress range at the inside corner of a bore .....	107
13.4.5	Circumferential stress caused by pressure at the inside corner of a bore .....	107
13.4.6	Stresses on the branch caused by external forces and moments .....	108
13.4.7	Thermal stresses .....	108
13.4.8	Upper and lower limit of the circumferential stress at the inside corner of a bore	108
	13.4.9 Admissible through-the-wall temperature differences .....	112
13.4.10	Allowable temperature transients .....	113
13.4.11	Components with oblique and/or non-radial branches .....	113
13.5	Example calculations .....	113
<b>Annex A (normative) Calculation of tube bends and elbows .....</b>		
A.1	General .....	117
A.2	Symbols and abbreviations .....	117
A.3	Calculation .....	118
A.3.1	Required wall thickness .....	118
A.3.2	Calculation of the wall thickness .....	118
A.3.3	Calculation of stress .....	120
A.3.3.1	The strength conditions for the intrados of the bend shall be: .....	120
A.3.3.2	The strength conditions for the extrados of the bend shall be: .....	120
<b>Annex B (normative) Fatigue cracking - Design to allow for fluctuating stress .....</b>		127
B.1	General .....	127
B.2	Conditions .....	127
B.3	Symbols and abbreviations .....	129
B.4	Cyclic stress range and mean cyclic stress in the case of uniaxial and multiaxial fluctuating stress .....	130
B.4.1	General .....	130
B.4.2	Uniaxial stress state .....	130
B.4.3	Multiaxial stress state with principal stress directions constant .....	130
B.5	Correction factors for taking into account the influences of surface finish and weldments .....	132
B.6	Controlling stress range .....	140
B.6.1	General .....	140
B.6.1.1	Controlling stress range .....	140
B.6.1.2	Elastic range .....	140
B.6.1.3	Partly elastic range .....	140
B.6.1.4	Fully plastic range .....	140
B.6.2	Correction factor .....	141
B.7	Permissible stress range with a known number of load cycles .....	142
<b>Annex C (informative) Examples of calculating the effects of fatigue .....</b>		143
C.1	General .....	143

C.2	Calculation of the admissible number of load cycles .....	143
C.3	Calculation of the admissible temperature gradient .....	146
<b>Annex D (informative) Physical properties of steels .....</b>		<b>150</b>
D.1	General .....	150
D.2	Symbols and abbreviations .....	150
D.3	Physical properties .....	150
D.3.1	Density .....	150
D.3.2	Differential coefficient of linear thermal expansion .....	150
D.3.3	Heat capacity .....	151
D.3.4	Thermal diffusivity .....	151
D.3.5	Poisson's ratio .....	151
D.4	Physical properties of steels .....	151
D.4.1	Data sheet (tables) .....	151
D.4.2	Graphs .....	153
D.4.3	Polynomials .....	157
<b>Annex E (informative) Consideration of external wastage due to flue gas exposure .....</b>		<b>160</b>
E.1	General .....	160
E.2	Symbols and abbreviations .....	160
E.3	Wall thickness of straight tubes in accordance to Clause 11 .....	160
E.3.1	Required wall thickness with allowance .....	160
E.3.2	Required wall thickness without allowances .....	160
E.3.3	Circumferentially butt welded tubes .....	160
E.4	Wall thickness of tube bends and elbows in accordance with Clause 11 .....	161
E.4.1	Required wall thickness with allowance .....	161
E.4.2	Required wall thickness without allowances .....	161
E.5	Wall thickness of tube bends and elbows in accordance with Annex A .....	161
<b>Annex F (informative) Significant technical changes between this European Standard and the previous edition .....</b>		<b>162</b>
<b>Annex ZA (informative) Clauses of this European Standard addressing essential safety requirements of the Pressure Equipment Directive 2014/68/EU .....</b>		<b>163</b>
<b>Bibliography .....</b>		<b>165</b>