

DIN EN 1591-1:2026-02 (E)

Flanges and their joints - Design rules for gasketed circular flange connections - Part 1: Calculation

Contents		Page
European foreword		5
1	Scope	7
2	Normative references	7
3	Terms and definitions, subscripts, special marks and symbols	7
3.1	Terms and definitions.....	7
3.2	Subscripts and special marks.....	17
3.2.1	Subscripts.....	17
3.2.2	Special marks.....	18
3.3	Symbols	18
4	Requirements for use of the calculation method.....	24
4.1	General	24
4.2	Geometry	24
4.3	Material.....	24
4.4	Loads	25
5	Calculation parameters	25
5.1	General	25
5.2	Flange parameters	25
5.2.1	General	25
5.2.2	Flange ring	26
5.2.3	Connected shell	27
5.2.4	Flexibility-related flange parameters	28
5.3	Bolt and washer parameters	29
5.3.1	General	29
5.3.2	Effective cross-section area of bolts	29
5.3.3	Flexibility modulus of bolts	29
5.3.4	Geometric parameters for washers and contact surfaces	29
5.3.5	Flexibility modulus of washers.....	30
5.4	Gasket parameters	30
5.4.1	General	30
5.4.2	Theoretical dimensions	30
5.4.3	Effective dimensions	30
5.4.4	Axial flexibility modulus of gasket.....	32
5.4.5	Lever arms	33
6	Forces.....	34
6.1	General	34
6.2	Applied loads.....	34
6.2.1	Assembly condition ($I = 0$)	34
6.2.2	Subsequent conditions ($I = 1, 2 \dots$)	34
6.3	Compliance of the joint.....	35
6.4	Minimum forces necessary for the gasket.....	36
6.4.1	Assembly condition ($I = 0$)	36
6.4.2	Subsequent conditions ($I = 1, 2, \dots$)	36
6.5	Internal forces in assembly condition ($I = 0$)	37
6.5.1	Required forces.....	37

6.5.2	Accounting for bolt-load scatter at assembly	38
6.6	Internal forces in subsequent conditions ($I = 1, 2, \dots$)	38
7	Load limits.....	39
7.1	General	39
7.2	Bolts.....	40
7.3	Gasket	40
7.4	Integral flange and collar or stub	41
7.5	Blank flange	43
7.6	Loose flange on collar/stub.....	43
Annex A (informative) Dimensions of standard metric bolts.....		45
Annex B (informative) Tightening.....		46
B.1	Scatter of initial bolt load of a single bolt — Indicative values ε_{1-} and ε_{1+} for a single bolt	46
B.2	Scatter for the global load of all the bolts	46
B.3	Manual uncontrolled tightening	47
B.4	Assembly using torque wrench	47
B.5	Assembly using bolt tensioner.....	48
Annex C (informative) Flange rotations		50
C.1	General	50
C.2	Use of flange rotation	50
C.3	Calculation of flange rotations.....	50
Annex D (informative) Use of the calculation method		52
D.1	Calculation method principle.....	52
D.2	Mechanical model.....	53
D.3	Required checks.....	54
D.4	Calculation sequence.....	54
Annex E (informative) Gasket/flange face friction coefficients examples.....		57
Annex F (informative) Checking a specified assembly bolt force		58
Annex G (informative) Sealing gasket parameters when no leakage rate is specified.....		59
Annex H (informative) Alternative calculation procedure taking into account the plastic deformation of the gasket in subsequent load conditions procedures (after assembly) ..		60
H.1	General	60
H.2	Calculation procedure.....	60
H.2.1	General description	60
H.2.2	No additional plastic deformation.....	61
H.2.3	Additional plastic deformation.....	61
H.3	Flat gaskets	61
H.3.1	Flat gaskets with small or median deformations.....	61
H.3.2	Flat gaskets with greater deformations	63
H.4	Metal gaskets with curved surfaces (Figures 4b), c), e), f)).....	64
H.5	Metal gaskets with octagonal section (Figure 4d))	64
Annex I (informative) Available, incomplete models for conversion of the leakage rates in different conditions (based on certain flow models)		65
I.1	Introduction and warning.....	65
I.2	Flow theory fundamentals	65
I.2.1	Transport modes	65
I.2.2	Case of gases	66
I.2.3	Case of liquids: Parallel capillary model.....	67

I.3	Factors of influence on the leakage rate of gaskets and gasketed joints.....	67
I.3.1	List of identified factors	67
I.3.2	Limits and restriction of the proposed models	67
I.3.3	Dependence on pressure	68
I.3.4	Dependence on temperature	69
I.3.5	Dependence on the type of fluid.....	70
I.3.6	Influence of the gasket thickness.....	70
I.3.7	Influence of gasket width.....	71
I.3.8	Influence of gasket stress	71
I.3.9	Influence of other factors	72
I.3.10	Conclusion on the factors of influence.....	72
I.4	Practical application for EN 1591-1 calculations.....	72
I.4.1	General	72
I.4.2	Determination of a trend for the leakage rate for the flange connection in “actual” from “reference” conditions	74
I.4.3	Determination of a trend for the leakage rate for the flange connection in “reference” from “actual” conditions	75
Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2014/68/EU aimed to be covered		77
Bibliography		78