

# DIN EN 10242:2026-02 (E)

## Threaded pipe fittings in malleable cast iron

---

<b>Contents</b>		<b>Page</b>
European foreword .....		4
<b>1</b>	<b>Scope .....</b>	<b>5</b>
<b>2</b>	<b>Normative references .....</b>	<b>5</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>6</b>
<b>4</b>	<b>Types of fittings .....</b>	<b>8</b>
<b>5</b>	<b>Materials .....</b>	<b>10</b>
<b>5.1</b>	<b>General .....</b>	<b>10</b>
<b>5.2</b>	<b>Material of the fitting .....</b>	<b>10</b>
<b>5.2.1</b>	<b>Malleable cast iron .....</b>	<b>10</b>
<b>5.2.2</b>	<b>Other ferrous materials .....</b>	<b>10</b>
<b>6</b>	<b>Corrosion protection .....</b>	<b>10</b>
<b>6.1</b>	<b>General .....</b>	<b>10</b>
<b>6.2</b>	<b>Hot dip galvanizing .....</b>	<b>10</b>
<b>6.2.1</b>	<b>General .....</b>	<b>10</b>
<b>6.2.2</b>	<b>Chemical composition of the hot dip zinc coating .....</b>	<b>11</b>
<b>6.2.3</b>	<b>Coating mass per surface unit and layer thickness .....</b>	<b>11</b>
<b>6.2.4</b>	<b>Surface condition of the hot dip zinc coating .....</b>	<b>11</b>
<b>6.3</b>	<b>Dangerous substances .....</b>	<b>11</b>
<b>6.3.1</b>	<b>General .....</b>	<b>11</b>
<b>6.3.2</b>	<b>Hot dip zinc coating .....</b>	<b>11</b>
<b>6.3.3</b>	<b>Despatch conditions of finished fittings .....</b>	<b>11</b>
<b>7</b>	<b>Design .....</b>	<b>12</b>
<b>7.1</b>	<b>General .....</b>	<b>12</b>
<b>7.2</b>	<b>Design characteristic .....</b>	<b>12</b>
<b>8</b>	<b>Dimensions and tolerances .....</b>	<b>12</b>
<b>8.1</b>	<b>Relationship between fitting size and nominal size (DN) .....</b>	<b>12</b>
<b>8.2</b>	<b>Tolerance of the dimensions .....</b>	<b>13</b>
<b>8.3</b>	<b>Lengths of engagement .....</b>	<b>13</b>
<b>8.4</b>	<b>Widths across flats .....</b>	<b>14</b>
<b>8.4.1</b>	<b>General .....</b>	<b>14</b>
<b>8.4.2</b>	<b>Design of flats .....</b>	<b>14</b>
<b>8.4.3</b>	<b>Minimum depth of spanner flats .....</b>	<b>14</b>
<b>8.5</b>	<b>Reaction to fire .....</b>	<b>15</b>
<b>9</b>	<b>Threads .....</b>	<b>15</b>
<b>9.1</b>	<b>Choice of thread .....</b>	<b>15</b>
<b>9.1.1</b>	<b>Jointing thread .....</b>	<b>15</b>
<b>9.1.2</b>	<b>Fastening threads .....</b>	<b>15</b>
<b>9.2</b>	<b>Alignment of threads .....</b>	<b>15</b>
<b>9.3</b>	<b>Chamfering .....</b>	<b>15</b>
<b>10</b>	<b>Manufacture .....</b>	<b>15</b>
<b>11</b>	<b>Required characteristics .....</b>	<b>15</b>

11.1	Allowable operating pressure and temperature .....	15
11.2	Design strength .....	16
11.3	Assembly .....	16
12	Testing and inspection .....	17
12.1	Malleable cast iron .....	17
12.2	Hot dip zinc coating .....	17
12.3	Threads .....	17
12.3.1	Jointing threads .....	17
12.3.2	Fastening threads .....	17
12.3.3	Alignment .....	17
12.4	Leak tightness test .....	17
12.5	Final visual inspection .....	18
12.6	Acceptance tests for higher performances .....	18
12.6.1	General .....	18
12.6.2	Hydrostatic pressure tests .....	18
12.7	Analysis of polycyclic aromatic hydrocarbons .....	18
12.8	Inspection documents .....	18
12.8.1	Quality documentation .....	18
12.8.2	Product documentation .....	18
13	Designation of fittings .....	18
13.1	Elements of the designation for ordering .....	18
13.2	Additional notes on designation of size .....	18
13.3	Example of designation .....	19
14	Marking .....	20
15	Tables with dimensions .....	21
	Bibliography .....	49