

# DIN EN 14879-3:2007-02 (E)

## Organic coating systems and linings for protection of industrial apparatus and plants against corrosion caused by aggressive media - Part 3: Coatings on concrete components

---

| <b>Contents</b>                                  |   | <b>Page</b> |
|--|---|-------------|
| Foreword .....                                   |   | 5           |
| <b>1</b>   | <b>Scope .....</b>  | <b>6</b>    |
| <b>2</b>   | <b>Normative references .....</b>                                       | <b>7</b>    |
| <b>3</b>   | <b>Terms and definitions .....</b>                                      | <b>8</b>    |
| <b>4</b>   | <b>Surface protection systems and selection criteria .....</b>          | <b>9</b>    |
| <b>Surface protection types and system .....</b> |   | <b>9</b>    |
| <b>4.1</b>                                       | <b>9 4.2 Selection criteria .....</b>                                   | <b>10</b>   |
| <b>4.2.1</b>                                     | <b>General .....</b>  | <b>10</b>   |
| <b>4.2.2</b>                                     | <b>Exposing media .....</b>   | <b>10</b>   |
| <b>4.2.3</b>                                     | <b>Type and frequency of fluid loading .....</b>                        | <b>12</b>   |
| <b>4.2.4</b>                                     | <b>Thermal loading .....</b>  | <b>12</b>   |
| <b>4.2.5</b>                                     | <b>Changes in temperature .....</b>                                     | <b>12</b>   |
| <b>4.2.6</b>                                     | <b>Mechanical loading .....</b>   | <b>13</b>   |
| <b>4.2.7</b>                                     | <b>Weather factors .....</b>  | <b>13</b>   |
| <b>4.2.8</b>                                     | <b>Additional requirements .....</b>                                    | <b>14</b>   |
| <b>4.3</b>                                       | <b>Load profile .....</b>   | <b>14</b>   |
| <b>5</b>   | <b>Coatings .....</b>   | <b>14</b>   |
| <b>5.1</b>                                       | <b>Concrete structure and surface appearance .....</b>                  | <b>14</b>   |
| <b>5.2</b>                                       | <b>Coating materials .....</b>  | <b>14</b>   |
| <b>5.3</b>                                       | <b>Coating system .....</b>   | <b>14</b>   |
| <b>5.3.1</b>                                     | <b>General .....</b>  | <b>14</b>   |
| <b>5.3.2</b>                                     | <b>Properties of coatings .....</b>                                     | <b>15</b>   |
| <b>5.3.3</b>                                     | <b>Impregnating agents .....</b>  | <b>16</b>   |
| <b>5.3.4</b>                                     | <b>Primers .....</b>  | <b>16</b>   |
| <b>5.3.5</b>                                     | <b>Intermediate layers .....</b>  | <b>16</b>   |
| <b>5.3.6</b>                                     | <b>Trowelled coatings .....</b>   | <b>17</b>   |
| <b>5.3.7</b>                                     | <b>Self-levelling coatings .....</b>                                    | <b>17</b>   |
| <b>5.3.8</b>                                     | <b>Laminate layer .....</b>   | <b>17</b>   |
| <b>5.3.9</b>                                     | <b>Top coat .....</b>   | <b>17</b>   |
| <b>5.3.10</b>                                    | <b>Waterproofing layer .....</b>  | <b>18</b>   |
| <b>5.3.11</b>                                    | <b>Screed .....</b>   | <b>18</b>   |
| <b>5.3.12</b>                                    | <b>Sealant .....</b>  | <b>18</b>   |
| <b>5.4</b>                                       | <b>Coating system components .....</b>                                  | <b>18</b>   |
| <b>5.4.1</b>                                     | <b>General .....</b>  | <b>18</b>   |
| <b>5.4.2</b>                                     | <b>Binders .....</b>  | <b>19</b>   |
| <b>5.4.3</b>                                     | <b>Fillers and aggregates .....</b>                                     | <b>19</b>   |
| <b>5.4.4</b>                                     | <b>Reinforcing materials .....</b>                                      | <b>19</b>   |
| <b>5.4.5</b>                                     | <b>Processing aids .....</b>  | <b>20</b>   |
| <b>5.5</b>                                       | <b>Reinforcing materials for laminate layers .....</b>                  | <b>20</b>   |
| <b>5.6</b>                                       | <b>Reinforcing materials for top coats .....</b>                        | <b>20</b>   |
| <b>5.7</b>                                       | <b>Coatings .....</b>   | <b>20</b>   |
| <b>5.8</b>                                       | <b>Safety measures for storage, processing and waste disposal .....</b> | <b>21</b>   |

|  |  |           |
|--|--|-----------|
| <b>6</b>   | <b>Designations</b>  | <b>21</b> |
| <b>7</b>   | <b>Testing</b>   | <b>22</b> |
| 7.1  | General  | 22        |
| 7.2  | Suitability testing  | 22        |
| 7.3  | Receiving inspection of coating materials  | 23        |
| 7.3.1  | General  | 23        |
| 7.3.2  | Marking  | 23        |
| 7.3.3  | Viscosity  | 23        |
| 7.3.4  | Density  | 23        |
| 7.3.5  | Colour   | 23        |
| 7.3.6  | Non-volatile matter content  | 23        |
| 7.3.7  | Binders  | 23        |
| 7.4  | Tests during application of coating  | 23        |
| 7.4.1  | General  | 23        |
| 7.4.2  | Suitability of concrete surface  | 23        |
| 7.4.3  | Ambient conditions   | 23        |
| 7.4.4  | Coating process  | 24        |
| 7.4.5  | Individual layer thickness   | 24        |
| 7.5  | Acceptance testing   | 24        |
| 7.5.1  | General  | 24        |
| 7.5.2  | Testing of coated component parts  | 24        |
| 7.5.3  | Testing carried out on test panels   | 25        |
| 7.6  | Inspection report  | 25        |
| <b>8</b>   | <b>Suitability verification and tests</b>  | <b>25</b> |
| 8.1  | Requirements   | 25        |
| 8.1.1  | General  | 25        |
| 8.1.2  | Fluid load, chemical resistance and tightness                                    | 25        |
| 8.1.3  | Thermal loads  | 25        |
| 8.1.4  | Temperature change loads   | 26        |
| 8.1.5  | Mechanical loads   | 26        |
| 8.1.6  | Anti-slip properties   | 26        |
| 8.1.7  | Crack bridging   | 26        |
| 8.1.8  | Adhesion strength  | 27        |
| 8.1.9  | Ageing behaviour   | 27        |
| 8.1.10   | Weathering behaviour   | 27        |
| 8.1.11   | Concrete compatibility   | 27        |
| 8.1.12   | Behaviour in cleaning and neutralisation processes                               | 27        |
| 8.1.13   | Behaviour against micro-organisms  | 28        |
| 8.1.14   | Electrostatic dissipating capability   | 28        |
| 8.1.15   | Behaviour in fire  | 28        |
| 8.2  | Tests  | 28        |
| 8.2.1  | General  | 28        |
| 8.2.2  | Coatings   | 29        |
| <b>Annex A (informative) Specimen form</b>   |  | <b>42</b> |
| <b>Annex B (informative) Selection criteria for surface protection systems</b>                               |  | <b>43</b> |
| B.1  | Load profiles and suitable surface protection systems for floors and walls       | 43        |
| B.2  | Load profiles and suitable surface protection systems for secondary containments | 44        |
| B.3  | Load profiles and suitable protection for production plant floors                | 45        |
| B.4  | Load profiles and suitable protection for gutters, trenches, pipes etc           | 46        |
| B.5  | Load profiles and suitable protection for containers                             | 47        |
| <b>Annex C (informative) Acceptance inspection report</b>  |  | <b>48</b> |
| <b>Annex D (normative) Overview of verification of suitability for coatings</b>                              |  | <b>49</b> |
| <b>Annex E (normative) Test fluid groups for verification of suitability for material/media combinations</b> |  | <b>50</b> |

|   |           |
|---|-----------|
| <b>Annex F (normative) Manufacture of test panels for coatings .....</b>  | <b>53</b> |
| <b>Annex G (normative) Testing the electrostatic dissipation capability .....</b>   | <b>56</b> |
| <b>G.1 General .....</b>  | <b>56</b> |
| <b>G.1.1 Dissipation resistance .....</b>   | <b>56</b> |
| <b>G.1.2 Ground dissipating resistance .....</b>  | <b>56</b> |
| <b>G.2 Testing the dissipation resistance of test samples .....</b>   | <b>56</b> |
| <b>G.2.1 Instruments .....</b>  | <b>56</b> |
| <b>G.2.2 Test procedure .....</b>   | <b>56</b> |
| <b>G.2.3 Test report .....</b>  | <b>56</b> |
| <b>G.3 Measuring the ground dissipation resistance on the laid surface protection system .....</b>  | <b>57</b> |
| <b>G.3.1 Instruments .....</b>  | <b>57</b> |
| <b>G.3.2 Preparation .....</b>  | <b>57</b> |
| <b>G.3.3 Test procedure .....</b>   | <b>57</b> |
| <b>G.3.4 Test report .....</b>  | <b>58</b> |
| <b>Annex H (informative) Information to be given by the coating material manufacturer .....</b>   | <b>59</b> |
| <b>A-Deviation: National deviation due to regulations, the alteration of which is for the time being<br/>outside the competence of the CEN/CENELEC member .....</b> | <b>60</b> |
| <b>Bibliography .....</b>   | <b>61</b> |