

ISO 16637:2016-02 (E)

Radiological protection - Monitoring and internal dosimetry for staff members exposed to medical radionuclides as unsealed sources

Contents		Page
Foreword		v
Introduction		vi
1	Scope	1
2	Normative references	2
3	Terms and definitions	2
4	Symbols and abbreviated terms	5
5	Purpose and need for monitoring programmes in nuclear medical diagnosis and therapy	
6 5.1	General	6
5.2	Assessment of the level of likely exposures	6
5.3	Monitoring programmes	7
5.3.1	General	7
5.3.2	Confirmatory monitoring programmes	7
5.3.3	Routine monitoring programmes	8
5.3.4	Triage monitoring programmes	8
5.3.5	Task-related monitoring programmes	8
5.3.6	Special monitoring programmes	8
5.3.7	Implementation of a monitoring programme	9
6	Common radionuclides	10
7	Reference levels	10
8	Routine monitoring programmes	11
8.1	General aspects	11
8.2	Individual monitoring	12
8.3	Methods and monitoring intervals	12
9	Triage monitoring programmes	13
10	Special Monitoring programmes	13
10.1	General aspects	13
10.2	Workplace monitoring	14
10.3	Individual monitoring	14
11	Confirmatory monitoring programmes	15
11.1	General aspects	15
11.2	Workplace monitoring	15
11.3	Individual monitoring	15
12	Measurement techniques and performance criteria	15
12.1	General	15
12.2	Measurements performed in a laboratory specialised for radiobioassay	16
12.2.1	In vitro	16
12.2.2	In vivo	16
12.2.3	Quality assurance and quality control for bioassay laboratories	16

12.3	Measurements performed in nuclear medicine service	17
13	Procedure for the assessment of exposures	17
13.1	Interpretation of individual monitoring data for dose assessment	17
13.1.1	General	17
13.1.2	Dose assessment based on routine monitoring	17
13.1.3	Dose assessment based on special monitoring	17
13.2	Software tools	22
13.3	Uncertainties	22
13.4	Quality assurance of the assessment process	22
14	Reporting and documentation	23
14.1	Reporting results for in vitro measurements	23
14.2	Reporting results for in vivo measurements	23
14.3	Documentation of the dose assessment	24
	Annex A (informative) IAEA Safety Guide RS-G-1.2 "decision factor"	25
	Bibliography	27