

ISO 16637:2016-02 (E)

Radiological protection - Monitoring and internal dosimetry for staff members exposed to medical radionuclides as unsealed sources

| Contents | | Page |
|--------------------|---|-------------|
| Foreword | | v |
| Introduction | | vi |
| 1 | Scope | 1 |
| 2 | Normative references | 2 |
| 3 | Terms and definitions | 2 |
| 4 | Symbols and abbreviated terms | 5 |
| 5 | Purpose and need for monitoring programmes in nuclear medical diagnosis and therapy | |
| 6 5.1 | General | 6 |
| 5.2 | Assessment of the level of likely exposures | 6 |
| 5.3 | Monitoring programmes | 7 |
| 5.3.1 | General | 7 |
| 5.3.2 | Confirmatory monitoring programmes | 7 |
| 5.3.3 | Routine monitoring programmes | 8 |
| 5.3.4 | Triage monitoring programmes | 8 |
| 5.3.5 | Task-related monitoring programmes | 8 |
| 5.3.6 | Special monitoring programmes | 8 |
| 5.3.7 | Implementation of a monitoring programme | 9 |
| 6 | Common radionuclides | 10 |
| 7 | Reference levels | 10 |
| 8 | Routine monitoring programmes | 11 |
| 8.1 | General aspects | 11 |
| 8.2 | Individual monitoring | 12 |
| 8.3 | Methods and monitoring intervals | 12 |
| 9 | Triage monitoring programmes | 13 |
| 10 | Special Monitoring programmes | 13 |
| 10.1 | General aspects | 13 |
| 10.2 | Workplace monitoring | 14 |
| 10.3 | Individual monitoring | 14 |
| 11 | Confirmatory monitoring programmes | 15 |
| 11.1 | General aspects | 15 |
| 11.2 | Workplace monitoring | 15 |
| 11.3 | Individual monitoring | 15 |
| 12 | Measurement techniques and performance criteria | 15 |
| 12.1 | General | 15 |
| 12.2 | Measurements performed in a laboratory specialised for radiobioassay | 16 |
| 12.2.1 | In vitro | 16 |
| 12.2.2 | In vivo | 16 |
| 12.2.3 | Quality assurance and quality control for bioassay laboratories | 16 |

| | | |
|--------|--|----|
| 12.3 | Measurements performed in nuclear medicine service | 17 |
| 13 | Procedure for the assessment of exposures | 17 |
| 13.1 | Interpretation of individual monitoring data for dose assessment | 17 |
| 13.1.1 | General | 17 |
| 13.1.2 | Dose assessment based on routine monitoring | 17 |
| 13.1.3 | Dose assessment based on special monitoring | 17 |
| 13.2 | Software tools | 22 |
| 13.3 | Uncertainties | 22 |
| 13.4 | Quality assurance of the assessment process | 22 |
| 14 | Reporting and documentation | 23 |
| 14.1 | Reporting results for in vitro measurements | 23 |
| 14.2 | Reporting results for in vivo measurements | 23 |
| 14.3 | Documentation of the dose assessment | 24 |
| | Annex A (informative) IAEA Safety Guide RS-G-1.2 "decision factor" | 25 |
| | Bibliography | 27 |