ISO 16637:2016-02 (E)

Radiological protection - Monitoring and internal dosimetry for staff members exposed to medical radionuclides as unsealed sources

Contents

Page

Foreword v

Introduction vi

1 Scope 1

2 Normative references 2

3 Termsanddefinitions 2

4 Symbols and abbreviated terms 5

5 Purpose and need for monitoring programmes in nuclear medical diagnosis and therapy
6 5.1 General 6
5.2 Assessment of the level of likely exposures 6
5.3 Monitoring programmes 7
5.3.1 General 7
5.3.2 Confirmatory monitoring programmes 7
5.3.3 Routine monitoring programmes 8
5.3.4 Triage monitoring programmes 8
5.3.5 Task-related monitoring programmes 8
5.3.6 Special monitoring programmes 8
5.3.7 Implementation of a monitoring programme 9

6 Common radionuclides 10

7 Reference levels 10

8 Routine monitoring programmes 11
8.1 General aspects 11
8.2 Individual monitoring 12
8.3 Methods and monitoring intervals 12

9 Triage monitoring programmes 13

10 Special Monitoring programmes 13
10.1 General aspects 13
10.2 Workplace monitoring 14
10.3 Individual monitoring 14

11 Confirmatorymonitoringprogrammes 15
11.1 General aspects 15
11.2 Workplace monitoring 15
11.3 Individual monitoring 15

12 Measurement techniques and performance criteria 15
12.1 General 15
12.2 Measurements performed in a laboratory specialised for radiobioassay 16
12.2.1 In vitro 16
12.2.2 In vivo 16
12.2.3 Quality assurance and quality control for bioassay laboratories 16

12.3 Measurements performed in nuclear medicine service 17

13 Procedure for the assessment of exposures 17
13.1 Interpretation of individual monitoring data for dose assessment 17
13.1.1 General 17
13.1.2 Dose assessment based on routine monitoring 17
13.1.3 Dose assessment based on special monitoring 17
13.2 Software tools 22
13.3 Uncertainties 22
13.4 Quality assurance of the assessment process 22

14 Reporting and documentation 23
14.1 Reporting results for in vitro measurements 23
14.2 Reporting results for in vivo measurements 23
14.3 Documentation of the dose assessment 24

Annex A (informative) IAEA Safety Guide RS-G-1.2 "decision factor" 25

Bibliography 27