

# DIN EN ISO 16638-1:2020-07 (E)

## Radiological protection - Monitoring and internal dosimetry for specific materials - Part 1: Inhalation of uranium compounds (ISO 16638-1:2015)

---

<b>Contents</b>		<b>Page</b>
<b>European foreword</b> .....		<b>4</b>
<b>Foreword</b> .....		<b>5</b>
<b>Introduction</b> .....		<b>6</b>
<b>1</b>	<b>Scope</b> .....	<b>7</b>
<b>2</b>	<b>Normative references</b> .....	<b>8</b>
<b>3</b>	<b>Terms and definitions</b> .....	<b>8</b>
<b>4</b>	<b>Symbols and abbreviated terms</b> .....	<b>12</b>
	4.1 Symbols.....	12
	4.2 Abbreviated terms.....	13
<b>5</b>	<b>Purpose and need for monitoring programmes</b> .....	<b>13</b>
<b>6</b>	<b>General aspects</b> .....	<b>16</b>
	6.1 Radiological aspects.....	16
	6.2 Chemical toxicity.....	17
<b>7</b>	<b>Reference levels for uranium</b> .....	<b>18</b>
	7.1 Radiological aspects.....	18
	7.2 Chemical toxicity.....	21
	7.2.1 General.....	21
	7.2.2 Exposure limits.....	21
	7.3 Application of reference levels.....	22
<b>8</b>	<b>Routine monitoring programmes</b> .....	<b>22</b>
	8.1 General.....	22
	8.2 Workplace monitoring.....	22
	8.3 Individual monitoring.....	23
	8.3.1 General.....	23
	8.3.2 Dosimetric and radiation.....	23
	8.3.3 Chemical hazard.....	24
	8.4 Methods and monitoring intervals.....	24
	8.4.1 General.....	24
	8.4.2 Time intervals for toxicological risk.....	24
	8.4.3 Time intervals for radiotoxicological risk.....	24
	8.4.4 Principles and assumptions.....	25
<b>9</b>	<b>Special monitoring programmes</b> .....	<b>26</b>
	9.1 Workplace monitoring.....	26
	9.2 Individual monitoring.....	26
	9.2.1 Recommended monitoring for toxicological risk.....	26
	9.2.2 Recommended monitoring and period for radiotoxicological risk.....	26
<b>10</b>	<b>Task-related monitoring programmes</b> .....	<b>27</b>
	10.1 Workplace monitoring.....	27
	10.2 Individual monitoring.....	27

<b>11</b>	<b>Performance criteria for laboratories</b> .....	<b>28</b>
11.1	General.....	28
11.2	Critical values.....	28
11.3	Reference values.....	29
11.4	Performance criteria for workplace monitoring .....	29
<b>12</b>	<b>Quality assurance and quality control for bioassay laboratories</b> .....	<b>30</b>
<b>13</b>	<b>Procedure for the assessment of exposures</b> .....	<b>30</b>
13.1	General.....	30
13.2	Assessment of workplace monitoring data.....	31
13.3	Assessment of individual monitoring data.....	31
13.4	Properties of a software tool.....	31
13.5	Uncertainties .....	32
13.6	Quality assurance of the assessment process .....	33
<b>14</b>	<b>Reporting and documentation</b> .....	<b>33</b>
14.1	Reporting results for <i>in vitro</i> measurements.....	33
14.2	Reporting results for <i>in vivo</i> measurements.....	34
14.3	Documentation of the dose assessment.....	34
	<b>Annex A (informative) Nuclear data of U-238 and U-235 decay</b> .....	<b>36</b>
	<b>Annex B (informative) Default classification of uranium compounds</b> .....	<b>37</b>
	<b>Annex C (informative) Measurement techniques for uranium</b> .....	<b>38</b>
	<b>Annex D (informative) Committed effective dose per unit intake for uranium compounds</b> .....	<b>42</b>
	<b>Annex E (informative) Estimation of uncertainties for internal dose assessments</b> .....	<b>43</b>
	<b>Bibliography</b> .....	<b>47</b>