

ISO 16638-2:2019-11 (E)

Radiological protection - Monitoring and internal dosimetry for specific materials - Part 2: Ingestion of uranium compounds

| Contents | | Page |
|-----------------------|---|-------------|
| Foreword | | iv |
| Introduction | | v |
| 1 | Scope | 1 |
| 2 | Normative references | 2 |
| 3 | Terms and definitions | 2 |
| 4 | Symbols and abbreviated terms | 4 |
| 4.1 | Symbols | 4 |
| 4.2 | Abbreviated terms | 5 |
| 5 | Purpose and need for monitoring programmes | 5 |
| 6 | General aspects | 7 |
| 7 | Special monitoring programmes | 8 |
| 8 | Task-related monitoring programmes for individual monitoring | 8 |
| 9 | Reference values as performance criteria for laboratories | 8 |
| 10 | Quality assurance and quality control for bioassay laboratories | 9 |
| 11 | Procedure for the assessment of exposures | 10 |
| 11.1 | Assessment of individual monitoring data | 10 |
| 11.2 | Properties of a software tool | 10 |
| 11.3 | Uncertainties | 11 |
| 11.4 | Quality assurance of the assessment process | 11 |
| 12 | Reporting and documentation | 12 |
| 12.1 | Reporting results for in vitro measurements | 12 |
| 12.2 | Documentation of the dose assessment | 12 |
| Annex A (informative) | Nuclear data of U-238 and U-235 decay | 14 |
| Annex B (informative) | Default classification of uranium compounds | 15 |
| Annex C (informative) | Measurement techniques for uranium in case of ingestion | 16 |
| Annex D (informative) | Excretion rates for ingestion of uranium compounds | 19 |
| Annex E (informative) | Committed effective dose per unit intake after ingestion of uranium compounds | 21 |
| Annex F (informative) | Estimation of uncertainties for internal dose assessments after ingestion Bibliography | 22 25 |