

DIN EN ISO 20046:2021-04 (E)

Radiological protection - Performance criteria for laboratories using Fluorescence In Situ Hybridization (FISH) translocation assay for assessment of exposure to ionizing radiation (ISO 20046:2019)

Contents

Page

European foreword	4
Foreword	5
Introduction	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
4 Translocation assay by FISH	11
4.1 General	11
4.2 Culturing and fixation	11
4.3 Types of staining	11
4.4 Scoring	12
4.5 General requirement of the laboratory	12
5 Responsibility of the customer	12
6 Responsibility of the laboratory	13
6.1 Setup and sustainment of the QA program	13
6.2 Responsibility during service	13
7 Confidentiality of personal information	14
7.1 Overview	14
7.2 Applications of the principle of confidentiality	14
7.2.1 Delegation of responsibilities within the laboratory	14
7.2.2 Requests for analysis	15
7.2.3 Transmission of confidential information	15
7.2.4 Anonymity of samples	15
7.2.5 Reporting of results	15
7.2.6 Storage of data and results	15
8 Laboratory safety requirements	15
8.1 Overview	15
8.2 Microbiological safety requirements	16
8.3 Chemical safety requirements	16
8.4 Optical safety requirements	17
8.5 Safety plan	17
9 Sample processing	17
9.1 Culturing and staining	17
9.2 Scoring	18
9.2.1 Criteria for scoring	18
9.2.2 Conversion of translocation frequencies to genome equivalence	18
10 Background levels of translocations	19
11 Calibration curves	20
11.1 Calibration source(s)	20
11.2 Establishment of calibration curve(s)	20

12	Criteria for converting a measured aberration frequency into an estimate of absorbed dose	22
12.1	Determination of estimated whole-body absorbed dose and confidence limits	22
12.1.1	General.....	22
12.1.2	Comparison with the background level: Characterisation of the minimum detectable dose.....	22
12.1.3	Confidence limits on the number of translocations	25
12.1.4	Adjustment for background yield	26
12.1.5	Calculation of absorbed dose	27
12.1.6	Calculation of uncertainty on absorbed dose	28
12.1.7	Acute and non-acute exposure cases.....	28
12.1.8	Other exposure scenarios	29
13	Reporting of results	29
13.1	General.....	29
13.2	Content of the report (see Annex C for an example of a standard form).....	29
13.3	Interpretation of the results	30
14	Quality assurance and quality control	30
14.1	Overview	30
14.2	Specific requirements	30
14.2.1	General.....	30
14.2.2	Performance checks by inter-laboratory comparisons	30
14.2.3	Performance check of scorer qualification.....	31
14.2.4	Performance checks of sample transport integrity	31
14.2.5	Performance checks of sample integrity by service laboratory.....	32
14.2.6	Performance checks of instrumentation.....	32
14.2.7	Performance checks of sample protocol	32
14.2.8	Performance checks of sample scoring	32
14.2.9	Performance checks of result report generation	32
Annex A (informative) Sample instructions for customer		33
Annex B (informative) Sample questionnaire		35
Annex C (informative) Sample of report		37
Annex D (informative) Sample data sheets for recording painted aberrations		38
Annex E (informative) Fitting of the dose response-curve by the method of maximum likelihood and calculating the uncertainty of the absorbed dose estimate		40
Annex F (informative) Process for dose estimation.....		41
Bibliography		46